

# CENÍK EXPRESS 2017

| obj.č. | Popis  | EAN 13        | Cena bez DPH |
|--------|--|---------------|--------------|
| 29     | Electric soldering iron "Tempo" 25 W                         | 3189640000292 | 510 Kč       |
| 49     | Electric soldering iron "Tempo" 45 W                         | 3189640000490 | 559 Kč       |
| 109    | Electric soldering iron "HRT" 100 W                          | 3189640001091 | 1 955 Kč     |
| 159    | Electric soldering iron "HRT" 150 W                          | 3189640001596 | 2 195 Kč     |
| 209    | Electric soldering iron "HRT" 200 W                          | 3189640002098 | 2 288 Kč     |
| 257    | Valve for camping gaz cylinder - Male outlet - Fr bottle     | 3189640002579 | 614 Kč       |
| 309    | Electrical soldering iron "HRT" 300 W                        | 3189640003095 | 2 628 Kč     |
| 332    | Iron tip ± 330 g for soldering iron réf. 330-3. Dimensions c | 3189640003323 | 729 Kč       |
| 333    | Iron tip ± 320 g for soldering iron réf. 330-3. Dimensions c | 3189640003330 | 811 Kč       |
| 335    | Iron tip ± 520 g for soldering iron réf. 330-3. Dimensions c | 3189640003354 | 1 073 Kč     |
| 342    | Blow torch with piezo ignition, sharp tip flame, including g | 3189640003422 | 838 Kč       |
| 343    | Blow torch with piezo ignition, sharp tip flame, including g | 3189640003439 | 949 Kč       |
| 351    | Blow lamp with Piezo ignition, including gas cartridge ref.  | 3189640003514 | 2 150 Kč     |
| 360    | Professional torch for plumbing, piezo ignition, swivel atta | 3189640003606 | 4 206 Kč     |
| 364    | Hoseless soldering iron for roofer, piezo ignition, supplied | 3189640003644 | 4 802 Kč     |
| 365    | Professional torch for plumbing, piezo ignition, swivel atta | 3189640003651 | 4 634 Kč     |
| 393    | Electric soldering iron "Tempo" 35 W, multi iron tips        | 3189640003934 | 705 Kč       |
| 409    | Electric soldering iron "HRT" 400 W                          | 3189640004092 | 3 415 Kč     |
| 444    | Propene (15%) + butane + propane gas cartridge (60 g), wi    | 3189640004443 | 129 Kč       |
| 445    | Propene (26%) + butane + propane gas cartridge (60 g), wi    | 3189640004450 | 144 Kč       |
| 450    | Piezo torch for copper pipe, used along with MAP/GAS.        | 3189640004504 | 1 452 Kč     |
| 470    | Vulcane Express grey kit - Offer "SOLO SANITARY PLUMBING"    | 3189640004702 | 2 692 Kč     |
| 471    | Vulcane Express red kit - Offer "MULTI PLUMBING/HEATING"     | 3189640004719 | 4 940 Kč     |
| 472    | Vulcane Express Pro torch, in blister pack, with burner ref  | 3189640004726 | 2 391 Kč     |
| 473    | Vulcane Express set "NOMAD SANITARY PLUMBING" comp           | 3189640004733 | 3 297 Kč     |
| 478    | Vulcane Express Pro torch, in blister pack, with burner ref  | 3189640004788 | 2 513 Kč     |
| 480    | Vulcane Express grey kit - Offer "SOLO AIR CONDITIONING"     | 3189640004801 | 3 131 Kč     |
| 481    | Vulcane Express red kit - Offer "MULTI AIR CONDITIONING"     | 3189640004818 | 4 128 Kč     |
| 485    | Vulcane Express Pro torch, in blister pack, with burner ref  | 3189640004856 | 2 680 Kč     |
| 486    | Vulcane Express black kit - Offer "NOMAD AIR CONDITIONING"   | 3189640004863 | 4 185 Kč     |
| 490    | Vulcane Express grey kit - Offer "SOLO HOT AIR" compose      | 3189640004900 | 3 188 Kč     |
| 491    | Vulcane Express red kit - Offer "MULTI HOT AIR" compose      | 3189640004917 | 4 204 Kč     |
| 496    | Vulcane Express black kit - Offer "NOMAD HOT AIR" comp       | 3189640004962 | 4 241 Kč     |
| 511    | LAMP' Express "La Classique" with sharp tip flame burner     | 3189640005112 | 977 Kč       |
| 522    | Oxygen cylinder, 60 l, one way                               | 3189640005228 | 558 Kč       |
| 525    | LAMP' Express "Specific for Plumbing" with enveloping Ce     | 3189640005259 | 1 312 Kč     |
| 531    | LAMP' Express "Multifunctions" with enveloping Cercoflar     | 3189640005310 | 1 368 Kč     |
| 555    | Butane + propane gas cartridge, 340 g, for blowlamps ref.    | 3189640005518 | 159 Kč       |
| 593    | Electric soldering iron "Tempo" 55 W, multi iron tips        | 3189640005938 | 726 Kč       |
| 600    | Handle with thumb-operated valve, 3/8e left in               | 3189640006003 | 925 Kč       |
| 602    | Handle with thumb-operated valve and swivel attachment       | 3189640006027 | 1 324 Kč     |
| 614    | Burner 19,32 kW at 1,5 bar                                   | 3189640006140 | 3 854 Kč     |
| 620    | Bl-material handle with trigger and swivel attachment, 3/8   | 3189640006201 | 1 429 Kč     |
| 621    | Burner 45,54 kW at 1,5 bar                                   | 3189640006218 | 6 938 Kč     |
| 622    | Burner 92,46 kW at 1,5 bar                                   | 3189640006225 | 10 733 Kč    |
| 624    | Burner 147,66 kW at 1,5 bar                                  | 3189640006249 | 21 777 Kč    |

|      |  |                               |                 |
|------|--|-------------------------------|-----------------|
| 640  | Metal handel with trigger, swivel attachment, 3/8e left in                 | 3189640006409                 | <b>1 641 Kč</b> |
| 648  | Iron tip + 330 g for soldering iron ref. 2648. Dimensions of               | 3189640006485                 | <b>729 Kč</b>   |
| 649  | Iron tip + 415 g for soldering iron ref. 2649. Dimensions of               | 3189640006492                 | <b>792 Kč</b>   |
| 650  | <a href="#">Bl-material handle with trigger, 3/8e left in</a>              | <a href="#">3189640006508</a> | <b>1 513 Kč</b> |
| 666  | Gas cylinder trolley for 13 or 35 kg cylinders                             | 3189640006669                 | <b>6 319 Kč</b> |
| 672  | Diamond tip + 235 g.   | 3189640006720                 | <b>776 Kč</b>   |
| 675  | Iron tip + 205 g for set ref. 4675 and soldering iron ref. 364             | 3189640006751                 | <b>628 Kč</b>   |
| 678  | Iron tip + 260 g for set ref. 4678 and soldering irons ref. 36             | 3189640006782                 | <b>737 Kč</b>   |
| 679  | Iron tip + 325 g for set ref. 4679 and soldering irons ref. 36             | 3189640006799                 | <b>786 Kč</b>   |
| 682  | HP regulator 2 bar, 3/8e left out  | 3189640006829                 | <b>865 Kč</b>   |
| 684  | HP regulator 4 bar, 3/8e left out  | 3189640006843                 | <b>810 Kč</b>   |
| 686  | HP regulator variable 2 to 4 bar, 3/8e left out                            | 3189640006867                 | <b>1 424 Kč</b> |
| 693  | HP regulator variable 1,5 to 3,5 bar, 3/8e left out with ma                | 3189640006935                 | <b>1 312 Kč</b> |
| 694  | HP regulator variable 2 to 4 bar, 3/8e left out with manom                 | 3189640006942                 | <b>1 619 Kč</b> |
| 778  | TURBO iron tip + 235 g for set ref. 4678 and soldering iron                | 3189640007789                 | <b>838 Kč</b>   |
| 779  | TURBO iron tip + 300 g for set ref. 4679 and soldering iron                | 3189640007796                 | <b>907 Kč</b>   |
| 780  | MASSIVE TURBO iron tip + 675 g for sets ref. 4675, 4678,                   | 3189640007802                 | <b>1 393 Kč</b> |
| 840  | DECAP' EXPRESS for new metals. 320 ml. For tin solder                      | 3189640008403                 | <b>197 Kč</b>   |
| 845  | SUPER DECAP' EXPRESS for oxidized metals 320 ml. For tin                   | 3189640008458                 | <b>213 Kč</b>   |
| 847  | Flux for zinc (new metal) - 1-litre-bottle                                 | 3189640008472                 | <b>436 Kč</b>   |
| 850  | Flux for pre-weathered zinc - 250 ml bottle                                | 3189640008502                 | <b>926 Kč</b>   |
| 851  | DECAP' CUIVRE - 320 ml bottle  | 3189640008519                 | <b>363 Kč</b>   |
| 852  | Soldering and pre-tinning paste (100 g)                                    | 3189640008526                 | <b>330 Kč</b>   |
| 853  | DECAP' INOX - 500 ml spray bottle  | 3189640008533                 | <b>363 Kč</b>   |
| 854  | DECAP' ALU - Gel in can (500 g)  | 3189640008540                 | <b>503 Kč</b>   |
| 855  | DECAP' GREEN - 320 ml bottle   | 3189640008557                 | <b>447 Kč</b>   |
| 856  | Ecological solvent for bitumen (5 litres can)                              | 3189640008564                 | <b>1 410 Kč</b> |
| 911  | Quick-release coupling for handles 600 - 602 - 620 - 640                   | 3189640009110                 | <b>949 Kč</b>   |
| 912  | Adaptable nipple for quick-release coupling 911                            | 3189640009127                 | <b>341 Kč</b>   |
| 922  | Bottle gasket ref. 7796 (11 x 18 x 2) for filler tube shell 779            | 3189640009226                 | <b>36 Kč</b>    |
| 924  | Connection for butane cylinder, nipple for Ø 8 mm hose                     | 3189640009240                 | <b>157 Kč</b>   |
| 948  | Rubber hose L 20 m (the meter) - int. Ø 8 mm - NF EN ISO                   | 3189640009486                 | <b>105 Kč</b>   |
| 954  | Hose clips for rubber hose int. Ø 8 mm (set of 10 pieces)                  | 3189640009547                 | <b>112 Kč</b>   |
| 1001 | 30 kW RAPTOR torch + scraper   | 3189640100107                 | <b>2 415 Kč</b> |
| 1027 | RAPTOR torch with piezo ignition, safety handle with quick                 | 3189640010277                 | <b>8 348 Kč</b> |
| 1029 | RAPTOR torch with piezo ignition, safety handle with quick                 | 3189640010291                 | <b>8 348 Kč</b> |
| 1030 | 30 kW Raptor torch   | 3189640010307                 | <b>2 094 Kč</b> |
| 1042 | Seal 6,5 x 11,5 for range of handles                                       | 3189640010420                 | <b>61 Kč</b>    |
| 1045 | RAPTOR torch with piezo ignition, safety handle with quick                 | 3189640010451                 | <b>8 906 Kč</b> |
| 1055 | <a href="#">RAPTOR torch with piezo ignition, safety handle with quick</a> | <a href="#">3189640010550</a> | <b>9 213 Kč</b> |
| 1070 | 70 kW RAPTOR torch   | 3189640010703                 | <b>2 136 Kč</b> |
| 1090 | 90 kW RAPTOR torch   | 3189640010901                 | <b>2 234 Kč</b> |
| 1150 | 160 kW RAPTOR torch  | 3189640011502                 | <b>3 322 Kč</b> |
| 1160 | <a href="#">160 kW , curved burner RAPTOR torch</a>                        | <a href="#">3189640011601</a> | <b>3 493 Kč</b> |
| 1602 | Swivel attachment for rubber hose for int. Ø 8 mm                          | 3189640016026                 | <b>769 Kč</b>   |
| 1660 | Flat torch flame burner - Gas consumption 2 200 g/h at 4 k                 | 3189640016606                 | <b>1 440 Kč</b> |
| 1662 | Flat torch flame burner - Gas consumption 10 800 g/h at 4                  | 3189640016620                 | <b>2 024 Kč</b> |
| 1772 | Diamond tip + 235 g - Long-term treatment                                  | 3189640017726                 | <b>2 700 Kč</b> |
| 1778 | Turbo iron tip + 240 g - Long term treatment. For set ref. 4               | 3189640017788                 | <b>2 746 Kč</b> |
| 1779 | Turbo iron tip + 310 g - Long-term treatment. For set ref. 4               | 3189640017795                 | <b>2 876 Kč</b> |

|      |  |               |           |
|------|--|---------------|-----------|
| 1826 | Flux for copper, without acid and chloride, for copper. Tin    | 3189640018266 | 171 Kč    |
| 1840 | Flux for steel and sheet metal work. Tin solder. 30 ml bott    | 3189640018402 | 147 Kč    |
| 1841 | Welding wire, for current works (lead, zinc, steel) - 40 % ti  | 3189640018419 | 134 Kč    |
| 1843 | Welding wire, for current works (lead, zinc, steel) - 40 % ti  | 3189640018433 | 58 Kč     |
| 1845 | Welding wire, for current works (lead, zinc, steel) - 40 % ti  | 3189640018457 | 83 Kč     |
| 1850 | Desoldering braid 3 mm wide, for radio-electricity             | 3189640018501 | 171 Kč    |
| 1851 | Welding wire for radio-electricity - 50 % tin - anti-corrosive | 3189640018518 | 149 Kč    |
| 1852 | Welding wire for radio-electricity - 50 % tin - anti-corrosive | 3189640018525 | 51 Kč     |
| 1855 | Welding wire for radio-electricity - 50 % tin - anti-corrosive | 3189640018556 | 94 Kč     |
| 1860 | Desoldering braid, 1.5 mm wide, for electronics                | 3189640018600 | 155 Kč    |
| 1861 | Welding wire for electronics - 60 % tin - anti-corrosive core  | 3189640018617 | 158 Kč    |
| 1864 | Welding wire for electronics - 60 % tin - anti-corrosive core  | 3189640018648 | 86 Kč     |
| 1894 | Welding wire for soldering without lead (drinking water) -     | 3189640018945 | 109 Kč    |
| 1898 | Welding wire for soldering without lead (drinking water) -     | 3189640018983 | 198 Kč    |
| 1933 | Rods Ø 10 mm - L 330 mm - 33 % tin and 67 % lead - For sl      | 3189640019331 | 405 Kč    |
| 2010 | Electric hot air welding tool 1 500 W - 230 V                  | 3189640020108 | 10 190 Kč |
| 2015 | Gas cartridge 326 g - Propene (36%) + butane + propane f       | 3189640020153 | 256 Kč    |
| 2021 | Pilot flame for burner ref. 621                                | 3189640020214 | 5 408 Kč  |
| 2022 | Pilot flame for burner ref. 622                                | 3189640020221 | 5 276 Kč  |
| 2109 | Iron tip nickel plated brass for ref. 109                      | 3189640021099 | 398 Kč    |
| 2209 | Iron tip nickel plated brass for ref. 159, 209                 | 3189640022096 | 481 Kč    |
| 2309 | Iron tip nickel plated brass for ref. 309                      | 3189640023093 | 944 Kč    |
| 2400 | Gas cartridge 399 g MAP//Pro™ for Vulcane Express Pro to       | 3189640024007 | 439 Kč    |
| 2409 | Iron tip nickel plated brass for ref. 409                      | 3189640024090 | 1 466 Kč  |
| 2648 | Set iron tip + burner 33 x 3 - 745 g - 128 g/h                 | 3189640026483 | 2 640 Kč  |
| 2649 | Set iron tip + burner 45 x 3 - 820 g - 128 g/h                 | 3189640026490 | 2 771 Kč  |
| 2840 | Welding wire For current works (lead, zinc, steel) - 40 % ti   | 3189640028401 | 281 Kč    |
| 2850 | Welding wire for radio-electricity - 50 % tin - anti-corrosive | 3189640028500 | 330 Kč    |
| 2860 | Welding wire for electronics - 60 % tin - anti-corrosive core  | 3189640028609 | 365 Kč    |
| 2890 | Welding wire For soldering without lead (drinking water) -     | 3189640028906 | 432 Kč    |
| 2901 | Oxy-Kid: 1 standard nozzle with pilot flame n° 2, handle w     | 3189640029019 | 3 924 Kč  |
| 2970 | HP regulator adjustable oxygen for ref. 2902                   | 3189640029705 | 1 648 Kč  |
| 2980 | Gas valve with clip for ref. 2901 and 2902                     | 3189640029804 | 700 Kč    |
| 2990 | Handle + premounted hose for ref. 2902                         | 3189640029903 | 1 833 Kč  |
| 2991 | Handle + hose for Oxy-Gas, ref. 2901                           | 3189640029910 | 1 466 Kč  |
| 2993 | Valve oxy for Oxy-Gas, ref. 2901                               | 3189640029934 | 941 Kč    |
| 3542 | Sharp tip flame burner for blowlamps ref. 511, 525 and 531     | 3189640035423 | 839 Kč    |
| 3550 | Paint burner flat flame burner for ref. 511, 525, 531          | 3189640035508 | 397 Kč    |
| 3555 | Cercolamp with enveloping flame                                | 3189640035553 | 424 Kč    |
| 4010 | SIROCCO: Hot air torch without visible flame (6 kW at 1.5      | 3189640040106 | 69 797 Kč |
| 4040 | RAFALE shrinkforming gun - 40 kW. Delivered in a plastic c     | 3189640040403 | 22 754 Kč |
| 4065 | RAFALE shrinkforming gun - 65 kW. Delivered in a plastic c     | 3189640040656 | 25 127 Kč |
| 4360 | Turbo burner, for brazing Ø 40 mm copper tube - For torch      | 3189640043602 | 1 965 Kč  |
| 4365 | Cercoflam burner Piezo with enveloping flame, for torches      | 3189640043657 | 1 907 Kč  |
| 4500 | Hot Air Gun, adjustable from 400 °C to 750 °C, delivered w     | 3189640045002 | 2 708 Kč  |
| 4622 | Gas nozzle for ref. 4651, 4656 and 4674                        | 3189640046221 | 135 Kč    |
| 4641 | Sharp tip flame burner, for brazing Ø 6 mm copper tube - 3     | 3189640046412 | 559 Kč    |
| 4642 | Sharp tip flame burner, for brazing Ø 14 mm copper tube -      | 3189640046429 | 662 Kč    |
| 4643 | Sharp tip burner, for brazing Ø 23 mm copper tube - 479 g      | 3189640046436 | 684 Kč    |
| 4650 | Paint flat flame burner - 380 g/h - 5 kW at 3 bar              | 3189640046504 | 649 Kč    |

|      |   |               |          |
|------|---|---------------|----------|
| 4651 | Sharp tip flame burner, for brazing Ø 32 mm copper tube       | 3189640046511 | 926 Kč   |
| 4655 | Cercoflam burner with enveloping flame, for handles serie     | 3189640046559 | 680 Kč   |
| 4656 | Cercoflam burner with enveloping flame, for handles serie     | 3189640046566 | 922 Kč   |
| 4659 | Set iron tip + burner 20 x 3,5 mm - 216 g - 23 g/h            | 3189640026599 | 1 124 Kč |
| 4672 | Turbo burner, for brazing Ø 22 mm copper tube - 213 g/h       | 3189640026728 | 824 Kč   |
| 4673 | Turbo burner, for brazing Ø 28 mm copper tube - 479 g/h       | 3189640026735 | 936 Kč   |
| 4674 | Turbo burner, for brazing Ø 40 mm copper tube - 734 g/h       | 3189640046740 | 1 030 Kč |
| 4675 | Set iron tip + burner 23 x 3 mm - 490 g - 94 g/h              | 3189640046757 | 1 675 Kč |
| 4678 | Set iron tip + burner 35 x 3,5 mm - 540 g - 94 g/h            | 3189640046788 | 2 261 Kč |
| 4679 | Set iron tip + burner 45 x 5 mm - 610 g - 94 g/h              | 3189640046795 | 2 317 Kč |
| 4701 | Piezo / trigger for "Vulcane Express" torches and dehorner    | 3189640047013 | 205 Kč   |
| 4702 | Stabilizer foot "Vulcane Express" torches and dehorner        | 3189640047020 | 175 Kč   |
| 4714 | Burner for brazing Ø 14 mm copper tube, Special "Vulcane      | 3189640047143 | 547 Kč   |
| 4716 | Flat burner for ref. 4650 - 5100 - 5200 - 5653 - 5643         | 3189640047167 | 520 Kč   |
| 4722 | Burner for brazing Ø 22 mm copper tube "Special "Vulcane      | 3189640047228 | 602 Kč   |
| 4726 | Standard extension 42 cm                                      | 3189640047266 | 648 Kč   |
| 4727 | Standard extension 20 cm                                      | 3189640047273 | 524 Kč   |
| 4728 | Burner for brazing Ø 28 mm copper tube, Special "Vulcane      | 3189640047280 | 747 Kč   |
| 4735 | Burner for brazing Ø 35 mm copper tube, "Special "Vulcan      | 3189640047358 | 919 Kč   |
| 4740 | Twist lock stand in glass-fibre-reinforced polyamide for ro   | 3189640047402 | 98 Kč    |
| 4750 | Hot air burner 2,7 kW special "Vulcane Express Hot Air"       | 3189640047501 | 1 092 Kč |
| 4770 | Extension hose for Vulcane Express Torches                    | 3189640047709 | 1 178 Kč |
| 4824 | Gas nozzle for ref. 1662                                      | 3189640048249 | 139 Kč   |
| 5100 | Standard torch  | 3189640051003 | 835 Kč   |
| 5109 | Heating cartridge for ref. 109                                | 3189640051096 | 748 Kč   |
| 5159 | Heating cartridge for ref. 159                                | 3189640051591 | 748 Kč   |
| 5200 | Standard torch + accessories                                  | 3189640052000 | 1 044 Kč |
| 5209 | Heating cartridge for ref. 209                                | 3189640052093 | 748 Kč   |
| 5300 | Multipurpose butane torch with Ø 35 mm burner - 13 kW         | 3189640053007 | 1 193 Kč |
| 5309 | Heating cartridge for ref. 309                                | 3189640053090 | 949 Kč   |
| 5325 | Tripod for burner ref. 621                                    | 3189640053250 | 1 879 Kč |
| 5409 | Heating cartidge for ref. 409                                 | 3189640054097 | 987 Kč   |
| 5421 | Iron tip ± 70 gr for soldering iron ref. 4659. Dimensions of  | 3189640054219 | 279 Kč   |
| 5450 | STOP' FLAM : long-lasting performance - Weaved envelop        | 3189640054509 | 796 Kč   |
| 5451 | PROTECT' FLAM silica fiber padded, toxic fibre free. Thickn   | 3189640054516 | 589 Kč   |
| 5453 | PARE' FLAM toxic fibre free. Thickness: 10 mm. Size: 20 x 2   | 3189640054530 | 475 Kč   |
| 5457 | Thermal protection - Roll 1,12 m x 0,50 m                     | 3189640054578 | 1 457 Kč |
| 5459 | PARE' FLAM without toxic fibres                               | 3189640054592 | 237 Kč   |
| 5460 | Ignitor + 5 stones  | 3189640054608 | 285 Kč   |
| 5463 | Tripod for burner ref. 614                                    | 3189640054639 | 1 883 Kč |
| 5498 | Box with 5 stones   | 3189640054981 | 115 Kč   |
| 5500 | Steel waterproofing torch, burner Ø 50 mm, power 50 kW        | 3189640055001 | 1 647 Kč |
| 5501 | Steel waterproofing torch, burner Ø 60 mm, power 100 kW       | 3189640055018 | 1 675 Kč |
| 5502 | Steel waterproofing torch, burner Ø 50 mm, power 50 kW        | 3189640055025 | 1 675 Kč |
| 5503 | Steel waterproofing torch, burner Ø 60 mm, power 100 kW       | 3189640055032 | 1 759 Kč |
| 5504 | Steel waterproofing torch, burner Ø 60 mm, power 100 kW       | 3189650055049 | 1 815 Kč |
| 5725 | Cercoflam head burner, for ref. 4656                          | 3189640057258 | 687 Kč   |
| 5840 | Welding wire For current works (lead, zinc, steel) - 40 % tin | 3189640058408 | 511 Kč   |
| 5890 | Welding wire For soldering without lead - 97 % tin - 3 % co   | 3189640058903 | 1 001 Kč |
| 6015 | Set composed of a handle ref. 600 + 4,75 m hose ref. 963/     | 3189640060159 | 2 289 Kč |



|       |  |               |                 |
|-------|--|---------------|-----------------|
| 6025  | Set composed of a handle with swivel attachment ref. 602       | 3189640060258 | <b>2 854 Kč</b> |
| 6066  | Set composed of a BI-material handle with trigger, with sw     | 3189640060661 | <b>3 463 Kč</b> |
| 6093  | Set composed of a BI-material handle with trigger, with sv     | 3189640060937 | <b>3 907 Kč</b> |
| 6110  | Pack composed of a stainless steel burner 100S + 1 neck tu     | 3189640061101 | <b>3 713 Kč</b> |
| 6120  | Pack composed of a titanium burner 100T + 1 neck tube L4       | 3189640061200 | <b>3 988 Kč</b> |
| 6130  | Pack composed of a stainless steel burner 100S + 1 neck tu     | 3189640061309 | <b>3 937 Kč</b> |
| 6140  | Pack composed of a titanium burner 100T + 1 neck tube L6       | 3189640061408 | <b>4 216 Kč</b> |
| 6178  | Burner with iron tip ref. 4678 + handle ref. 600 3/8e left in  | 3189640061781 | <b>3 007 Kč</b> |
| 6179  | Burner with iron tip ref. 4679 + handle ref. 600, 3/8e left in | 3189640061798 | <b>3 019 Kč</b> |
| 6196  | Set composed of a metal handle with trigger ref. 640 with      | 3189640061965 | <b>3 786 Kč</b> |
| 6212  | Pack composed of a stainless steel burner ref. 100S + 1 ne     | 3189640062122 | <b>5 109 Kč</b> |
| 6214  | Pack composed of a titanium burner 150T + 1 neck tube L6       | 3189640062146 | <b>6 282 Kč</b> |
| 6216  | Pack composed of a stainless steel burner ref. 100S + 1 co     | 3189640062160 | <b>5 193 Kč</b> |
| 6221  | Pack composed of a titanium burner ref. 150T + 1 neck tu       | 3189640062214 | <b>6 868 Kč</b> |
| 6360  | Complete set in bag, ready to use, composed of 1 torch re      | 3189640063600 | <b>5 820 Kč</b> |
| 6364  | Box for roofer composed of 1 hoseless soldering iron with      | 3189640063648 | <b>6 421 Kč</b> |
| 6365  | Complete set in bag composed of: 1 torch 365 + 4,75 m ho       | 3189640063655 | <b>6 201 Kč</b> |
| 6638  | Pack composed of 1 handle ref. 600 + 4,75 m hoser ref. 96      | 3189640066380 | <b>2 848 Kč</b> |
| 6678  | Pack roofer ready to use, composed of 1 burner with iron       | 3189640066786 | <b>4 656 Kč</b> |
| 6679  | Pack roofer, ready to use, composed of 1 burner with iron      | 3189640066793 | <b>4 687 Kč</b> |
| 7000  | Stainless Steel' Express kit composed of 1 burner ref. 100S    | 3189640070004 | <b>2 778 Kč</b> |
| 7100  | Titan' Express kit composed of 1 burner ref. 100T + 1 neck     | 3189640071001 | <b>3 603 Kč</b> |
| 7693  | Cercoflam burner for ref. 5100, 5200, 5643, 5653               | 3189640076938 | <b>474 Kč</b>   |
| 7795  | Filler tube shell  | 3189640077959 | <b>555 Kč</b>   |
| 7796  | Cylinder 1,6 kg refillable, approved by european standards     | 3189640077966 | <b>2 645 Kč</b> |
| 8010  | Desoldering pump   | 3189640080102 | <b>106 Kč</b>   |
| 8025  | Electrical soldering iron "Galaxy " 25 W                       | 3189640080256 | <b>278 Kč</b>   |
| 8060  | Electrical soldering iron "Galaxy " 60 W                       | 3189640080607 | <b>315 Kč</b>   |
| 8100  | Electrical soldering iron "Galaxy " 100 W                      | 3189640081000 | <b>416 Kč</b>   |
| 8110  | Instant electrical soldering iron "Galaxy " 100 W              | 3189640081109 | <b>477 Kč</b>   |
| 8191  | Cartridge security version EN417/2012, 190 g, type 200 bu      | 3189640081918 | <b>55 Kč</b>    |
| 8700  | "Multifunctions" blowlamp                                      | 3189640087002 | <b>471 Kč</b>   |
| 8800  | Piezo "Multifunctions" blowlamp                                | 3189640088009 | <b>515 Kč</b>   |
| 8900  | Piezo "Multifunctions" blowlamp, to be used in all positio     | 3189640089006 | <b>720 Kč</b>   |
| 9042  | Ammoniacal stone in blister pack                               | 3189640090422 | <b>135 Kč</b>   |
| 9234  | Gas nozzle for ref. 4642                                       | 3189640092341 | <b>134 Kč</b>   |
| 9640  | Holder for stone and flux with brush                           | 3189640096400 | <b>349 Kč</b>   |
| 9641  | Ammoniacal stone 140 g for holder ref. 9640. Dimensions        | 3189640096417 | <b>69 Kč</b>    |
| 9642  | Ammoniacal stone 65 x 45 x 38 mm. Weight 140 g                 | 3189640096424 | <b>82 Kč</b>    |
| 9643  | Bag of 25 brushes for flux                                     | 3189640096431 | <b>361 Kč</b>   |
| 9644  | Bag of 2 brushes for flux                                      | 3189640096448 | <b>48 Kč</b>    |
| 9645  | "Multifunctions" PREMIUM holder for roofer with ammor          | 3189640096455 | <b>416 Kč</b>   |
| 10380 | Gas nozzle for ref. 2545, 2645, 2648 et 2649                   | 3189640103801 | <b>134 Kč</b>   |
| 11784 | Connection nipple-shaped for hose de 8 mm + nut + clip fo      | 3189640117846 | <b>187 Kč</b>   |
| 11841 | Welding wire for current works (lead, zinc, steel) - 40 % tin  | 3189640118416 | <b>124 Kč</b>   |
| 11845 | Welding wire for current works (lead, zinc, steel) - 40 % tin  | 3189640118454 | <b>66 Kč</b>    |
| 11851 | Welding wire for radio-electricity - 50 % tin - anti-corrosive | 3189640118515 | <b>140 Kč</b>   |
| 11855 | Welding wire for radio-electricity - 50% tin - anti-corrosive  | 3189640118553 | <b>82 Kč</b>    |
| 11861 | Welding wire for electronics - 60 % tin - anti-corrosive cor   | 3189640118614 | <b>143 Kč</b>   |
| 11864 | Welding wire for electronics - 60 % tin - anti-corrosive cor   | 3189640118645 | <b>73 Kč</b>    |

|       |  |               |                 |
|-------|--|---------------|-----------------|
| 11898 | Welding wire for soldering without lead (drinking water )-     | 3189640118980 | <b>170 Kč</b>   |
| 12840 | Welding wire for current works (lead, zinc, steel) - 40 % tin  | 3189640128408 | <b>252 Kč</b>   |
| 12850 | Welding wire for radio-electricity - 50 % tin - anti-corrosive | 3189640128507 | <b>301 Kč</b>   |
| 12860 | Welding wire for electronics - 60 % tin - anti-corrosive core  | 3189640128606 | <b>346 Kč</b>   |
| 12890 | Welding wire for soldering without lead (drinking water) -     | 3189640128903 | <b>406 Kč</b>   |
| 15104 | Gas nozzle for ref. 4641 - 4659 - 4558                         | 3189640151048 | <b>135 Kč</b>   |
| 15304 | Gas nozzle for ref. 4650 - 4550 - 4655 - 4555                  | 3189640153042 | <b>137 Kč</b>   |
| 16150 | Piezo for ref. 360   | 3189640161504 | <b>435 Kč</b>   |
| 16917 | Metal grid for burner soldering iron                           | 3189640169173 | <b>98 Kč</b>    |
| 18072 | Adaptor POL/SHELL  | 3189640180727 | <b>251 Kč</b>   |
| 18970 | Double connection for propane cylinder including 1 T-conr      | 3189640189706 | <b>1 952 Kč</b> |
| 18987 | Connection for butane cylinder for direct pressure with 27     | 3189640189874 | <b>1 334 Kč</b> |
| 20101 | 20 mm flat nozzle for hot air electric welding tool            | 3189640201019 | <b>1 284 Kč</b> |
| 20102 | 40 mm flat nozzle for hot air electric welding tool            | 3189640201026 | <b>1 284 Kč</b> |
| 20103 | 20 mm flat, bent nozzle for hot air electric welding tool      | 3189640201033 | <b>1 619 Kč</b> |
| 20104 | 40 mm flat, bent nozzle for hot air electric welding tool      | 3189640201040 | <b>1 619 Kč</b> |
| 23750 | Cercoflam burner with built-in Piezo                           | 3189640237506 | <b>509 Kč</b>   |
| 27107 | Gas nozzle for soldering iron ref. 360                         | 3189640271074 | <b>208 Kč</b>   |
| 31071 | Iron tip for electrical soldering irons ref. 29, 393           | 3189640310711 | <b>164 Kč</b>   |
| 31072 | Iron tron tip for electrical soldering irons ref. 39, 393, 593 | 3189640310728 | <b>157 Kč</b>   |
| 31073 | Iron tip for electrical soldering iron ref. 49, 393, 593       | 3189640310735 | <b>157 Kč</b>   |
| 31074 | Iron tip for electrical soldering iron ref. 59, 593            | 3189640310742 | <b>167 Kč</b>   |
| 32701 | Bag for roofing torch range                                    | 3189640327016 | <b>582 Kč</b>   |
| 32708 | Roll hook for roofer   | 3189640327085 | <b>1 480 Kč</b> |
| 35088 | Deflector for shrinkforming gun RAFALE ref. 4040 or 4065       | 3189640350885 | <b>647 Kč</b>   |
| 35198 | Anti-obstruction air clip for RAFALE shrinkforming guns ref    | 3189640351981 | <b>623 Kč</b>   |
| 35241 | Hose kit for RAFALE shrinkforming guns ref. 4040 or 4065       | 3189640352414 | <b>1 589 Kč</b> |
| 35242 | Piezo ignition kit for RAFALE shrinkforming guns ref. 4040     | 3189640352421 | <b>316 Kč</b>   |
| 35244 | Burner kit for RAFALE shrinkforming guns ref. 4040 or 406      | 3189640352445 | <b>3 332 Kč</b> |
| 35563 | Set of 10 toric seals for blowlamps' head ref. 351, 511, 525   | 3189640355637 | <b>88 Kč</b>    |
| 36710 | Ignition line for ref. 367                                     | 3189640367104 | <b>958 Kč</b>   |
| 36713 | 5 gas nozzles + o rings for ref. 367 ,364 and 4367/8           | 3189640367135 | <b>642 Kč</b>   |
| 36714 | 5 gas nozzles + o rings for ref. 4675, 4678 and 4679           | 3189640367142 | <b>614 Kč</b>   |
| 42305 | Piezo/Trigger for RAPTOR                                       | 3189640423053 | <b>526 Kč</b>   |
| 45025 | Heating element 1500 W for electric hot air welding tool       | 3189640450257 | <b>1 228 Kč</b> |
| 45030 | Silicone pressure roller 40 mm for overlap welding             | 3189640450301 | <b>1 201 Kč</b> |
| 45031 | Seam test control, 90° angled                                  | 3189640450318 | <b>257 Kč</b>   |
| 45032 | Silicone pressure roller 28 mm for overlap welding             | 3189640450325 | <b>698 Kč</b>   |
| 45033 | Silicone pressure roller 90 mm for overlap welding             | 3189640450332 | <b>1 256 Kč</b> |
| 45034 | Steel pressure roller 50 mm for overlap welding                | 3189640450349 | <b>503 Kč</b>   |
| 45035 | Brass pressure roller "penny" 6 mm for overlap welding         | 3189640450356 | <b>838 Kč</b>   |
| 45036 | Teflon pressure roller 28 mm for overlap welding               | 3189640450363 | <b>712 Kč</b>   |
| 47014 | Gas nozzle Ø 14 mm for "Vulcane Express" burner ref. 471       | 3189640470149 | <b>241 Kč</b>   |
| 47022 | Gas nozzle Ø 22 mm for "Vulcane Express" burner ref. 472       | 3189640470224 | <b>241 Kč</b>   |
| 47028 | Gas nozzle Ø 28 mm for "Vulcane Express" burner ref. 472       | 3189640470286 | <b>305 Kč</b>   |
| 47035 | Gas nozzle Ø 35 mm for "Vulcane Express" burner ref. 473       | 3189640470354 | <b>305 Kč</b>   |
| 47050 | Gas nozzle Ø 50 mm for "Vulcane Express" burner ref. 475       | 3189640470507 | <b>305 Kč</b>   |
| 50100 | Flux for brazing alloys Cu/Ph Ag - 52 g bottle (on corrugate   | 3189640501003 | <b>192 Kč</b>   |
| 60278 | Burner with iron tip ref. 4678 + handle ref. 602 with swive    | 3189640602786 | <b>3 528 Kč</b> |
| 60279 | Burner with iron tip ref. 4679 + handle ref. 602 with swive    | 3189640602793 | <b>3 557 Kč</b> |

|           |  |               |          |
|-----------|--|---------------|----------|
| 63778     | Burner with iron tip ref. 778 + handle ref. 603CR with bent  | 3189640637788 | 4 830 Kč |
| 63779     | Burner with iron tip ref. 779 + handle ref. 603CR with bent  | 3189640637795 | 4 914 Kč |
| 66278     | Pack roofer, ready to use, composed of 1 burner with iron    | 3189640662780 | 4 266 Kč |
| 66279     | Pack roofer, ready to use, composed of 1 burner with iron    | 3189640662797 | 4 321 Kč |
| 66378     | Pack roofer, ready to use, composed of 1 burner with TUR     | 3189640663787 | 6 282 Kč |
| 66379     | Pack roofer, ready to use, composed of 1 burner with TUR     | 3189640663794 | 6 310 Kč |
| 70210     | Leak detector - 400 ml                                       | 3189640702103 | 92 Kč    |
| 99600     | Maintenance kit for roofing soldering iron composed of 1     | 3189640996007 | 1 366 Kč |
| 99603     | Degreaser (75 g) for kit roofing soldering iron 99600        | 3189640996038 | 87 Kč    |
| 99610     | Finish paint for weld beads - 500 ml - BLUE                  | 3189640996106 | 370 Kč   |
| 99615     | Finish paint for weld beads - 500 ml - DARK BROWN MATT       | 3189640996151 | 370 Kč   |
| 99620     | Finish paint for weld beads - 500 ml - BROWN RED             | 3189640996205 | 370 Kč   |
| 99625     | Finish paint for weld beads - 500 ml - QUARTZ GREY Ral 70    | 3189640996250 | 370 Kč   |
| 99630     | Finish paint for weld beads - 500 ml - GREEN                 | 3189640996304 | 370 Kč   |
| 99640     | Finish paint for weld beads - 500 ml - TOBACCO BROWN         | 3189640996403 | 370 Kč   |
| 99650     | Galva, finish paint for weld beads -500 ml - GLOSSY GREY     | 3189640996502 | 223 Kč   |
| 99660     | Galva, finish paint for weld beads -500 ml - MATT GREY       | 3189640996601 | 223 Kč   |
| 105100    | Flux for Cu/Ph brazing alloys - 170 g bottle (loose)         | 3189641051002 | 487 Kč   |
| 105200    | Powder Flux for Cu/Ph brazing alloys - 130 g bottle          | 3189641052009 | 290 Kč   |
| 500100    | Cu/Ph brazing alloy - Ø 2 mm - L 500 mm - Weight 1 kg - F    | 3189645001003 | 795 Kč   |
| 501100    | Cu/Ph brazing alloy (High capacity of Ph) - Ø 2 mm - L 500   | 3189645011002 | 1 164 Kč |
| 501815    | Fluid Cu/Ph brazing alloy - Ø 2 mm - L 380 mm - 15 sticks-   | 3189645018155 | 238 Kč   |
| 501840    | Fluid Cu/Ph brazing alloy Ø 2 mm - L 380 mm - 40 sticks- A   | 3189645018407 | 458 Kč   |
| 502820    | Cu/Ph 2% Ag brazing alloy - Ø 2 mm - L 500 mm - 20 sticks    | 3189645028208 | 564 Kč   |
| 507803    | Zinc with flux brazing alloy - Ø 2mm - L 500 mm - 3 sticks - | 3189645078036 | 312 Kč   |
| 508102    | Coated brass with flux brazing alloy Ø 2 mm - L 500 mm -     | 3189645081029 | 898 Kč   |
| 508103    | Coated brass with flux brazing alloy Ø 3 mm - L 500 mm - V   | 3189645081036 | 877 Kč   |
| 508812    | Coated brass with flux brazing alloy - Ø 2 mm - L 380 mm     | 3189645088127 | 177 Kč   |
| 508813    | Coated brass with flux brazing alloy - Ø 3 mm - L 380 mm     | 3189645088134 | 261 Kč   |
| 510815    | Steel copper brazing alloy - Ø 1,5 mm - L 500 mm - 15 sti    | 3189645108153 | 105 Kč   |
| 510840    | Steel and copper brazing alloy - Ø 1,5 mm - L 500 mm - 40    | 3189645108405 | 272 Kč   |
| 534803    | CuPh 34 % Ag brazing alloy - Ø 2 mm - L 500 mm - 3 sticks    | 3189645348030 | 872 Kč   |
| 100S      | Stainless steel burner Ø 60 mm, power 100 kW                 | 3189640010024 | 1 117 Kč |
| 100SL200  | Stainless steel burner Ø 60 mm, power 100 kW + neck tub      | 3189641002028 | 1 671 Kč |
| 100SL400  | Stainless steel burner Ø 60 mm, power 100 kW + neck tub      | 3189641004022 | 1 777 Kč |
| 100SL600  | Stainless steel burner Ø 60 mm, power 100 kW + neck tub      | 3189641006026 | 1 857 Kč |
| 100T      | Titanium burner Ø 60 mm, power 100 kW                        | 3189640010017 | 1 926 Kč |
| 100TL400  | Titanium burner Ø 60 mm power 100 kW + neck tube 400         | 3189641004015 | 2 541 Kč |
| 100TP     | Piezo titanium burner Ø 60 mm, power 100 kW                  | 3189640010031 | 2 485 Kč |
| 100TPL400 | Piezo titanium burner Ø 60 mm, power 100 kW + neck tub       | 3189641004039 | 3 266 Kč |
| 102TL250  | Dual titanium burner Ø 50 mm, power 100 kW + neck tube       | 3189641022514 | 3 546 Kč |
| 102TL550  | Dual titanium burner Ø 50 mm, power 100 kW + neck tube       | 3189641025515 | 3 629 Kč |
| 150T      | Titanium burner Ø 70 mm, power 150 kW                        | 3189640015012 | 2 206 Kč |
| 150TL200  | Titanium burner Ø 70 mm, power 150 kW + neck tube 130        | 3189641502016 | 2 705 Kč |
| 150TL400  | Titanium burner Ø 70 mm, power 150 kW + neck tube 400        | 3189641504010 | 2 811 Kč |
| 150TL600  | Titanium burner Ø 70 mm, power 150 kW + neck tube 600        | 3189641506014 | 2 891 Kč |
| 150TP     | Piezo titanium burner Ø 70 mm, power 150 kW                  | 3189640015036 | 2 596 Kč |
| 150TPL200 | Piezo titanium burner Ø 70 mm, power 150 kW + neck tub       | 3189641502030 | 2 708 Kč |
| 150TPL400 | Piezo titanium burner Ø 70 mm, power 150 kW + neck tub       | 3189641504034 | 3 378 Kč |
| 202TL250  | Dual titanium burner Ø 60 mm, power 200 kW + neck tube       | 3189642022513 | 4 188 Kč |

|          |  |               |                 |
|----------|--|---------------|-----------------|
| 202TL550 | Dual titanium burner Ø 60 mm, power 200 kW + neck tube               | 3189642025514 | <b>4 272 Kč</b> |
| 330/3    | Soldering iron with handle 3/8e left in                              | 3189640030039 | <b>2 283 Kč</b> |
| 35S      | Stainless steel burner Ø 40 mm, power 35 kW                          | 3189640003521 | <b>734 Kč</b>   |
| 35SL200  | Stainless steel burner Ø 40 mm, power 35 kW + neck tube              | 3189640352025 | <b>1 459 Kč</b> |
| 367/78   | Soldering iron for roofer with Piezo ignition, orientable iron       | 3189640367784 | <b>5 863 Kč</b> |
| 367/8    | Soldering iron for roofer with Piezo ignition, orientable iron       | 3189640036789 | <b>4 830 Kč</b> |
| 367/9    | Soldering iron for roofer with Piezo ignition, orientable iron       | 3189640036796 | <b>4 886 Kč</b> |
| 4367/8   | Set iron tip + burner - Dimensions of iron tip 35 x 3.5 mm -         | 3189640436787 | <b>2 652 Kč</b> |
| 4500V    | Heating gun, adjustable from 400 °C to 750 °C + 1 cartridge          | 3189640045019 | <b>2 489 Kč</b> |
| 50S      | Stainless steel burner Ø 50 mm, power 50 kW                          | 3189640005020 | <b>977 Kč</b>   |
| 50SL200  | Stainless steel burner Ø 50 mm, power 50 kW + neck tube              | 3189640502024 | <b>1 538 Kč</b> |
| 50SL400  | Stainless steel burner Ø 50 mm, power 50 kW + neck tube              | 3189640504028 | <b>1 644 Kč</b> |
| 50T      | Titanium burner Ø 50 mm, power 50 kW                                 | 3189640005013 | <b>1 759 Kč</b> |
| 50TL200  | Titanium burner Ø 50 mm, power 50 kW + neck tube 130 mm              | 3189640502017 | <b>2 289 Kč</b> |
| 50TP     | Piezo titanium burner Ø 50 mm, power 50 kW                           | 3189640005037 | <b>2 094 Kč</b> |
| 50TPL200 | Piezo titanium burner Ø 50 mm, power 50 kW + neck tube               | 3189640502031 | <b>2 708 Kč</b> |
| 603CR    | Handle with thumb-operated valve, with bent nipple and quick-release | 3189640006034 | <b>2 442 Kč</b> |
| 605WR    | Handle with trigger, 3/8e left in                                    | 3189640006058 | <b>1 141 Kč</b> |
| 620CR    | Same part as number 620 + bent nipple and quick-release              | 3189640016200 | <b>2 275 Kč</b> |
| 6212CR   | Same as part number 6212 + handle with bent nipple and quick-release | 3189640162129 | <b>5 947 Kč</b> |
| 6221CR   | Same part as number 6221 + handle with bent nipple and quick-release | 3189640162211 | <b>7 706 Kč</b> |
| 6367/8   | Complete set for roofer with Piezo delivered in bag with solder      | 3189640636781 | <b>6 589 Kč</b> |
| 6367/9   | Complete set for roofer with Piezo delivered in bag with solder      | 3189640636798 | <b>6 645 Kč</b> |
| 640CR    | Same part as number 640 + bent nipple and quick-release              | 3189640016408 | <b>2 486 Kč</b> |
| 948/40   | Rubber hose (the meter) on 40 m reel in cardboard box -              | 3189640948402 | <b>109 Kč</b>   |
| 963/10   | Rubber hose L 10 m - int. Ø 6.3 mm, NF EN ISO 3821 mounted           | 3189640963108 | <b>1 173 Kč</b> |
| 963/2    | Rubber hose L 1,50 m - int. Ø 6.3 mm, NF EN ISO 3821 mounted         | 3189640096325 | <b>394 Kč</b>   |
| 963/20   | Rubber hose 20 m - int. Ø int. 6.3, NF EN ISO 3821 (the meter)       | 3189640963207 | <b>85 Kč</b>    |
| 963/20S  | Rubber hose 20 m - int. Ø 6.3 mm NF EN ISO 3821 mounted              | 3189641963206 | <b>1 926 Kč</b> |
| 963/5    | Rubber hose L 4,75 m - int. Ø 6.3 mm, NF EN ISO 3821 mounted         | 3189640096356 | <b>674 Kč</b>   |
| 963B     | Direct connection for butane cylinder : threaded outlet 3/8e         | 3189640039636 | <b>224 Kč</b>   |
| 963C     | Set of 10 clips for hoses Ø 6.3 mm (set of 10 pieces)                | 3189640019638 | <b>140 Kč</b>   |
| 963R     | Kit of 2 nipple-shaped connections for hose Ø 6.3 mm with            | 3189640029637 | <b>503 Kč</b>   |
| L200     | Neck tube 130 mm for roofing torches                                 | 3189640012004 | <b>642 Kč</b>   |
| L400     | Neck tube 400 mm for roofing torches                                 | 3189640014008 | <b>754 Kč</b>   |
| L600     | Neck tube 600 mm for roofing torches                                 | 3189640016002 | <b>838 Kč</b>   |