

histo ry



1937 : Creation of the private company Pierre GREHAL.

1950 : Introduction of the famous EDMA® nibbler shears available in 6 specific models.

1953 : EDMA® becomes a registered trade mark.

1984 : Roger MLAGNOUX, Mr Pierre GREHAL's son-in-law, takes the leadership of the firm. He owns many French and international patents.

1993 : "Silver Key" award for the export activity, by OUTILEX, former export association of SIO (Industry and Tool manufacture Syndicate).

1994 : "Mercury" award for the export activity, by the Chamber of Commerce Yvelines-Val d'Oise.

1995 : Michel MARCON, Mr Pierre GREHAL's last son-in-law, managing director since 1977, takes the leadership of the company.

1996 : INPI award for regional innovation at QUOJEM trade faire for a unique rack expension tool : ULTRA FIX.

2002 : New environmentally-friendly packaging for the tools : "PACK ECO".

Translated into 9 languages, with 6 colors referring to each range of tools, and the use of pictograms.

Ets P. GREHAL is awarded TÜV ISO 9002 quality certificate.

2004 : Certification TÜV ISO 9001 (vs 2000).

EDMA® becomes an international trade mark.

Patent registration for the GT handles (EDMA design, 2 colors and 2 materials).

2005 : The EDMA® brand becomes EDMA SAS a subsidiary of Pierre Grehal.

2006 : Creation of EDMA S.A.S., subsidiary of Pierre GREHAL company, located on a 3.300 m² site in St Raphaël (83 – FRANCE).

EDMA S.A.S. new structure is certified TÜV ISO 9001 (vs 2000).

2007 : INPI award for innovation, Area Ile de France.

Renewal of our Quality TÜV certification ISO 9001 (vs 2000).

Michel MARCON, president of the group, is elected chairman of the French Tool Manufacturing Industry Association (S.I.O.), which is associated with the Mechanic Industry Federation (F.I.M.).

2010 : Creation of naming « SUPERPROSERIE » for professional builders.

Creation of new ergonomic handle.





2012 : 75 years of activity.

Transfer of our plant from St-Brice (95) to Baillet en France (95).

New plant of 4.200 m² located in an industrial park.

sum mary

EDITION 2013 - 2014



103

- 3 HISTORY**
- 4 SUMMARY**
- 6 INTRODUCTION**
- 10 DRYWALLER-BRICKLAYER**
- 50 INDUSTRIAL TOOLS-SNIPS**
- 60 PLUMBER-ROOFER TOOLS**
- 90 CARPENTER-DECORATION TOOLS**
- 102 PERIMETER PROTECTION TOOLS-WIRE NET FENCING**
- 114 STAPLES**
- 116 SPARES PARTS**
- 121 INDEX**



EDITION 2013 - 2014



EDMA®
Des outils durables pour un développement durable

EDMA®

ADMINISTRATION

HEAD OFFICE:
EDMA S.A.S.
TECHNOPARC EPSILON I
616, rue Isaac Newton
83700 SAINT-RAPHAËL

Telephone: +33 (0)4 94 44 70 70
Fax: +33 (0)4 94 44 70 71
Internet: www.edma.eu
E-mail: contact@edma.eu



43

28



70



61

PRODUCTION

EDITORIAL & DESIGN:
SERVICE MARKETING EDMA

COPYRIGHT

All rights, even partial
reserved in France and abroad.

EDMA

TVA: FR 704 800 74 327
SIRET: 480 074 327 00028
Eco Packaging / "point vert":
N°1044
Bar code: member 4760600100
TÜV: 73 100 1788-I
GT handles design patent: 044361
Motto:
"Des outils Durables pour
un développement Durable®"
on 09/10/2006: 634 552 47

EDMA SUPERPROSERIE
009 23 16 22

introduction

Environment-friendly Production



To preserve the environment, EDMA® has always had a strategy of sustainable development. EDMA® manufacturing process emits no toxic substances into the atmosphere.

EDMA® headquarters are based in an ISO 14001 certified industrial techno park, where each company must meet rigorous standards in terms of ecology, such as waste management or reduction of energy consumption.

EDMA® Production sites are set up France in order to reduce the transport of goods and therefore limit greenhouse gas emissions.

All the EDMA® tools are manufactured according to the REACH standard prohibiting the use of toxic chemicals harmful to consumers.

User safety

EDMA® tools are designed to limit efforts in use and help fight against musculoskeletal disorders (MSDs).

EDMA® tools are reliable to use and produce no noise or volatile dust, that can be harmful to user health.

The EDMA® tools with SUPERPRO SERIES® label, are designed for heavy-duty use, thanks to high quality manufacturing processes, the finest raw materials and new ergonomic and antiskid plastic handles (registered design) for user comfort.



Ecological Packaging

The EDMA® packaging is designed to highlight the advantages of the tools on a minimal communication space.

The "TOUCH PACK" packaging offers an opportunity to see and touch the product. They are made from recycled plastic and 100% recyclable paper sheets printed under the IMPRIM VERT GREEN label.



Quality EDMA

Since 1937, EDMA® has developed "sustainable tools for a sustainable environment®."

For this purpose, the group is certified ISO 9001: 2000 for all its' business processes.

To ensure its customers optimum and constant product quality EDMA® designs and manufactures its tools in France. Each EDMA® tool is tested in situations prior to marketing.

Innovation

The Research & Development department of EDMA® is dedicated to continually meeting the needs of professionals and developing the construction and public works market in France and internationally.

EDMA® innovations are the result of an extensive field study in collaboration with a network of professional craftsmen to meet their application requirements.

EDMA strives to develop practical and ergonomic tools, saving time and effort for the user.

A constant registration process of patents, trademarks and models accompanies the launch of new EDMA® tools.



A Team at your Service



Logistics: The logistics department of the group is equipped with the best storage and shipping equipment to meet order preparation deadlines within 48 hours.

Marketing: EDMA® has its own integrated communications service, able to offer a multitude of services to its clients, such as achieving promotional graphics, marketing plans, points of sale signage, point of sale displays, etc.



Sales department FRANCE: EDMA® is established in over 60 countries worldwide across the 5 continents. Our export salesmen are ambassadors of EDMA® globally and all our foreign partners are visited each year to ensure optimum commercial development. EDMA® also attends many international machinery and construction equipment exhibitions.

Sales department EXPORT: EDMA® is established in over 60 countries worldwide across the 5 continents. Our export salesmen are ambassadors of EDMA® globally and all our foreign partners are visited each year to ensure optimum commercial development. EDMA® also attends many international machinery and construction equipment exhibitions.





Drywaller Bricklayer tools

The range of tools you need
for the installation
and layout drywall
and insulation panels.





Board lifting solutions




067355 LIFT & FIX

wt : 42000 g Bar code : 3476060006738



Plasterboard lifter

- Easy to assemble.
- Max. load : 65 Kg.
- Maximum lifting height : 3,50 m (4 m with extension).
- Safe and user-friendly (pivot lock, double cable anti-fall system, great stability).
- Telescopic & fully foldable arms.
- Goes through doorways without dismantling.
- Swivelling head for fixing plasterboards under pitched ceilings.
- Heavy duty wheels with mechanical brakes on 2 wheels.
- Easy dismantling and compact storage : only 2 parts.
- Complies with the 98/37/EC regulation.





Tracks_and_studs_cutting_solutions




065804

PROFILCUT® MEGA**SUPERPROSERIE®**

wt : 11200 g Bar code : 3476060006585

Guillotine for stud and track

- Up to 125 mm max. width and 60 mm max. height



- Effortless clean cut without burr.
- Time saving.
- Noise free.
- No special permit required in sensitive areas – no risk of fire – because of the lack of sparks.

FOCUS ON





Section setting solutions



060055 PROFIL

wt : 861 g Bar code : 3476060006004



350 mm

Section setting pliers for stud and track

- Max. capacity : 1 + 1 mm.
(18 ga + 18 ga ; 0.39" + 0.39")



Fastening No screw - No rivet



060155

Bar code : 3476060006011



Punching blade
for Profil (060055)



061055 PROFIL 2RM

wt : 676 g Bar code : 3476060006103



330 mm

Section setting pliers for stud and track

- Max. capacity : 0,8 + 0,8 mm.
(20 ga + 20 ga ; 0.031" + 0.031")
- Special renovation.
- For right and left setting.
- Articulated head.



Fastening No screw - No rivet Articulated head




Section setting solutions



061955 ERGOTOP®

SUPERPROSERIE®

wt : 715 g Bar code : 3476060006196



061855 wt : 15 g Bar code : 3476060006189



Punching blade
for Ergotop (061955)

Universal section setting pliers

- Max. capacity : 1 + 1 mm.
(18 ga + 18 ga ; 0.39" + 0.39")
- Special renovation.
- For right and left setting.
- Ergonomic and anti-slip plastic handles for an optimum comfort.



062055 MASTER-PROFIL®

SUPERPROSERIE®

wt : 679 g Bar code : 3476060006202



260 mm

Section setting pliers for stud and track

- Max. capacity : 1 + 1 mm.
(18 ga + 18 ga ; 0.39" + 0.39").
- One handed compound action.
- Sprung handles.
- Ergonomic and anti-slip plastic handles for an optimum comfort.



062155 wt : 12 g Bar code : 3476060006219





Punching blade
for Master Profil (062055)

062255 wt : 30 g Bar code : 3476060006226



FOCUS ON





Section setting solutions

160455 **DUO PROFIL****SUPERPROSERIE®**

wt : 1282g Bar code : 3476060016041




260455 wt : 32 g Bar code : 3476060026040



**Replaceable punching
blade** for Duo Profil (160455)

FOCUS ON





Section setting solutions



161455 POWER PROFIL

wt : 1085 g Bar code : 3476060016140

Automatic section setting pliers, fits on all type of drills

- No special practice needed for stud setting : Drill attachment for all types of studs and tracks !
- Fits on all types of drills screwdrivers (from 10.8 Volt).




- Can crimp all types of studs and tracks (even F530 "optimum" or R48 studs for building false ceilings).

061855 wt : 15 g Bar code : 3476060006189



Replaceable punching blade

FOCUS ON





Board handling solutions



064055 DUOPLAC

wt : 1288 g the set Bar code : 3476060006400




2 board carrier handles

- Soft rubber grips - non-slip design.
- Carries up to 2 boards.
- 15 mm steel handles for board transport by 2 persons.
- Innovative, rugged design.
- Can be attached to belt.



064555 TRANSPLAC

wt : 1250 g Bar code : 3476060006455



Board lifter (steel)

- New wide base for better panel seating.
- Allows boards and sheets to be carried by just one person.



069655 TRANSPLAC EASY

wt : 316 g Bar code : 3476060006967



PE-HD board lever

- Light and handy tool.
- Allows board to be carried by one person only.
- Efficient and secure design for board holding.






Board handling solutions



066055 FOOTPLAC

wt : 929 g Bar code : 3476060006608



Board lever with steel stirrup

■ Wide base prevents board damage while improving panel seating.

- Allows board to be lifted for accurate positioning thanks to its rocker system.
- Also ideal for unhinging doors.
- New extra wide loop suitable for all safety footwear.



FOCUS ON



166555 BLOCPLAC II


wt : 1900 g Bar code : 3476060016652



Board holder

■ Can be used to work alone thanks to the moveable block.

- Practical to lift and hold the board or insulation panel in position while screwing it to the frame.
- Adjustable handle.
- Rugged and easy to use.
- Wide base and extra wide loop suitable for all safety footwear.





Board handling solutions



066155 **QUICK SUPPORT - LARGE MODEL**

wt : 2228 g Bar code : 3476060006615



- Quick Support tool simplifies working on ceilings and sloping walls when fixing panels, boards and drywall.
- Extendable from 1.60 m to 2.90 m.
- 90°max. support : 60 kg.
- 65°max. support : 20 kg.
- Quick release to adjust handle.
- Articulated top and bottom head.
- Certified GS German norm.



FOCUS ON






066355 **QUICK SUPPORT - SMALL MODEL**

wt : 1364 g Bar code : 3476060006639



- Quick Support tool allows to hold material in vehicle.
- Extendable from 0.75 m to 1.25 m.
- 90°max. support : 60 kg.
- 65°max. support : 20 kg.
- Quick release to adjust handle.
- Articulated top and bottom head.
- Certified GS German norm.







Board handling solutions



161055 PRESS PLAC PRO

wt : 8600 g Bar code : 3476060016102



Vertical support for PE-HD board

- Minimum working required space for cutting, drilling or planing.
- Holding height : 32 cm.
- Lock screw for perfect holding.
- With carriage handle.



FOCUS ON





Plasterboard cutting solutions



064755 VARIO RAP

wt : 381 g Bar code : 3476060006479



Plane for plasterboards & wood

- 3 adjustable working positions.

- Replaceable rasps.



257 mm

066755 EASY RAP

wt : 200 g Bar code : 3476060006677



145 mm

Mini plane for plasterboards

- Replaceable rasp.



164755 Flat rasp

wt : 42 g Bar code : 3476060016478

264755 Rounded rasp

wt : 42 g Bar code : 3476060026477



163155 DRYWALL SCORING SQUARE

wt : 605 g Bar code : 3476060016317



700 mm

- Fast and neat straight cut.
- Max. 62 cm.
- Perfect for scoring and cutting.
- Accept all type of utility knife.
- Double measurement unit: inch & mm.



160655 DRYWALL UTILITY KNIFE SUPERPROSERIE®

wt : 290 g Bar code : 3476060016065

With 25 mm snap-off blades

- Comes with 3 blades.
- Security locking blade action.
- Ergonomic design.
- Heavy-duty make.



200 mm



wt : 198 g Bar code : 3476060016072

Snap-off blades

25 mm x 10 pieces





Plasterboard cutting solutions




067055 CROCOPLAC 150

wt : 140 g Bar code : 3476060006707

150 mm plasterboard saw

- Can also be used to make pilot holes for plug installation.
- Keyhole saw, useful for making cut-outs in plasterboards, precast concrete, wood wall boards, etc ...
- Triple bezel blade.
- Light and easy to handle.
- Effective blade length : 150 mm.



067255 CROCOPLAC 250

wt : 180 g Bar code : 3476060006721

250 mm plasterboard saw

- Can also be used to make pilot holes for plug installation.
- Special precast concrete and plaster board with P.E.
- Light and easy to handle.
- Effective blade length : 250 mm.
- Ergonomic, double component handle.



062955 PLAC & ROLL

wt : 829 g Bar code : 3476060006295




FIRE REGULATIONS

Drywall stripper for cutting plaster strips

- Allows to cut up to 150 mm thick plaster strips.
- Stainless steel wheels.
- Up to 18 mm (0.708") thick with guide handle.
- Quick and easy width adjustment.
- Double component handle.
- Rail and metal framework fire protection (cribbed beam).
- Adjunction of allowance plaster strips in order to increase metal framework fire stability.
- Cutting strips for recreating edges for precise technical crossover.
- Repairing boards with damaged and dirty corners due to poor handling.
- Board height adjustment.



Metal Beam Protection
(30 mm of extra fire protection for each additional fire grade plasterboard)



162955

wt : 17 g Bar code : 3476060016294



Set of 2 spare wheels

for Plac & Roll (062955)



Plasterboard cutting solutions




164255 PLAC & ROLL 600

wt : 1980 g Bar code : 3476060016423

Drywall stripper 600 mm


- For cutting plasterboard neatly and safely across its width (1200mm).



- Time saving.

- Cutting Capacity = 600mm wide and 25mm thick.

- Avoids having to use a cutter.
 - Replaceable stainless steel wheels (Ref 162955).
 - Protection hood.
 - Bi-material handle.






Drywall_solutions

**062855 CORNER FIX**


wt : 930 g Bar code : 3476060006288

**Hand tool
for fixing metal corner beads**


- Nylon tip.
- Ergonomic design.
- Replaceable jaws.
- Easy punching.



Replaceable tip Replaceable tip Replaceable jaws

**262855** wt : 50 g Bar code : 3476060026286Nylon tip
for Corner Fix (062855)**162855** wt : 25 g Bar code : 3476060016287Set of 2 jaws
for Corner Fix (062855)**069255 RAP-PLAC VERSATILE**

wt : 516 g Bar code : 3476060006929

**Chamfering plane for plasterboard**

- Chamfering angle : from 22° to 45°.
- Zinc plated steel body = extra strength guaranteed.



Adjustable screw (angle & depth)

Adjustable
chamfering
angle and depthReversible
toolReplaceable
cutting blade**199255** wt : 50 g Bar code : 3476060019929**Large cutting razor blades**

60 mm x 10 pcs




**069055 CANALCUT**


wt : 688 g Bar code : 3476060006905

**Precision insulation cutter**


- 2 interchangeable blades.
- For all types of insulation, such as: P.S.E, polyurethane, rock wool / glass wool, underfloor heating.

FOR FLOOR AND SCREED


insert of sheaths in insulation

FRENCH RT 2012 REGULATION**1 Casing crossover version**

- Thermal bridges are easily avoided during cutting.
- 2 stainless steel blades for cuts of 35 mm (width) x 35 mm (depth) to insert sheaths of up to 32 mm diameter.
- Complies with RT 2012.

WALL APPLICATION

Reduction of thermal bridge risk

**2 Curved shape removal version**


- Curved shape removal and no metal scrap cutting.
- Scoring EPS / plaster board.
- Roofing water insulation grading.
- Cuts insulation material.

**068155 4 blades set 40/60/80 and 100 mm** wt : 134 g Bar code : 3476060006813**069555 Spare blades-twin 35 x 35 mm** wt : 72 g Bar code : 3476060006950**066455 INSULATION CUTTER 300**

wt : 245 g Bar code : 3476060006646

**Easy use for all type of insulating material**

- 2 different resharpenable tooth shapes.
- Supplied with holster.



- Blade length : 300 mm.
- Symmetrical double component handle.

**168055 INSULATION CUTTER 420**

wt : 320 g Bar code : 3476060016805



- 2 different resharpenable tooth shapes.

- Supplied with holster.



- Blade length : 420 mm.
- Symmetrical double component handle.



Marking solutions



060455 ERGO LINE

wt : 79 g Bar code : 3476060006042



15 meters

Ergonomic chalk line reel

- Built-in filter system preventing excess chalk.
- Compliant with REACH Regulation (The European Union's REACH Regulation regulates chemicals and their safe use for the protection of human health and the environment).
- Cord diameter: 1 mm.
- Capacity: 100 g.

062755 RED LINE ECO

wt : 87 g Bar code : 3476060006271



30 meters

Ultra-light chalk line reel

- Built-in filter system preventing excess chalk.
- Compliant with REACH Regulation (The European Union's REACH Regulation regulates chemicals and their safe use for the protection of human health and the environment).
- Cord diameter : 1 mm.
- Capacity : 80 g.

060555 FAST LINE

wt : 137 g Bar code : 3476060006059



30 meters

Fast rewinding chalk line reel

- Rewinds 5 times faster.
- Built-in filter system preventing excess chalk.
- Compliant with REACH Regulation (The European Union's REACH Regulation regulates chemicals and their safe use for the protection of human health and the environment).
- Cord diameter: 1 mm.
- Capacity: 100 g.

060755 ALU LINE

wt : 142 g Bar code : 3476060006073




30 meters

Alu chalk line reel

- Built-in filter system preventing excess chalk.
- Cord diameter : 1 mm.
- Capacity : 80 g.

060955 MAX LINE

wt : 589 g Bar code : 3476060006097



50 meters

Chalk line reel with broad handle

- For long distance marking.
- Built-in filter system restricting excess chalk.
- Compliant with REACH Regulation (the European Union's REACH Regulation regulates chemicals and their safe use for the protection of human health and the environment).
- Cord diameter: 2,5 mm.
- Capacity: 300 g.

Marking chalks refills

065255	3476060006523	Blue chalk	3500 g
063155	3476060006318	Blue chalk	1000 g
063255	3476060006325	Blue chalk	400 g
063355	3476060006332	Blue chalk	200 g



FOCUS ON







Measuring solutions

**069755 T-SQUARE 1200**

wt : 720 g Bar code : 3476060006974

**163455 T-SQUARE 900**

wt : 550 g Bar code : 3476060016348

**Drywall "T" ruler 900 mm**

- In aluminium.
- Very light to handle.

**162155 5m TAPE MEASURE x19 mm** Bar code : 3476060016218

wt: 200 g

**162055 3m TAPE MEASURE x16 mm** Bar code : 3476060016201

wt: 160 g



- Slip and shock resistant built-in case.
- Nylon coating blade.
- Automatic locking and return.
- Class II accuracy (0,5 mm/m).
- Belt hook.



Metal anchors solutions for hollow partitions



020155 BABY-FIX® BRICO




wt : 372 g Bar code : 3476060002013



Expansion tool for all metal anchors

■ Ideal for DIY

- Sprung handles.
- Double hinge.
- Good support surface : 100 x 20 mm.

Bearing surface
 $3\frac{15}{16}'' - 100 \text{ mm}$ Ø
4 to 6 mm

021155 BABY-FIX® JUNIOR


wt : 392 g Bar code : 3476060002112



Expansion tool for all metal anchors

■ Ideal for serious DIY.

- Return spring and 2 component handles.
- Hardened steel arms and jaws.
- Double hinge.
- Good support surface : 100 x 20 mm.

Bearing surface
 $3\frac{15}{16}'' - 100 \text{ mm}$ Ø
4 to 8 mm

020355 FIX

wt : 444 g Bar code : 3476060002037




Professional expansion tool for all metal anchors


■ Direct setting along the line of the hole.

- Sprung handles.
- Can be used with minimum effort.

Stroke length
 $25/32'' - 19 \text{ mm}$

Works horizontally

Ø
4 to 8 mm



Metal anchors solutions for hollow partitions




021355 SUPER-FIX®

wt : 408 g Bar code : 3476060002136



Professional expansion tool for all metal anchors

- Cranked head for setting in corners in one easy action.
- Sprung handles.
- Easy to use in confined spaces.



023155 SUPRA-FIX®


wt : 365 g Bar code : 3476060002310



SUPERPROSERIE®

Professional expansion gun for all metal anchors

- Easy to use in confined areas.
- Compact.
- Support surface : 20 x 20 mm.
- Improved stroke length : 20 mm.



023255 ULTRA-FIX®


SUPERPROSERIE®

wt : 463 g Bar code : 3476060002327



Professional expansion gun for all metal anchors

- 5 notch ratchet action.
- Specially designed for effortless use with anchors Ø 8 mm (5/16").
- Exceptional support surface of 30 mm.
- Easy handle release system.
- Ergonomic and anti-slip plastic handles for an optimum comfort.






Drywall solutions




067755 CIRCLE CUTTER

wt : 182 g Bar code : 3476060006776

Drywall circle cutter



- Perfect for plasterboard notching.
- Max. diameter 400 mm.
- 1 hand use easy cut.
- Use mallet or hammer to finalise the cut.




162255 3 HOLE SAW SET

wt : 295 g Bar code : 3476060016225

\varnothing 60, 67 and 74 mm



- Special for plasterboard.
- For wood, PVC and plasterboard.
- Depth cut : 32 mm.




162355 5 HOLE SAW SET

wt : 570 g Bar code : 3476060016232

\varnothing 68, 74, 80, 90 and 100 mm




- For wood, PVC and plasterboard.
- Depth cut : 30 mm.



**162655 HSS STEP DRILL**

wt : 173 g Bar code : 3476060016263



Use for precision drilling of sheet metal and plastic up to 30 mm

- Drilling ø : from 4 to 30 mm in 2 mm increments.
- Max. drilling depth : 3 mm.
- Stud drilling (even back-to-back type) to insert sheaths

**163955 DRILL BIT HOLDER**

wt : 75 g Bar code : 3476060016393



Philips No.2 drill bit for fixing PE-HD, plaster board

- Philips No.2 drill bit with auto stop function
- Ideal for fixing PE-HD, plaster board.
- Will fit most types of drills, for fast fixing without crushing the boards.



12 DRILL BITS INCLUDED


FOCUS ON**164355 COMBINATION TOOL**

wt : 129 g Bar code : 3476060016430



5 tools in 1: scrape, clean off, trim, clean and rescrew rollers, nail pulle

- Steel blade hardened by heat treatment and protected by a varnish.
- Bi-material fixed handle made of ABS shock and elastomer.

**164555 7 CM PUTTY KNIFE**

wt : 159 g Bar code : 3476060016454



- Hardened steel blade and varnished 50HRC.
- Large bevel.
- Brass ferrule.
- Wooden handle of French origin.





Plasterboard jointing solutions

**165155 RUBBER BRICKLAYER'S HOD 25L**

wt : 1090 g Bar code : 3476060016515



Float support, trowel rest, incorporated dosing.

**164655 RUBBER BRICKLAYER'S HOD 12L**

wt : 532 g Bar code : 3476060016461




Mixture of rubber and polyethylene combining the advantages of each of these materials:

- Lightness, resistance and flexibility.
- Reinforced edges and sides.

066655 MUD PAN

Bar code : 3476060006660

wt : 344 g


**Made of stainless steel**

- Very strong.

**066955 MUD PAN**

Bar code : 3476060006691

wt : 262 g

**Made of P.P.**

- With galvanized steel blades to strike-off excess compound.

**161855 PORTE BAC**

wt : 325 g Bar code : 3476060016188

**Device to hold mud pan on belt**

- Allows to reduce trip on working = time saving.
- Adjustable for all pan types.





Plasterboard jointing solutions



069855 DRYWALL TAPE HOLDER

wt : 371 g Bar code : 3476060006981




Allows holding and dispensing drywall tape

- Hangs on belt.
- Quick opening design makes changing tape easy.
- Made of steel and plated to prevent rust.



160955 ROLLER TAPER

wt : 1691 g Bar code : 3476060016096



Drywall taper (outside tape)

- 2 compartments (compound and tape).
- Cut-off tape device
Very easy to use.
- With carriage and applying handle.
- Time saving for more working efficiency.



266455 TAPE BUDDY

wt : 820 g Bar code : 3476060026644



Joint tape machine

- To glue your tapes directly without pre-seal paste !
- Easy to use.
- A thicker compound layer is deposited in the center of the tape for optimum gluing.
- 2 possible mud load thicknesses : thin or thick.



FOCUS ON





Plasterboard jointing solutions

**JOINT KNIVES****Deliver peak drywall finishing performance**

- Ultra flexible polished cutlery stainless steel blade.
- With hardened NR2 Philips bit.
- Quick lock and unlock of the NR2 Philips bit in handle.

STAINLESS
STEEL**169055 100 mm** wt : 139 g Bar code : 3476060016904**169255 150 mm** wt : 153 g Bar code : 3476060016928**169155 125 mm** wt : 140 g Bar code : 3476060016911**NEW JOINT KNIVES**STAINLESS
STEEL**Rigid steel blade, hardened and mirror finish**

- Bi-material riveted and fixed handle of shockproof ABS and elastomer.
- Ergonomic design.

165255 20 mm wt : 54 g Bar code : 3476060016522**165355 40 mm** wt : 56 g Bar code : 3476060016539**165455 60 mm** wt : 68 g Bar code : 3476060016546**165555 80 mm** wt : 75 g Bar code : 3476060016553**165655 100 mm** wt : 87 g Bar code : 3476060016560**165755 120 mm** wt : 90 g Bar code : 3476060016577**165855 150 mm** wt : 101 g Bar code : 3476060016584**265955 PLASTIC BOX OF 9 COATING KNIVES WITH PLASTERING TROWEL** wt : 3834 g Bar code : 3476060026590**NEW****Black lacquered metal box, practical and robust so you never have to go looking for your tools****Contains:**

- 4 filling knives with a bi-material handle and a stainless steel blade of 4, 6, 8, 10 cm.
- 4 joint knives with a bi-material handle and a stainless steel blade of 12, 16, 18, 22 cm.
- 1 multifunction knife.
- 1 trowel with a bi-material handle and a beveled stainless steel blade whose handle is used for carrying.





Plasterboard jointing solutions



COATING KNIVES, CURVED SHAPE



STAINLESS
STEEL

Bi-material handle combining the strength and resistance of polypropylene and the handling comfort of elastomer

- Ambidextrous model.
- Special drywaller knife.
- The curved shape of the blade is specially designed to allow for good hold of the compound. It guarantees a bigger grip and better control of the load during application.
- High resistance to solvents and shocks.
- Ideal for water coatings.
- Mounting with 3 rivets, one of which central avoiding any deformation of the blade.

265255 120 mm wt : 109 g Bar code : 3476060026521

265455 160 mm wt : 140 g Bar code : 3476060026545

265555 180 mm wt : 182 g Bar code : 3476060026552

265755 220 mm wt : 185 g Bar code : 3476060026576

265855 240 mm wt : 190 g Bar code : 3476060026583



164055 RUBBER JOINT KNIFE

wt : 390 g Bar code : 3476060016409



- To joint inner angles from 60° to 170°, angular round and hard accessible parts.
- Rubber knife with nylon tip.
- Very light and easy to wash.
- Can be used with hand or a wooden handle.



261055 50 mm SCRIM ROLLS

wt : 47 g Bar code : 3476060026101

Display of 32 rolls

- Tightly woven mesh with light finish.
- For filling indoor cracks.
- Roll of 20 meters.

261155 70 mm SCRIM ROLLS

wt : 71 g Bar code : 3476060026118

Display of 24 rolls

- Tightly woven mesh with light finish.
- For filling indoor cracks.
- Roll of 20 meters.





Plasterboard jointing solutions




JOINT KNIVES

STAINLESS STEEL

For all finishing coatings

- Ultra flexible stainless steel blade.
- Bi-material handle.



169355 200 mm wt : 204 g Bar code : 3476060016935

169455 250 mm wt : 233 g Bar code : 3476060016942

169555 300 mm wt : 261 g Bar code : 3476060016959

169655 350 mm wt : 290 g Bar code : 3476060016966

166355 TAPING KNIFE 60 cm

STAINLESS STEEL

wt : 520 g Bar code : 3476060016638



- Stainless steel blade mounted on rigid aluminum reinforcement.

- Bi-material ergonomic riveted handle.
- For application of compound on rough concrete substrate.

167055 CORNER COATING KNIFE

STAINLESS STEEL

wt : 119 g Bar code : 3476060016706



Bi-material handle

- Polished stainless steel blade.
- Ideal for coating in inaccessible places.



167955 HALF ROUND KNIFE

STAINLESS STEEL

wt : 150 g Bar code : 3476060016799



Bi-material handle

- Polished stainless steel blade.
- Ideal for smoothing in angles.





Plasterboard jointing solutions



WIPEDOWN KNIVES WITH LONG HANDLE



STAINLESS
STEEL



169755 125 mm

wt : 292 g

Bar code : 3476060016973



169855 180 mm

wt : 229 g

Bar code : 3476060016980



For taping jobs in difficult access (stair opening, high ceilings...).

- Ultra flexible polished cutlery stainless steel blade.
- Adjustable 45°angle blade.
- Large amplitude with the telescopic handle (Ref 169955).
- Ideal for taping projected material (droplets, plaster...).



166155 230 mm


wt : 239 g

Bar code : 3476060016614

166255 280 mm

wt : 258 g


Bar code : 3476060016621



169955 TELESCOPIC HANDLE

wt : 626 g

Bar code : 3476060016997



Adjustable on all wipedown knives with long handles

- Extendable handle from 1m to 2 m 40.
- For taping jobs in difficult access (stair opening, high ceilings..).
- Working from floor allows higher security.



Plasterboard jointing solutions



065455 INSIDE CORNER TROWEL

wt : 220 g Bar code : 3476060006547

STAINLESS
STEEL



Made of cutlery
stainless steel

- Very strong.
- Ergonomic handle.

065755 OUTSIDE CORNER TROWEL

wt : 212 g Bar code : 3476060006578

STAINLESS
STEEL



Made of cutlery
stainless steel

- Special outside
thermic insulation.
- Very strong.
- Ergonomic handle.

166455 INSIDE CORNER ROLLER

wt : 916 g Bar code : 3476060016645



MSD
TO PREVENT MUSCULOSKELETAL DISORDERS

- Aluminium handle and a stainless steel ball.
- For tightening tape in the horizontal and vertical corners.
- With its handle of 140cm, you can use the INSIDE CORNER ROLLER for ceiling heights up to 3.5 m.




166655 OUTSIDE CORNER ROLLER

wt : 805 g Bar code : 3476060016669



MSD
TO PREVENT MUSCULOSKELETAL DISORDERS

- Aluminium handle and a stainless steel ball.
- For tightening tape in the horizontal and vertical interior corners.
- With its handle of 140cm, you can use the OUTSIDE CORNER ROLLER for ceiling heights up to 3.5 m.





Plasterboard jointing solutions



166855 KIT PERFECT CORNER

wt : 2975 g Bar code : 3476060016683

Set for compound application containing:

- 90 cm applicator tube for compound
- Inside corner applicator.
- Telescopic handle from 1.2 m to 1.6 m long.
- 5cm corner flushers.
- 9 cm corner flushers.
- Saves time for smoothing joint tapes in all inside corners.



• STEP 1: Once your coated joint tape is positioned in an inside corner, use the 5cm corner flusher with the telescopic handle to tighten the tape in the corner and smooth the compound.

• STEP 2: The next day, when the first coat is dry, use the tube for compound and its corner flusher to apply compound evenly over the entire length of the corner. Then use the large corner flusher of 9 cm with telescopic handle to smooth the compound and do the second coat.



Transport bag included

90 CM APPLICATOR TUBE



CORNER FLUSHER





Plasterboard jointing solutions

**069955 ALUMINIUM HAWKS 330 X 330 MM**


wt : 801 g Bar code : 3476060006998

**Used for holding plaster before application**

- Ergonomic and smooth neoprene handle.
- Made of aluminium.
- Corrugated surface to maintain coatings on plate.

**266055 PLASTERING TROWEL, FLAT**

wt : 420 g Bar code : 3476060026606

**Bi-material handle**

- Stainless steel blade.

**266155 PLASTERING TROWEL, CURVED**

wt : 417 g Bar code : 3476060026613

**Bi-material handle**

- Stainless steel blade.
- Curved blade for loading compound.

**266255 PLASTERING TROWEL, BEVELLED BLADE**

wt : 204 g Bar code : 3476060026620

**Bi-material handle**

- Stainless steel blade.
- Beveled edges for a surface finish without any mark.

**266355 FLOORING TROWEL**

wt : 500 g Bar code : 3476060026637

**Bi-material handle**

- Stainless steel blade.





Plasterboard jointing solutions



166955 CLEAN SANDER

wt : 995 g Bar code : 3476060016690



Pole sander adaptable on vacuum cleaner

- Sanding without dust.
- Trowel support for mesh sanding sheets.
- Fits on most vacuum cleaners.
- To vacuum dust during sanding.
- Soft grip handle for user comfort.



161255 EASY LOCK SANDER

wt : 385 g Bar code : 3476060016126



For wall and ceiling surface sanding and finishing

- No loadings in paper.
- Quick and easy abrasive netting paper replacement.



161355 EASY LOCK TELESCOPIC SANDER

wt : 285 g Bar code : 3476060016133




For wall and ceiling surface sanding and finishing Ref. 169955 (not included)

- Allows sanding on walls and ceilings up to 4m height without using scaffolding or step ladder.

**(Aluminium 130-265 cm telescopic handle)
Ref. 169955**



ABRASIVE NETTING PAPER 280 x 93 mm



No loadings in paper

163555 Pack of 10 Abrasive netting paper - GRIT 80

wt : 170 g Bar code : 3476060016355

163655 Pack of 10 Abrasive netting paper - GRIT 120

wt : 170 g Bar code : 3476060016362

163755 Pack of 10 Abrasive netting paper - GRIT 220

wt : 170 g Bar code : 3476060016379

162755 ABRASIVE SPONGE

Bar code : 3476060016270 wt : 28 g



Abrasive sponge
100 X 70 X 25 mm - grit 60



- Perfect to sand paint or coating.

163355 CORNER ABRASIVE SPONGE

Bar code : 3476060016331 wt : 30 g



Abrasive sponge especially for corners
120 X 90 X 25 mm - grit 60



- Perfect to sand paint or coating.

EDMA®



Suspended ceiling solutions

065055 **MINI RODCUT M6****SUPERPROSERIE®**

wt : 4500 g Bar code : 3476060006509

**U cutting guide****Replaceable cutting die****165055**

wt : 123 g Bar code : 3476060016508



**Spare die**

for Mini Rodcut (065055)


diameters : 4 and 6 mm.

**6 mm (M6) threaded rod and 4 mm suspension wire cutter**

- Clean cut
= immediate bolting.
- No noise.
- No sparks.
- Applications : Suspended ceilings.
- Can be used to repair rod damage.
- No metal scrap (no metal filings).
- No sparks - No risk of fire - No special permit.
- 545 mm adjustable cutting guide can be positioned on the right or left.
- Up to 6.6 soft steel : 60 kg/mm².
- Must not be used to cut stainless steel threaded rod.

**061355 STAFF PRO**

wt : 160 g Bar code : 3476060006134

**Suspended ceiling board cutter**

- Safe use.
- Cutting precision.
- Time saving.
- Adjustable depth down to 13 mm (0.511").
- Perfect, dust free cut.
- Corrects edges of damaged boards.

061455


Bar code : 3476060006141

10 blades
for Staff Pro (061355)

1 - Cutting on the panel flat side.



2 - Cutting halfway on the panel side.





Suspended_ceiling_solutions



161155 ADJUSTABLE STILTS MOONWALKER

wt : 6750 g Bar code : 3476060016119




Adjustable stilts

- UNIQUE : articulated foot plates allow natural walk.
- Adjustable from 45 to 76cm.
- Maximum support weight: 102kg.
- Time saving for all workings in height.
- 2 support blocks for a better stability.
- Alu stilts = light and handy.



FOCUS ON



260055 TOOL POUCH

wt : 469 g Bar code : 3476060026002



- Made of smooth top-grain cowhide leather.
- adjustable cotton web belt.
- 8 pockets.
- 2 tool holders.
- 1 measuring tape pocket.






Tiling and electrician solutions



070055 MULTI-COUP®

wt : 380 g Bar code : 3476060007001



Mitre shear for variable corners and angles

- Fast, neat and effortless cut.
- Steel blade guard.
- Interchangeable utility blade.
- Perfect for cutting :
 - plastic sections
 - rubber glazing joints
 - decorative mouldings
 - tiling edging trim
 - PVC tape ...



199255

wt : 50 g Bar code : 3476060019929



Large cutting utility blades

Box of 10 blades




075055 PLURI COUP EXTRA

wt : 340 g Bar code : 3476060007506



PVC ducting and trunking cutting pliers

- Its 65 mm one piece blade can be re-sharpened.
- Cuts at 90°.
- Cuts up to 40 x 10 mm.



072555 PLURI COUP FLEX' 105 mm SUPERPROSERIE®

wt : 340 g Bar code : 3476060007254



Extruded profiled sections cutting pliers 5x16 mm

- 105 mm stainless steel blade.
- Specially for rubber, compact or cellular, vinyl or PVC window seals and joints, safety corners, nosing.
- Cuts plastic strip cableways.
- Gradual jaw for more accuracy during the cut.
- 40° opening with cutting thickness.
- Ergonomic and anti-slip plastic handles for an optimum comfort.





Cutting solutions



170055 MULTICOUP BOX®

wt : 913 g Bar code : 3476060017000

**Case containing:**

- shears with straight plate of 65mm (Example: electrical flat cables, cords, rubber, cardboard, etc.).
- 45 ° angle plate (Example: flat surfaces and quarter round of wood or composite, decorative moldings, PVC profiles for tile Finishing, rubber seals, etc.).
- Cutting plate to cut pipes of 16mm and 20mm (for IRL, ICTA, PVC pipes).
- Plate for corner beads 45x25mm (45x25mm for plastic profiles).
- Clean cut without deformation.
 - No need to deburr: time saving.
 - 65mm stainless steel blade, interchangeable, can be sharpened.
 - Carry case included.




Bricklayer_and_public_works_solutions




HEAVY DUTY SCRAPER

090055


wt : 524 g Bar code : 3476060009005

**090155**

wt : 356 g Bar code : 3476060009012

**096055**

CONCRETE SPREADER



Ultra resistant heavy-duty spreader

- Spreader for efficient concrete spreading with 500 mm wide blade.
- Lifting hook (Ø 10 mm) for wire net screed.
- New Ø 29 mm rod for standard handle.

**290255** wt : 640 g Bar code : 3476060029027

1st choice beech wood handle Ø 32

- For all scrapers.



wt : 1245 g Bar code : 3476060009609

**064855**

LATTIFIX



Crimping pliers for veined lathing

- Fixes by crimping, without the need for staples.
- Time saving.
- Allows quick and effortless assembly of veined lathing.
- Outside and inside applications :
 - Renovation.
 - Thermal insulation.
 - Fire-blocking.



wt : 354 g Bar code : 3476060006486

092855

DISC 125 mm BEVELLED MEDIUM GRIT

wt : 200 g Bar code : 3476060009289




Tungsten carbide universal abrasive disc

- Heavy duty.
- Lasts up to 160 times longer than traditional abrasives.
- For polishing, deburring, surface finishing.
- For all type of materials, such as : steel, wood, cement, concrete, plaster, PVC, mild stone and rust.

**092755**

DISC 125 mm BEVELLED FINE GRIT

wt : 200 g Bar code : 3476060009272



Solutions for concrete reinforcement mesh



04555 TORNADO PRO

wt : 398 g Bar code : 3476060004550




Professional automatic binder for looped metal bonds

- 3 laps per cycle.
- To close bags, fences, frameworks for reinforced concrete.
- Soft hand grip.




042755 TWISTER

wt : 216 g Bar code : 3476060004277



Automatic pocket binder for looped metal bonds

- 1.5 laps per cycle.
- To close bags, fences, frameworks, etc...



LOOPE METAL BONDS



Galvanized



Annealed



Copper-clad annealed

Ref.	Name	Description	Quantity	Weight
960452	GALVANIZED	Bar code 3476060004529 Galvanized steel looped bonds Ø 1 mm x 120 mm	1000	1.18 kg
960457	ANNEALED	Bar code 3476060004574 Annealed steel looped bonds Ø 1.1 mm x 100 mm	1000	1.30 kg
960449	ANNEALED	Bar code 3476060004499 Annealed steel looped bonds Ø 1.1 mm x 120 mm	1000	1.36 kg
960453	ANNEALED	Bar code 3476060004536 Annealed steel looped bonds Ø 1.1 mm x 120 mm	5000	7.16 kg
960458	ANNEALED	Bar code 3476060004581 Annealed steel looped bonds Ø 1.1 mm x 160 mm	1000	1.68 kg
961480	ANNEALED	Bar code 3476060014801 Annealed steel looped bonds Ø 1.1 mm x 140 mm	1000	1.64 kg
963453	ANNEALED	Bar code 3476060034533 Annealed steel looped bonds Ø 1.1 mm x 180 mm	1000	1.80 kg
962449	ANNEALED	Bar code 3476060024497 Annealed steel looped bonds Ø 1.1 mm x 200 mm	1000	1.90 kg
960459	ANNEALED	Bar code 3476060004598 Annealed steel looped bonds Ø 1.1 mm x 140 mm	5000	8.60 kg
960488	COPPER-CLAD ANNEALED	Bar code 3476060004888 Copper-clad annealed looped bonds Ø 1.2 mm x 120 mm	1000	1.58 kg
960487	COPPER-CLAD ANNEALED	Bar code 3476060004871 Copper-clad annealed looped bonds Ø 1.2 mm x 140 mm	1000	2.00 kg
960495	COPPER-CLAD ANNEALED	Bar code 3476060004956 Copper-clad annealed looped bonds Ø 1.2 mm x 140 mm	5000	9.20 kg
960496	COPPER-CLAD ANNEALED	Bar code 3476060004963 Copper-clad annealed looped bonds Ø 1.2 mm x 160 mm	5000	10.00 kg

Contact us for specific manufacturing (possible for a minimum of 50 bundles).



Counter display and POS boxes



310780 COUNTER DISPLAY FLYER'S

wt : 4190 g Bar code : 3476063107807



Counter display Flyer's 150 mm Forged aviation snips (Ref. 010755)

- Cutting capacities:
 - 1.2 mm: sheet metal, galvanized, zinc
 - 0.8 mm: stainless steel



X 10

367000 COUNTER DISPLAY CROCOPLAC

wt : 2700 g Bar code : 3476063670004



Plasterboard 150 mm (Ref. 067055)

- Triple bezel blade, useful for making cut-outs or placing anchors.



X 20

610000 COUNTER DISPLAY DUOPROFIL

wt : 4860 g Bar code : 3476066100003



Section setting pliers for stud and track (Ref. 160455)



- Specially designed for partition walls > 2.50 m in M48.
- Max. capacity: 1 + 1 mm.

X 3

374510 COUNTER DISPLAY PLURICOUPE

wt : 1390 g Bar code : 3476063745108



Multi-purpose pliers (Ref. 073555)



- Light and easy to handle.

X 10

162100 COUNTER DISPLAY TAPE 5M

wt : 2124 g Bar code : 3476061621008



Tape 5 M x 19 mm (Ref. 162155)



- Shockproof and anti-slip case tape.
- Nylon coating blade.
- Automatic locking and return.

X 6

160600 COUNTER DISPLAY CUTTER

wt : 3718 g Bar code : 3476061606005



Drywall knife with snap-off blades of 25 mm (Ref. 160655)



- Comes with 3 blades.
- Security locking blade action.

X 12

360555 COUNTER DISPLAY FAST LINE

wt : 3576 g Bar code : 3476063605556



Equipped with a broad handle 30 meters (Ref. 060555)



- Rewinds 5 times faster.
- Built-in filter system preventing excess chalk.

X 8

360755 COUNTER DISPLAY ALU LINE

wt : 3900 g Bar code : 3476063607550



Ergonomic chalk line reel 30 meters (Ref. 060755)



- Built-in filter system preventing excess chalk.

X 8



Counter display and POS boxes



390600 COUNTER DISPLAY ABRADISC

wt : 2480 g Bar code : 3476063906004

Tungsten carbide universal abrasive disc (Ref. 092855 - 092755)

- (3 fine + 6 medium discs).



X 9

261055 DISPLAY BANNER 50 mm

wt : 1604 g Bar code : 3476062610551

Counter display of 32 banner rolls of 50 mm width.

- Also available in counter of 24 banner rolls of 70 mm width (ref. 261155).



365056 POS DISPLAY PROFILCUT MINIRODCUT

wt : 39000 g Bar code : 3476063650563



Containing:

- Profilcut (ref. 061755).
- Rodcut (ref. 065955).
- Video frame with product presentation.

X 2



361755 POS DISPLAY PROFILCUT

wt : 39200 g Bar code : 3476063617559



containing:

- Profilcut (ref. 061755).
- + Video frame with product presentation.

X 3



316151 POS DISPLAY STUDCUTTER

wt : 22000 g Bar code : 3476063161519



Containing:

- Studcutter (ref. 161555).
- + Video frame with product presentation.

+
VIDEO SCREEN
OFFERED



365055 POS DISPLAY MINI RODCUT M6

wt : 39000 g Bar code : 3476063650556



Containing:

- Minirodcut (ref. 065055).
- + Video frame with product presentation.

+
VIDEO SCREEN
OFFERED




EDMA®







Cutting solutions



010755 FLYER'S




Forged "Aviation" snips

- Cutting capacities :
 - 1.2 mm (16 ga ; 0.047") : Sheet metal, Galvanised, Zinc
 - 0.8 mm (20 ga ; 0.031") : Stainless steel.



wt : 429 g Bar code : 3476060001078

- Drop forged chromium molybdenum steel jaws.
- Powerful and long lasting handle spring.
- One hand automatic latch release.
- Fast cut with minimum effort of 42 mm.




010555 FLYER'XS 25 mm



Forged "Aviation" snips

- Especially good for perforated strips and corner bead.

- Cutting capacity :
 - 1.0 mm (18 ga ; 0.039") : Special stainless steel
 - 1.5 mm (15 ga ; 0.059") : Soft metals.



wt : 375 g Bar code : 3476060001054

- Drop forged chromium molybdenum steel jaws.
- Powerful and long lasting handle spring.
- Finger guard (double).
- One hand automatic latch release.






Cutting solutions

010655 FLYER' SL 75 mm

wt : 450 g Bar code : 3476060001061

**Forged "Aviation" snips**


- Especially good for zinc and lead jobs.
- Cutting capacity :
 - 0.8 mm (20 ga ; 0.031") : Stainless steel
 - 1.2 mm (16 ga ; 0.047") : Soft metal
- Chromium molybdenum steel serrate blades.
 - Powerful and long lasting handle spring.
 - Finger guard (double).
 - One hand automatic latch release.

**073555 PLURICOUP' TOUT**

wt : 125 g Bar code : 3476060007353

**Multi-purpose pliers**

- Light and easy to handle.
- 42 mm stainless steel polished serrated blades.
- Unbreakable ergonomic arms and easy-to-close catch.
- Applications : Interior decoration, waterproof, insulation, painting, horticulture, textile industry, marine, maintenance, construction yards, industry.

**074555 PLURICOUP' ERGO**

wt : 88 g Bar code : 3476060007452


**Multi-purpose pliers**

- Light and easy to handle.
- 42 mm stainless steel polished serrated blades.
- Unbreakable ergonomic arms and easy-to-close catch.
- Applications : Interior decoration, waterproof, insulation, painting, horticulture, textile industry, marine, maintenance, construction yards, industry.





Cutting solutions



109055 & 010955 APOLLO left cut & right cut

wt : 415 g



Bar code : 3476060010902



Bar code : 3476060001092



Compound action shape snips Right and left cut

■ Cutting capacities :

- 0.9 mm (19 ga ; 0.035") : Stainless steel
- 1 mm (18 ga ; 0.039") : Blue sheet steel
- 1.2 mm (16 ga ; 0.047") : Galvanised sheet, Zinc
- 1.5 mm (15 ga ; 0.059") : Copper, brass, sheet metal
- 2 mm (12 ga ; 0.078") : PVC, aluminium
- 2.5 mm (10 ga ; 0.098") : Polycarbonate.



102055 & 010255 UPPER-CUT left cut & right cut

wt : 466 g



Bar code : 3476060010209



Bar code : 3476060001023



« Passe-Franc » compound action shape snips with staggered blades Right cut and left cut

■ Cutting capacities :

- 0.9 mm (19 ga ; 0.035") : Stainless steel
- 1 mm (18 ga ; 0.039") : Blue sheet steel
- 1.2 mm (16 ga ; 0.047") : Galvanised sheet, Zinc
- 1.5 mm (15 ga ; 0.059") : Copper, brass, sheet metal
- 2 mm (12 ga ; 0.078") : PVC, aluminium
- 2.5 mm (10 ga ; 0.098") : Polycarbonate.




Cutting solutions

**127055 & 012755 UPPER-CUT 90° left cut & right cut**

wt : 466 g



Bar code : 3476060012708


**« Passe-franc » compound action shape snips with 90° staggered blades**

- Special for difficult access.

■ Cutting capacities :

- 0.9 mm (19 ga ; 0.035") : Stainless steel
- 1.2 mm (16 ga ; 0.047") : Galvanised sheet, Zinc
- 1.5 mm (15 ga ; 0.059") : Copper, brass, sheet metal
- 2 mm (12 ga ; 0.078") : PVC, aluminium
- 2.5 mm (10 ga ; 0.098") : Polycarbonate.

- Cuts up to 35 mm at once.
- Finger guard (double).



Bar code : 3476060001276

Power up to
120 kg/mm

Serrated blades

Left cut

Right cut


Holster included

128055 & 012855 FLYER'SL 45° left cut & right cut

wt : 458 g



Bar code : 3476060012807



**Shears with angled blades of 45°**

- Cuts up to 75 mm at once.


■ Cutting capacities :

- 0.9 mm (19 ga ; 0.035") : Stainless steel
- 1.2 mm (16 ga ; 0.047") : Galvanised sheet, Zinc
- 1.5 mm (15 ga ; 0.059") : Copper, brass, sheet metal
- 2 mm (12 ga ; 0.078") : PVC, aluminium
- 2.5 mm (10 ga ; 0.098") : Polycarbonate.

- Finger guard (double).



Bar code : 3476060001283



Serrated blades


Left cut

Right cut

Holster included



Cutting solutions



012055 UNIVERSAL FORGED SHEARS 250 mm

wt : 540 g Bar code : 3476060001207



Wide and narrow blade shears

■ Cutting capacities :

- 1.0 mm (18 ga ; 0.039") : Stainless steel
- 1.2 mm (16 ga ; 0.047") : Galvanised sheet, zinc.

- Multidirectional.
- Induction hardened cutting edges.
- 57-59 HRC long life blades.
- Spring included.
- Isolating handles.



012155 FORGED SHEARS BERLIN 250 mm

wt : 466 g Bar code : 3476060001214



"Lyonnaise" type shears

■ Cutting capacities :


- 1.0 mm (18 ga ; 0.039") : Stainless steel
- 1.2 mm (16 ga ; 0.047") : Galvanised sheet, zinc.

- Multidirectional.
- Induction hardened cutting edges.
- 56-58 HRC long life blades.
- Spring included.
- Isolating handles.



012655 FORGED SHEARS PELICAN 300 mm

wt : 751 g Bar code : 3476060001269



Forged shears Pelican

■ Cutting capacities :

- 1.2 mm (16 ga ; 0.047") : Stainless steel
- 1.8 mm (13 ga ; 0.070") : Galvanised sheet, zinc.

- Specially designed for long straight cut.
- Induction hardened cutting edges.
- 57-59 HRC long life blades.
- Spring included.
- Isolating handles.




012355 & 012255 FIGURE HOLE FORGED SHEARS 250 mm

wt : 464 g



Bar code : 3476060001238



Left cut



Bar code : 3476060001221

**"Coupe-trou" forged shears
Right cut and left cut**
■ Cutting capacities :

- 1.0 mm (18 ga ; 0.039") : Stainless steel
- 1.5 mm (15 ga ; 0.059") : Galvanised sheet, zinc.



- Induction hardened cutting edges.
- 57-59 HRC long life blades.
- Spring included.
- Isolating handles.

012555 & 012455 OFFSET FORGED SHEARS 260 mm

wt : 546 g



Bar code : 3476060001252





Left cut



Bar code : 3476060001245

**Forged shears passe-franc
Right cut and left cut**
■ Cutting capacities :


- 1.0 mm (18 ga ; 0.039") : Stainless steel
- 1.5 mm (15 ga ; 0.059") : Galvanised sheet, zinc.



- Induction hardened cutting edges.
- 57 – 59 HRC Long life blades.
- Spring included.
- Isolating handles.



Cutting solutions



011255 SUPERCOUP INOX ST

SUPERPROSERIE®

wt : 488 g Bar code : 3476060001122



Nibbler shears with built-in waste curl cutter

- Especially for stainless steel.
- Ergonomic and anti-slip plastic handles for an optimum comfort.



010155 NIBBLER SHEAR NR1 TP

SUPERPROSERIE®

wt : 458 g Bar code : 3476060001016



Nibbler shears

- For flat sheet.
- Perfect for cutting stud and track.



011055 SUPERCOUP NR1

SUPERPROSERIE®

wt : 488 g Bar code : 3476060001108



Nibbler shears with built-in waste curl cutter

- Nibbler shears with built-in waste curl cutter for sheet metal.



011355 SUPERCOUP NR3 TO


SUPERPROSERIE®

wt : 485 g Bar code : 3476060001139



Nibbler shears with built-in waste curl cutter

- Special for corrugated metal.



Ref.	Cutting capacity	Stainless steel	Galvanised steel, zinc, sheet metal	Copper, brass	PVC, vinyl flooring, aluminium	Poly-carbonate
011255	0,8 mm	1,2 mm	1,5 mm	2,0 mm	2,5 mm	
010155-011055 011355	0,6 mm	1,2 mm	1,5 mm	2,0 mm	2,5 mm	

101055 3476060010100

Blade

for :
Réf. 010155 & 011055.

105055 3476060010506

Blade

Special stainless steel pour : Réf. 011255.

103055 3476060010308

Blade

Special corrugated metal for : Réf. 011355.



Cutting and punching solutions

038955 TURBO SHEAR

$\text{t} : 1315 \text{ g}$ Bar code : 3476060003898



340 mm

Drill attachment for larger cordless or cored drill

- Quick and easy cut.
- Neat cut.
- Cutting capacities :
 - 0.9 mm (20 ga ; 0.031") : Stainless steel
 - 1.5 mm (15 ga ; 0.059") : Galvanised steel, Copper
 - 2 mm (12 ga ; 0.078") : Aluminium
- For all 14.4 V and 2 amps drill
- Single handed operation.
- Can be used inverted.



138955 $\text{t} : 185 \text{ g}$ Bar code : 3476060013897



Replaceable jaws +
grease and disassembly
wrench

017255 NIBBLEX® UNIVERSAL

$\text{t} : 248 \text{ g}$ Bar code : 3476060001726



017455 $\text{t} : 85 \text{ g}$ Bar code : 3476060001740



Punch + die set
for Nibblex

Power drill attachment nibbler shears

- Fast and neat cut.
- Cutting capacity :
 - 0.8 mm (20 ga ; 0.031") : Stainless steel
 - 1.5 mm (15 ga ; 0.059") : Galvanised steel, zinc, sheet metal, copper, brass
 - 2 mm (12 ga ; 0.078") : PVC, vinyl flooring, aluminium
 - 2.5 mm (10 ga ; 0.098") : Polycarbonate.
- Power drill attachment for flat or corrugated metal and PVC surfaces.
- Speed 3000 rpm minimum.
- Multi-direction die.




018555 POLYPERFOR®

$\text{t} : 1080 \text{ g}$ Bar code : 3476060001856



Industrial Punching Machine

- Cutting power : 740 kg
- Includes 5 sets of punches :
 - Punch Ø 3,3 mm
 - and Ø 3,3 mm special slates
 - Ø 4,1 for steel suspension wires,
 - Ø 4,9 mm and 6,2 mm for threaded rod.
- Precise graduation opening to max. 8 mm (0.315").
- Adjustable depth stop up to 43 mm.




	Sheet metal	Stainless steel	Aluminium
Ø 3,3 mm	1,5 mm	1,2 mm	3,0 mm
Ø 4,1 mm	1,5 mm	1,0 mm	2,0 mm
Ø 4,9 mm	1,2 mm	0,8 mm	2,0 mm
Ø 6,2 mm	0,8 mm	0,5 mm	1,5 mm


018455 Kit

$\text{t} : 133 \text{ g}$ - 3476060001849

- 4 punches set :
 - Ø 3,3 mm - Ø 4,1 mm - Ø 4,9 mm - Ø 6,2 mm.

EDMA®






Plumber Roofer Tools

A broad choice
of specific tools designed
to make your slate
and zinc roof installation easier,
plus a range of
unique plumber tools.



Slate cutting and punching solutions

**031055 MAT****SUPERPROSERIE®**


wt : 901 g Bar code : 3476060003102



Various slate cutting shapes

**032455 MAT 2 SUPERPROSERIE®**


wt : 837 g Bar code : 3476060003249

**Spare parts**


031155	Blade for Ref. 031055 & 032055. wt : 50 g Bar code : 3476060003119
031255	Universal punch for Ref. 031055, 032455 & 033555. wt : 7 g Bar code : 3476060003126
031355	Cutting unit for Ref. 031055 & 032055. wt : 51 g Bar code : 3476060003133
031555	Repair kit for Ref. 031055 & 032455. wt : 38 g Bar code : 3476060003157
031755	Spring for Ref. 032055 & 032555. wt : 45 g Bar code : 3476060003171
032655	Blade for Ref. 032455 & 032555. wt : 67 g Bar code : 3476060003263
032755	Cutting unit for Ref. 032455 & 032555. wt : 59 g Bar code : 3476060003270

032055 MAT COUP

wt : 605 g Bar code : 3476060003201

**032555 MAT COUP 2**

wt : 670 g Bar code : 3476060003256




Slate cutting and punching solutions



033055 PRO MAT-COUP 210

wt : 2500 g Bar code : 3476060003300



Natural / artificial slate cutter up to 7 mm (0.275") thickness

- Neat and effortless cut.
- Easy forward movement of the slate for progressive cutting action.
- Designed for easy mobility, with a fixing point for laths.



036355 PRO MAT-COUP 400

SUPERPROSERIE®

wt : 11915 g Bar code : 3476060003638



Natural / artificial slate cutter up to 10 mm (0.393") thickness




- Special 10 mm slate and high density weather board sidings up to 400 mm.
- No breathable dust.
- Neat and effortless cut.
- Designed for easy mobility, with a fixing point for laths.




033555 MECA-MAT

wt : 10000 g Bar code : 3476060003355



Double hole punching machine for natural & artificial slate up to 8 mm (0.315") thickness

- Double punching in one go = Time saved.
- Graduation : 5 to 12 cm x 2.
- Double 3.2 mm punching.
- Dimensions : 465 x 350 x H 220 mm.
- 4 anchor points.
- Replaceable die, drilling punch and guide.
- Slate C/C distance : to 150 mm at 320 mm max.
- Effective C/C distance : to 100 mm at 240 mm
- Adjustable depth stop : to 23 mm at 200 mm.





Slate cutting and punching solutions

EDMA
... by **FREUND**

038255 & 038155 "FRENCH" SLATER'S HAMMER left handed & right handed


wt : 640 g



Bar code : 3476060003829



Bar code : 3476060003812



Handforged

- Leather handle.
- Nail puller.
- Polished finish.



038455 & 038355 "TRADITIONAL" SLATER'S HAMMER left handed & right handed

wt : 636 g



Bar code : 3476060003843



Bar code : 3476060003836



Handforged

- Leather handle.
- Large face.
- Nail puller.
- Polished finish.



139655 & 039655 "UNIVERSAL" SLATER'S HAMMER

wt : 650 g



Bar code : 3476060013966

Handforged

- Left and right bevel.
- Leather handle.
- Nail puller.
- Polished finish.



Bar code : 3476060003966



**032255 & 032155 400 mm SLATER'S ANVIL
left handed & right handed**

wt : 769 g



Bar code : 3476060003225



Bar code : 3476060003218



- All edges ground.
- Straightened.
- Curved head.
- Straight 30 x 6 mm.

**032355 SLATER'S ANVIL
bent**

wt : 560 g Bar code : 3476060003232





Roofer_solutions



037655 & 037755 WELDED SLATE RIPPERS 400 mm & 600 mm

wt : 700 g Bar code : 3476060003768

wt : 830 g Bar code : 3476060003775




- Traditional slate ripper.
- Welded.



137655 & 137755 FORGED SLATE RIPPERS 400 mm & 600 mm

wt : 684 g Bar code : 3476060013767

wt : 868 g Bar code : 3476060013774



- Traditional slate ripper.
- One piece of steel construction.



037855 & 037955 STAINLESS STEEL RIPPER 400 mm & 600 mm

wt : 1100 g Bar code : 3476060003782

wt : 1200 g Bar code : 3476060003799



- Handle and nail puller drop-forged.
- Interchangeable stainless steel blade with rounded edges.
- Special handle suitable for all blade lengths.



137855 & 137955 BLADES FOR STAINLESS STEEL RIPPER

wt : 214 g Bar code : 3476060013781


wt : 329 g Bar code : 3476060013798



- Replaceable stainless steel blades for Ref 037855 & 037955.



Punching_solutions





018555 POLYPERFOR



Industrial punching machine

- Cutting power : 740 kg !
- Includes 5 sets of punches :
 - Punch Ø 3,3 mm
 - and Ø 3,3 mm special slates
 - Ø 4,1 for steel suspension wires,
 - Ø 4,9 mm and 6,2 mm for threaded rod.
- Precise graduation opening to max. 8 mm (0.315").
- Adjustable depth stop up to 43 mm.
- Applications : roofing, suspended ceilings etc.

	Sheet metal	Stainless steel	Aluminium
Ø 3,3 mm	1,5 mm	1,2 mm	3,0 mm
Ø 4,1 mm	1,5 mm	1,0 mm	2,0 mm
Ø 4,9 mm	1,2 mm	0,8 mm	2,0 mm
Ø 6,2 mm	0,8 mm	0,5 mm	1,5 mm



018455 Kit

■ : 134 g - 3476060001849



- 4 punches set :
- Ø 3,3 mm
- Ø 4,1 mm
- Ø 4,9 mm
- Ø 6,2 mm.

133055 NIBBLER HAND NOTCHER

■ : 450 g Bar code : 3476060013309



Notch : 33 mm x 3 mm

- Neat cut.
- Cuts up to 0,6 mm thickness.



EDMA
... by FREUND




034155 INTERPERFOR 3,5x15 mm

■ : 536 g Bar code : 3476060003416




Notch punching machine

- Ideal for vinyl coated cladding sheet, zinc or aluminium.
- Notching capacities :
 - 0,8 mm (20 ga ; 0,031") : zinc, sheet metal cladding.
 - 1 mm (18 ga ; 0,039") : plastic.
- Makes a notch of 3,5 x 15 mm to prevent buckling.
- Depth of 9 to 21 mm from the oblong axis.






Punching solutions

**163255 EASY PUNCH**

wt : 3485 g Bar code : 3476060016324



Punch diameter : 8 mm

263255 Punch


wt : 139 g Bar code : 3476060026323

- Interchangeable punch for Easy Punch





Slater's hammer solutions




031855 PUNCHER

wt : 928 g Bar code : 3476060003188



Hammer tacker

- Very well balanced.
- Very comfortable bi-component handle.
- Recommended for fixing heavy sheet and insulation on roof.
- Magazine capacity : 175 staples.



131955 1000 STAPLES

wt : 109 g Bar code : 3476060013194



**Staples 6 mm for Puncher
Ref. 031855**

- Perfect for façade specialists.
- Galvanised staples.

031955 5000 STAPLES

wt : 679 g Bar code : 3476060003195



**Staples 10 mm for Puncher
031855**

- Galvanised staples.

231955 1000 STAPLES

wt : 189 g Bar code : 3476060023193




**Staples 14 mm for Puncher
031855**

- Perfect for multilayer insulation materials.
- Galvanised staples.

035855 ROOFER'S HAMMER

wt : 811 g Bar code : 3476060003584



- Steel tube handle.
- PVC grip.
- Magnetic nail holder.
- Polished finish.
- Certified GS Security German Norm.

EDMA
... by **FREUND**



035955 FORGED ROOFER'S HAMMER

wt : 1016 g Bar code : 3476060003591



- Roofer's hammer all steel forged.
- Leather handle.
- Magnetic nail holder.

EDMA
... by **FREUND**



037255 COPPER AND SILVERSMITH PLANISHING AND GROOVING HAMMER


wt : 329 g Bar code : 3476060003720



- I round lightly bent face.
- Polish finish.

EDMA
... by **FREUND**





Zinc_and_lead_working_solutions

035155 SEAMING IRON




wt : 2500 g Bar code : 3476060003515



- Forged steel seaming iron with flat blade.
- Chisel face.
- Block with hole 5 x 15 mm

033955 TINMAN'S MALLET



wt : 550 g Bar code : 3476060003393



- In PVC.
- Edged
- Dimension : 85 x 40 x 150 mm

131755 HAMMER FOR ANGLE FLAT SCRAPER



wt : 300 g Bar code : 3476060013170



Special for flat scraper

- 4 mm thickness nib.
- 22 mm rounded edge.

035255 DOUBLE SEAMING IRON



wt : 3400 g Bar code : 3476060003522



- Forged steel double seaming iron.
- Block height 25 & 35 mm.

035455 FOLDING TOOL



wt : 850 g Bar code : 3476060003546



"Squeezing folding plier"

- Special forged steel.
- Depth 140 mm.

131055 HAMMER FOR ANGLE FLAT SCRAPER



wt : 1220 g Bar code : 3476060013101



- In drawn steel.
- Polished finish.

LEAD DRESSERS

132155 Lead dresser



wt : 289 g Bar code : 3476060013217



■ Beech.

- Asymmetrical shape.

132755 Bending stick



wt : 293 g Bar code : 3476060013279



■ Beech.

- Round, bent shape.

132655 Bossing stick



wt : 253 g Bar code : 3476060013262



■ Beech.

- Slim, rounded shape.

132855 Setting stick



wt : 181 g Bar code : 3476060013286



■ Beech.


- Slim, straight shape.



Metal_seaming_solutions

EDMA

... by FREUND

**CLINCHING PLIERS****Straight**

- Lap joint.
- Precoated handles.



Ref.	Lenght	Weight	Bar code
039155	22 mm	144 g	3476060003911
039255	40 mm	606 g	3476060003928
039355	60 mm	719 g	3476060003935
039455	80 mm	1022 g	3476060003942
039555	100 mm	992 g	3476060003959

**Bent of 45°**

- Lap joint.
- Precoated handles.



Ref.	Lenght	Weight	Bar code
034255	22 mm	122 g	3476060003423
034355	40 mm	362 g	3476060003430
034455	60 mm	450 g	3476060003447
034555	80 mm	996 g	3476060003454
034655	100 mm	1096 g	3476060003461

**Bent of 90°**

- Lap joint.
- Precoated handles.



Ref.	Lenght	Weight	Bar code
034755	40 mm	404 g	3476060003478
034855	60 mm	402 g	3476060003485
034955	80 mm	1122 g	3476060003492

**SEAMING PLIER****Straight**

Ref.	Lenght	Depth	Weight	Bar code
030455	120 mm	125 mm	1850 g	3476060003041
030555	180 mm	175 mm	3250 g	3476060003058
030655	200 mm	185 mm	3400 g	3476060003065

**Bent of 45°**

Ref.	Lenght	Depth	Weight	Bar code
030755	120 mm	110 mm	1850 g	3476060003072
030855	180 mm	160 mm	3050 g	3476060003089
030955	200 mm	160 mm	3200 g	3476060003096









Metal seaming solutions

**130455 BENDER 4 ROLLS**

wt : 3400 g Bar code : 3476060013040

**Tool to make folds, counterfolds, raised areas on sheets**



- Machine to make edging and bending of sheet metal.
- For Zinc, Aluminium, Soft metal, Stainless steel - 4 guide rolls = Special long sheets.
- Possibility of separating two folders to get two folders x2 (réf. 130355).
- Height from 5 mm up to 200 mm.

**FOCUS ON****130855 BENDER 8 ROLLS**

wt : 3800 g Bar code : 3476060013088

**Tool to make folds, counterfolds, raised areas on sheets**

- Machine to make edging and bending of sheet metal.
- For Zinc, Aluminium, Soft metal, Stainless steel - 8 guide rolls = Special long sheets.
- Possibility of separating two folders to get two folders 4X4 (réf. 130155).
- Height from 5 mm up to 200 mm.


**FOCUS ON**



Metal_seaming_solutions

EDMA

... by FREUND

**130155 BENDER 4X4**

wt : 2100 g Bar code : 3476060013019



Universal tool for bending and forming in sheet metal fabrication both for straight and curved piece for inner as well as outer radius

- Faster than clinching pliers.
- With Aluminium handle.
- 4 wheels



**130355 BENDER X2**

wt : 1580 g Bar code : 3476060013033




Universal tool for bending and forming in sheet metal fabrication both for straight and curved piece for inner as well as outer radius

- Faster than clinching pliers.
- 2 wheels.

**STEP 3**

$$\text{---} + \text{---} = \text{---}$$



EDMA®
... by 

Metal seaming solutions



130755 EDGE ROLLER 25 MM

wt : 850 g Bar code : 3476060013071




Tool to make bends of 90° to 180° maximum

- For curved raised areas and construction of small radii (inside and outside).
- Graduated in cm and inches.
- Handle with leverage effect.
- Height of raised areas continuously adjustable from 5 to 25 mm.
- Material thickness up to 0.8 mm max.



130255 DISK ROLLER

wt : 1080 g Bar code : 3476060013026



Tool to make bends of 90° to 180° maximum

- 8mm to 40mm high.
- Maximum thickness 1mm.
- Tool ready to work: no adjustment necessary.



130655 DOUBLE DISK ROLLER

wt : 2600 g Bar code : 3476060013064



Tool to make bends of 90° to 180° maximum

- 8mm to 40mm high.
- Special long sheets.
- Maximum thickness 1mm.
- Tool ready to work : no adjustment necessary.



FOCUS ON




EDMA®




Metal seaming solutions

EDMA

... by FREUND



**038655 SQUARE SEAM FOLDER**

wt : 1909 g Bar code : 3476060003867




■ Operated square seam folder joins SPM 30/80 profiles.

- Tool width : 220 mm.
- Claw height : 50 mm.



**038755 TWIN SQUARE SEAM FOLDER**

wt : 2303 g Bar code : 3476060003874




■ Allows simple and quick shaping of locked square seam into double-seam in just one operation.

- Tool width : 220 mm.
- Claw height : 50 mm.

**132555 SEMI-CIRCULAR DORMER SQUARE SEAM FOLDER**

wt : 745 g Bar code : 3476060013255





■ Tool joining prefabricated SPM profiles.

■ Used to tack up lengthwise beads to prevent withdrawal from folding press.

■ Even at dormer windows with a small radius one joins lockseam without difficulty.

- Tool width : 65 mm.
- Claw height : 55 mm.






EDMA®
... by **FREUND**

Metal seaming solutions




132355 EAVES CLOSING JAWS

wt : 2100 g Bar code : 3476060013231



■ Fastening without hammering.

- Tool width : 220 mm.
- Claw height : 50 mm.




132255 TILE EDGER

wt : 742 g Bar code : 3476060013224



■ To build any slope for tile edges.

- Tool width : 70 mm.
- Claw height : 40 mm.
- Supplied with a measuring tape.



131155 SEAM OPENING PLIERS

wt : 442 g Bar code : 3476060013118




■ Seam opening pliers.


- Forged steel head.
- Head length 30 mm.
- PVC coated handles.




EDMA®

**033355 WOODYCUT XL****SUPERPROSERIE®**

wt : 6350 g Bar code : 3476060003331

**Wood batten guillotine**

- Neat cutting of battens.
- Safety casing.
- No noise and no breathable dust.



- Long handle 445 mm for a fast and easy cut.
- Excellent cutting results up to 42 mm (height) and 130 mm (length) in every angle possible from 45 to 90°.

**070355 Plate**


wt : 164 g Bar code : 3476060007032

**130 mm plate****071555 Blade**

wt : 127 g Bar code : 3476060007155

**Interchangeable
130 mm stainless
steel blade****033255 LIT'UP**

wt : 1620 g Bar code : 3476060003324

**Batten remover**

- For roofing renovation.
- Heavy-duty.
- Resistance to effort : 1 ton.

**087555 DECHAUSS'TOUT****SUPERPROSERIE®**

wt : 2670 g Bar code : 3476060008756

**Professional telescopic wooden batten remover**

- Telescopic arm (min. 550 mm / max. 940 mm).
- Heavy-duty.
- Bears up to 1 ton pressure.





Roofer_solutions

**037355 ROOFER'S ADZE**

wt : 1170 g Bar code : 3476060003737




■ Hand forged.

- With nail puller and base to hammer.
- Sharp blade.

131555 BOW SAW

wt : 462 g Bar code : 3476060013156



• 530 mm metal saw blade for wood.

- Set of teeth special for wood.
- Flat oval with gripping lever.

131655 Blade

wt : 51 g Bar code : 3476060013163



Blade for bow saw

036755 LATHE AXE

wt : 925 g Bar code : 3476060003676



■ Polished blade.

- Compliant with german regulation security G.S.
- With nail puller.

**032855 BATTEN GAUGE**

wt : 225 g Bar code : 3476060003287




■ Easy to use.

- Aluminium pattern.
- With scale from 15-40mm.



Roofing_solutions



131855 GUTTER HANGER BENDER

wt : 3850 g Bar code : 3476060013187



- Head made of malleable casting GTW 40.
- Steel tubes with plastic handles.
- For a bracket strength up to 40 x 8 mm.



036055 INTERCLIPS ZINC

wt : 508 g Bar code : 3476060003607



Clinching pliers for zinc or enamel-plated aluminium gutters

- Quick and strong fixing.
- Clinching capacities :
 - 0,8 mm (20 ga ; 0.031") : Zinc, aluminium
 - 0,75 mm (21 ga ; 0.029") : Sheet metal.
- 6 x 3 plunged boss.
- For zinc or enamel-plated aluminium gutters, edge strip.
- Depth of 5 to 20 mm.



035655 TILE NIBBLER

wt : 487 g Bar code : 3476060003560



- Special design for roof tiles.

- 220 mm induction hardened.



131455 ROOF TILE LINE

wt : 200 g Bar code : 3476060013149




- To trim tile.

- File area : 200 mm x 30 mm.
- 2 sides : fine grit & thick grit.





Roofer_solutions

**033155 ZINC AND LAMINATE SCRIBER**

wt : 140 g Bar code : 3476060003317



215 mm

- Carbide tipped.
- Extremely resistant tip.
- For folding, cutting and marking of zinc and laminate sheets.

**036855 TRIANGLE BEARING SCRAPER**

wt : 165 g Bar code : 3476060003683



200 mm

- 3 faces sharp blade.
- Ergonomic wooden handle.

036455 SOLDERING SET

wt : 200 g Bar code : 3476060003645



220 mm

- Special zinc.

- Prior to welding in the salt of ammonia, cleaning brush and plastic bottle.
- Non-slip on roof.

EDMA
... by **FREUND**
**136455 BAG OF 25 BRUSHES FOR SOLDERING SET**


wt : 71 g Bar code : 3476060013644

236455 AMMONIA STONE FOR SOLDERING

wt : 106 g Bar code : 3476060023643


130055 GUTTER GETTER

wt : 110 g Bar code : 3476060013002



400 mm

- Special gutter half round or square profile.
- Multi-usage : sampling spoon, shovel, fertilizer sower.
- For easy cleaning of gutters.


EDMA
... by **FREUND**

EDMA




Roofer_solutions

036155 SCRIBER TOOL

wt : 65 g Bar code : 3476060003614



- Stainless steel scriber tool.
- Measuring (5 mm) from 5-100 mm.

**032955 250 mm COMPASS**


wt : 275 g Bar code : 3476060003294



- High quality compass according to DIN 6486.
- Ground and polished finish points.

**133355 DECLIMETER**


wt : 45 g Bar code : 3476060013330



- To measure frame angle.
- 1° precision.

131355 BRACKET

wt : 490 g Bar code : 3476060013132



- Aluminium ruler.
- a = 225 mm.
- b = 135 mm.

131255 BEVEL


wt : 186 g Bar code : 3476060013125



- 300 mm wooden handle.
- Adjustable angle measurement.



Marking solutions

**060955 MAX LINE 50 m**

wt : 600 g Bar code : 3476060006097

**064255 ROOF LINE 50 m**

wt : 250 g Bar code : 3476060006424



- Chalk line reel with broad handle for long distance marking.
- Wire diameter : 2.5 mm.
- Capacity : 300 g.
- Built-in filter system restricting excess chalk.

RED MARKING CHALK**063855** wt : 200 g Bar code : 3476060006387**064955** wt : 400 g Bar code : 3476060006493**064355** wt : 1000 g Bar code : 3476060006431**065155** wt : 3500 g Bar code : 3476060006516**132955 CARPENTER PENCIL**

wt : 220 g Bar code : 3476060013293



- For marking on dry wood
- x 12 pieces.

260055 TOOL POUCH

wt : 420 g Bar code : 3476060026002



- Made of smooth top-grain cowhide leather; adjustable belt, 8 pockets, 2 tool holders and 1 measuring tape pocket.

130555 NAIL POUCH


wt : 309 g Bar code : 3476060013057




- Made of smooth top-grain cowhide leather; adjustable cotton web belt, 2 large pockets and 1 tool holder.



Fiber-cement weatherboard sidings solutions


089955 **VARIOCUT****SUPERPROSERIE®**

wt : 12450 g Bar code : 3476060008992



Cuts synthetic weatherboard sidings

- Neat and effortless cut.
- Special siding (cuts in length).
- No sharpening required ever on blade.
- Angle cut 0° to 90°.




- No breathable dust.

- No noise.

- Cuts up to 320 mm (straight cut) and 210 mm (angle cut).
 - 1 trestle.


089055 **STRATICUT®****SUPERPROSERIE®**

wt : 8030 g Bar code : 3476060008909



Composite weatherboard / siding cutter

- Neat and effortless cut.
- No sharpening required ever on blade.
- No breathable dust.
- No noise.
- Cuts up to 210 mm length and 11 mm thick.



- Also includes :
 - 1 trestle.
 - 1 waste collector.

038555 **CROCOCUT**

wt : 728 g Bar code : 3476060003850



Hand nibbler shears for fiber-cement weatherboard / siding


- Neat cut without distortion.
- For fiber-cement weatherboard / siding up to 8 mm thick.
- Fine, precise and curved cuts are possible.
- Blade anti-slip profile.



138555 wt : 26 g Bar code : 3476060013859



Replaceable blade
for Crococut (038555)




Fiber-cement weatherboard sidings solutions



039755 FIBRO SHEAR

wt : 1530 g Bar code : 3476060003973



Drill attachment for larger cordless or cored drill

- Quick and easy cut.
- Neat cut.
- No breathable dust.
- Cuts up to max. 8 mm fiber-cement and 7 mm natural and man made slate.
- Single handed operation.
- For all 14.4 V and 2 amps drill.



Natural slate



Fiber-cement weatherboard

139755

Bar code : 3476060013972

Replaceable blade
for Fibro Shear (039755)



039855 BARDO FIX

wt : 1495 g Bar code : 3476060003980






Set of 2 cladding supports

- For fitting overlap cladding (fiber cement fiber wood or wood) by 1 person alone.
- Holding of blades in position before nailing with overlap of 30mm.
- For all cladding from 8mm to 16mm thick.
 - Adjustable for different widths of clinker from 180mm to 225mm
Examples of fiber-cement width:
180 mm kind of Hardie Plank
190 mm kind of Cedral
210 mm kind of Duracolor or Hardie Linea,
225 mm kind of Ced'R-Tex



FOCUS ON





Swaging solutions



035055 MAXI-RET® 5 BLADES SUPERPROSERIE®

wt : 760 g Bar code : 3476060003508



Compound action swaging tool 5 blades

- For stainless steel pipes up to 0.8 mm.
- Progressive reduction of the pipe diameter.
- Swaging up to 52 mm, inserts 2 slots in 1 go.




030355 RET 3 BLADES

wt : 450 g Bar code : 3476060003034



3 blades swaging tool

- For square pipes.
- Swaging tool for round or square pipes.
- Ergonomic handles.
- Swaging up to 30 mm, inserts a single slot in 1 go.



030055 RET 5 BLADES

wt : 518 g Bar code : 3476060003003

5 blades swaging tool



5 blades Swaging up to 30 mm

- Swaging tool for round pipes.
- Ergonomic handles.
- Swaging up to 30 mm, inserts 2 slots in 1 go.

030155 ERGO RET 3 BLADES

wt : 462 g Bar code : 3476060003010



3 blades cranked head swaging tool

- Optimal use thanks to its cranked head.
- For square pipes.
- For easier work in confined areas.
- Swaging up to 40 mm, inserts a single slot in 1 go.



030255 ERGO RET 5 BLADES

wt : 540 g Bar code : 3476060003027

5 blades cranked head swaging tool


- Optimal use thanks to its cranked head.
- For easier work in confined areas.
- Ergonomic handles.
- Swaging up to 40 mm, inserts 2 slots in 1 go.




5 blades Swaging up to 1 5/8" (40 mm)



Plumber_solutions

**050155 PIPE POSITIONER N1****Small variable angle vice**




- For 8 to 30 mm diameter tubes.
- For welding all pipes, sections and wrought iron.
- Span of the arms variable up to 60 mm.

**050255 PIPE POSITIONER N2****Large variable angle vice**

- For 20 to 60 mm diameter tubes.
- For welding all pipes, sections and wrought iron.
- Span of the arms variable up to 100 mm.

**Facilitates the positioning of copper pipe for welding.****050355 INSERT PASS'TUB****Copper pipe insertion tip**

- Designed to enable easy insertion of copper pipe into sheathing duct.
- Highly flexible tip (non brittle).
- Prevents pitting (of tube through electrolysis caused by torn sheathing).
- 5 different diameters :
 - Ø 10/12 mm - Ø 12/14 mm
 - Ø 14/16 mm - Ø 16/18 mm
 - Ø 20/22 mm


**350300****Globe display
INSERT PASS'TUB x 25**

Ø : 1128 g Bar code : 3476060035035







Plumber solutions

**065955 RODCUT****SUPERPROSERIE®**

wt : 8470 g Bar code : 3476060006592



M6, M7, M8, M10 rod cutting guillotine

- Clean cut
= immediate bolting.
- No noise.
- No sparks.

- Applications : industry, building industry.
- Can be used to repair rod damage.
- No waste (no metal filings).
- 650 mm adjustable cutting guide can be positioned on the right or left.
- No sparks - No risk of fire - No special permit.
- M7 rod (7 mm diam.) 150 threaded rods, to be cut on 10 mm diam. slot : especially for heating, ventilation, air-conditioning & sanitary engineers.
- Up to 6.6 soft steel : 60 kg/mm^2 .
- Must not be used to cut stainless steel threaded rod.

**165955**


wt : 120 g Bar code : 3476060016591





Replaceable die
for Rodcut (065955)



Plumber_solutions

**038855 MINI RODCUT M8****SUPERPROSERIE®**

wt : 4730 g Bar code : 3476060003881

**M4, M6, M8 rod cutting guillotine**

- Clean cut
= immediate bolting.
- No noise.
- No sparks.
- Cutting guide included.

**138855** wt : 133 g Bar code : 3476060013880**Replaceable die**
for Mini Rodcut (038855)**073155 TRIOCOUP'****SUPERPROSERIE®**


wt : 505 g Bar code : 3476060007315



Pinch and rotate the barrel to change cutting diameter.


Cutting tool for PVC, IRL, ICTA and PER tubes, Ø 16, 20 and 25 mm.

- Effortless and clean cut without distortion or warping.
- Stainless steel blade.
- Auto-locking barrel, 3 rotary prestressing cutting slots.
- Simple rotating the barrel allows the cutting diameter to be changed.

**EDMA®**



Counter display and pos boxes



338955 BOX TURBO SHEAR

wt : 6420 g Bar code : 3476063389555

DISPLAY PRODUCT DATA SHEET



Containing:

- 3 TURBO SHEAR (ref.338955).
- 1 display «product data sheet».



Fixed on hooks or included in the display with product presentation

- LCD screen 7" USB 2.0
- AC Adaptateur 12v.



339755 BOX FIBRO SHEAR

wt : 5550 g Bar code : 3476063397550

Containing:

- 3 FIBRO SHEAR (ref.039755).
- 1 video screen offered.
- 1 display «product data sheet».



364255 COUNTER DISPLAY FOR ROOF LINE

wt : 1550 g Bar code : 3476063642551



50 m Chalk line with two handles (Ref. 064255)

- Avoids too much movements around the roof.
- Built-in filter system restricting excess chalk.

350300 COUNTER DISPLAY PASS'TUB


wt : 1125 g Bar code : 3476063503005



Globe display (Ref. 050355)

- Set of 5 different sizes.





Counter display and pos boxes



338855 POS DISPLAY MINIRODCUT M8

wt : 25800 g Bar code : 3476063388558



Containing:

- Minirodcut (ref. 038855).
- Video frame with product presentation.



wt : 26410 g Bar code : 3476063659559

365955 POS DISPLAY RODCUT



Containing:

- Rodcut (ref. 065955).
- Video frame with product presentation.



389955 POS DISPLAY VARIOCUT


wt : 38350 g Bar code : 3476063899559



Containing:

- Variocut (ref. 089955).
- Video frame with product presentation.







Carpenter
Decoration
Tools

Innovating tools for the set up
of laminate flooring and vinyl,
plus a range
of flooring tools.



Laminate / MDF flooring / vinyl cutting solutions

089755 LAMINOCUT 2

wt : 3460 g Bar code : 3476060008978



Laminate/MDF flooring/Vinyl cutting guillotine

- Neat cut without damaging the melamine surface.
- No breathable dust.
- No noise.
- No sharpening required ever on blade.



- 3 possible cutting widths :
- Straight cut.
- Angle cut from 0° to 90°.
- Cuts in length.
- Cuts up to 11 mm (0.393") thickness.
- Protective felt pads.



089055 STRATICUT®

SUPERPROSERIE®

wt : 8030 g Bar code : 3476060008909



- Protective felt pads.
- Max. cutting width : 210 mm.
- Cuts up to 11 mm (0.393") thickness.
- Also includes :
- 1 mini tresle for long boards.
- 1 waste collector.



Laminate/MDF flooring/Vinyl cutting guillotine

- Neat cut without damaging the melamine surface.
- No breathable dust.
- No noise.
- No sharpening required ever on blade.









Laminate / MDF flooring / vinyl cutting solutions



089955 VARIOCUT

SUPERPROSERIE®

wt : 12450 g Bar code : 3476060008992



Laminate/MDF flooring/Vinyl cutting guillotine for straight and up to 90° angle cuts

- Neat cut without tearing of laminate layer.
- No breathable dust.
- No noise.
- No sharpening required-EVER.

- Up to 320 mm straight cutting and up to 210 mm for angle cutting.
- Cuts up to 15 mm (0.59") thickness.
- Up to straight cuts and up to 0-90° angle cuts are possible.
- Protective felt pads.
- Also includes :
 - 1 mini trestle for long boards.
 - 1 waste collector.
 - Removable board stopper for 210 mm cut.




Solid & laminate parquet floor installation solutions



088055 KIK-BACK

wt : 1240 g both Bar code : 3476060008800



Set of 2 floor panelling power presses

■ Regular pressure : 250 kg.

- Ensures optimal alignment and installation of wooden flooring.
- Holds the planks tightly together while the glue dries.



- Also allows the laying of last board.
- Ratchet : 54 steps of 1.5 mm.
- Max. opening : 67 mm, protective pads included.

087055 SET TAK-TIK

wt : 435 g Bar code : 3476060008701



A complete set for installing laminate flooring (click-together design)

■ A must for laying laminate and MDF floorings.

■ The set includes :

- 1 pulling bar (metal frame) : used to move the boards lengthwise to remove gaps when adjusting flooring boards.
- 1 wood knocking block (wooden frame) : a protection block when fitting and




adjusting tongue-and-groove wood flooring boards.

- 20 spacer blocks : they keep the flooring square with the wall to allow the parquet flooring to have a good position.


087155 MINI TAK-TIK

wt : 550 g Bar code : 3476060008718




Basic pulling bar for laminate flooring installation (click-together design)

- Used to move the boards lengthwise to remove gaps when adjusting flooring boards.



087255 SUPER TAK-TIK

wt : 2027 g Bar code : 3476060008725




Professional pulling bar for laminate flooring installation (click-together design)

■ Heavy-duty.

■ Nylon hammer block for all metal hammers or mallets.

■ With crowbar system.




- Wide head for greater pulling surface.
- Soft-touch material covers the base of the pulling bar to protect the laminate flooring.
- Replaceable nylon block.

262855 wt : 16 g Bar code : 3476060026286




Nylon tip



085055 CAMELEON 130

wt : 2938 g Bar code : 3476060008503



45° to 90° cut

- Neat cut, no dust : wooden skirting boards, parquet flooring boards, panelling, battens, door frame mouldings, etc...

- Excellent cutting quality up to 28 mm (height) and 130 mm (length) with a range of angles from 45 to 90°.

- Long handle for a fast and easy cut.
- Ideal for cutting European woods (oak, beech...), american woods (cherry, southern yellow pine...), northern pine, PVC panelling, MDF panelling...

Mitre guillotine with an interchangeable 130 mm stainless steel blade

071055 MULTI-COUP® EXTRA

wt : 384 g Bar code : 3476060007100



Mitre shears with variable angle cuts

- Neat and effortless cut !

- Opening allows easy cutting of : decorative moulding, wood skirting boards, rubber seals, PVC sections.



071155 wt : 36 g Bar code : 3476060007117

65 mm blade
for Multi-coup® Extra

- Can be re-sharpened.




TECHNOCLEAN

097055 wt : 136 g Bar code : 3476060009708



Hand scraper

- 2 replaceable hardened double steel blades, that can be turned around ; up to 4 times more scraping capacity with only one set of blades.



097155 wt : 170 g Bar code : 3476060009715



- Handle with ergonomic and non-slip design.

097255 wt : 206 g Bar code : 3476060009722



- Ideal for the removal of glue down carpet/linoleum, wallpaper; adhesive remnants, swaging of tubes made from different materials.

086655 RENOV'JOINT

wt : 78 g Bar code : 3476060008664



Wood strip flooring joint claw


- Cleans wood strip joints before varnishing.
- With opener.




Integrated bottle-opener.



EDMA®

**086455 REVOCUT**

wt : 3630 g Bar code : 3476060008640

**Threshold strip guillotine**

- Neat cut without any effort !
- Specially $\frac{1}{2}$ curved.
- Stainless steel : 50 mm x 1 mm.
Brass : 50 mm x 1.2 mm.
Aluminium : 50 mm x 1.7 mm.

160855 UTILITY KNIFE**SUPERPROSERIE®**

wt : 293 g Bar code : 3476060016089

**For utility or hook blades**

- Retractable blade with locking action.
- Blade storage with 3 spare blades.
- String cutter.

**199255**

wt : 51 g - 3476060019929




Utility knife
blade.
• x 10 pces.

199655

wt : 50 g - 3476060019967



Hook knife
blade.
• x 10 pces.



Decoration_tools_solutions

**079055 JUMBO CUT**

wt : 3380 g Bar code : 347606007902

**Guillotine for cutting PVC gutters max. 65x65mm**

- Neat cut without risk of break nor explosion of the material.
- Effortless cut thanks to its ratchet system.
- No noise, no dust.
- Replaceable blade.
- Plastic box included.

**highly resistant structure****45 notch rack-and-pinion**

also for PVC, PP, PEHD, PE, PER, ABS and multilayer tubes Ø 63mm.

Stainless steel blade**tube centering part****bi-material grip****Foot stabiliser**

330 mm

80 mm

260 mm

079155

wt : 160 g - 3476060007919

**Stainless steel blade**
for Jumbocut (079055).**FOCUS ON**



Decoration_tools_solutions




161055 PRESS PLAC PRO

wt : 8600 g Bar code : 3476060016102



Vertical support for wood panels

- Holding height : 320 mm and Max. width : 58 mm.
- Lock screw for perfect holding.
- With carriage handle.
- Minimum working required space. for cutting, drilling or planing.



064555 TRANSPLAC

wt : 1154 g Bar code : 3476060006455



Board lifter (steel)

- New wide base for better panel seating.
- Allows boards and sheets to be carried by just one person.



064055 DUOPLAC

wt : 1237 g le jeu Bar code : 3476060006400



2 board carrier handles

- Soft rubber grips - non-slip design.
- Carriers boards up to 50 mm thickness.
- 15 mm steel handles for board transport by 2 persons.
- Innovative, rugged design.
- Can be attached on a belt.



066055 FOOTPLAC


wt : 997 g Bar code : 3476060006608



Board lever with stirrup (steel)

- Wide base prevents board damage while improving panel seating.
- Also ideal for unhinging doors.
- New extra wide loop suitable for all safety footwear.






086555 PRESS DECK


wt : 2269 g Bar code : 3476060008657


Wood or composite decking lath straightener

- For all type of wood even IPE (amongst the most dense wood in the world).
- Wood use possible.
- over 200 kg strength.
- Hanging up of planks between 90 and 180 mm: against a wall.
• 1 fixed plank +
3 planks of 90 mm
2 planks from 90 up to 125 mm
1 plank from 125 up to 180 mm




Allows straightening up to the last lath even in thrust bearing





Counter display and pos boxes



160800 COUNTER DISPLAY UTILITY KNIFE

wt : 2520 g Bar code : 3476061608009



Containing 8 pieces with:

- Blade.
- Storage capacity: max. 6 blades.
- Retractable blade with locking action.
- String cutter.



162100 COUNTER DISPLAY 5 M TAPES

wt : 1850 g Bar code : 3476061621008



Tape 5 M x 19 mm

- Shockproof and anti-slip case tape.
- Nylon coating blade.
- Automatic locking and return.



162001 COUNTER DISPLAY 3 M TAPES


wt : 1340 g Bar code : 3476061620018



Tape 3 M x 16 mm

- Shockproof and anti-slip case tape.
- Nylon coating blade.
- Automatic locking and return.





Counter display and pos boxes

389755 POS DISPLAY LAMINOCUT

wt : 63700 g Bar code : 3476063897555



Containing:

- Laminocut 2 (ref. 089755).
- Video frame with product presentation.



389055 POS DISPLAY STRATICUT

wt : 58800 g Bar code : 3476063890556



Containing:

- Straticut (ref. 089055).
- Video frame with product presentation.




389955 BOX VIDEO VARIOCUT

wt : 38350 g Bar code : 3476063899559



Containing:

- Varioicut (réf. 089955).
- Video frame with product presentation.








Perimeter
Protection Tools
Wire net Fencing

Market leading products
for fast and easy installation
or maintenance of chain link
& wire mesh fences.



Wire net fencing solutions with a simple twist





041255 BABY GRAF 16/20

wt : 236 g Bar code : 3476060004123



Hand hog ring pliers

- With built-in wire cutter up to 3 mm thickness.
- Stop guide for a stronger hold on the hog ring.
- Compatible with : OMEGA 16, 18, 20 and DELTA 18, 22.




040655 BABY GRAF 30

wt : 242 g Bar code : 3476060004062



Hand hog ring pliers

- Stop guide for a stronger hold on the hog ring.
- Compatible with : OMEGA 16, 18, 20 and DELTA 18, 22, 30.



042855 MASTER GRAF

SUPERPROSERIE®

wt : 558 g Bar code : 3476060004284



Hog ring pliers for round posts

- Extra strong 6 mm thick stainless steel jaws.
- Very easy to handle thanks to its sprung handles.
- Jaw is specially designed to perfectly fix the welded mesh to the metal post in the form of a ring.
- Compatible with CL29 rings

CL29
Rings

043855 UNI-CLIP BECA

SUPERPROSERIE®


wt : 590 g Bar code : 3476060004383




Actual size

Hog ring pliers for "BECA" type round posts

- Extra strong 6 mm thick stainless steel jaws.
- Very easy to handle thanks to its sprung handles.
- Facilitates the use of CL35 rings Ø 3.5 mm on round posts ("BECA" type).
- Compatible with CL35 rings.

CL35
Rings



Wire net fencing solutions with a simple twist

040155 TOP GRAF 16



180 mm

SUPERPROSERIE®

Hand hog ring pliers with magazine

- Light and handy tool.

- 50 staple magazine.



50 staple magazine



OMEGA 16

wt : 360 g Bar code : 3476060004017

- Easy fit screw for fast removal of magazine (less storage space).
- Compatible with OMEGA 16.



040355 TOP GRAF 18



190 mm

SUPERPROSERIE®

Hand hog ring pliers with magazine

- Light and handy tool.

- 50 staple magazine.

Chargeur
50 agrafesType
OMEGA 18

wt : 405 g Bar code : 3476060004031

- Easy fit screw for fast removal of magazine (less storage space).
- Compatible with OMEGA 18.



041155 TOP GRAF 20/22



190 mm

SUPERPROSERIE®

Hand hog ring pliers with magazine

- Light and handy tool.

- 2 built-in wire cutter up to 3 mm thickness.



Wire cutter



50 staple magazine



OMEGA 20



DELTA 22



wt : 420 g Bar code : 3476060004116

- 50 staple magazine.
- Easy fit screw for fast removal of magazine (less storage space).
- Compatible with DELTA 22 and OMEGA 20.

040555 TOP GRAF 30



190 mm

SUPERPROSERIE®

Hand hog ring pliers with magazine

- Light and handy tool.

- 50 staple magazine.
- Easy fit screw for fast removal of magazine (less storage space).




50 staple magazine



DELTA 30


wt : 440 g Bar code : 3476060004055

- Compatible with DELTA 30.





Wire net fencing solutions with a simple twist



041855 PACK PRO WIRE NET FENCING

wt : 1610 g Bar code : 3476060004185



Top Graf 20/22



Cutting nippers 220 mm

1000 Omega 20 green
PVC coated hog rings**Includes :**

- 1 hog ring pliers Top Graf 20/22 (Ref. 041155).
- 1000 Omega 20 green PVC coated hog rings (Ref. 043055).
- 1 cutting nippers 220 mm (Ref. 040455).

- For fast and easy installation of chain link fences.



With WIRE CUTTER

040055 JUNIOR

SUPERPROSERIE®

wt : 570 g Bar code : 3476060004000



305 mm

**Hand hog ring pliers
with magazine**

- Perpendicular fastening.

- Professional tool for wire mesh and rope netting.
- Maximum fastening Ø : 2.1 + 2.2 mm (wire netting + tension wire).
- 50 staple magazine.
- Compatible with OMEGA 16.



50 staple magazine



OMEGA 16




90° orientation

041055 MAJOR

SUPERPROSERIE®

wt : 1046 g Bar code : 3476060004109



380 mm


**Hand hog ring pliers
with magazine**

- Perpendicular fastening.

- Professional tool for wire mesh and rope netting.
- Maximum fastening Ø : 3.9 + 3.6 mm (wire netting + tension wire).
- 50 staple magazine.
- Compatible with OMEGA 20.




50 staple magazine



OMEGA 20



90° orientation



Wire net fencing solutions with a simple twist



041455 POWER GRAF

SUPERPROSERIE®

wt : 1050 g Bar code : 3476060004147




Automatic hog ring pliers

- Fits all types of drills/screwdrivers (from 10.8 Volt).
- For stapling chain-link fencing.
- High speed execution = Time saving.
- For DELTA OMEGA 20 and 22 staples.
- 50 staple magazine.
- Magazine positioning for left and right-handed person.
- Made in France.






Wire net fencing solutions with a simple twist




048455 FENCING TENSION CLAWS x2

wt : 460 g Bar code : 3476060004840



- Set of 2 universal chain link fencing tensioners for T-section or round posts.
- Makes for a perfect installation by one person.
- Holds the netting in position whilst stapling it.



040755 DRESS FIL

wt : 280 g Bar code : 3476060004079



- Wire tensioner for netting and welded nets.
- Guarantee of perfect tensioning : rigid.
- Perfect tensioning of wire netting.
- Creates uniform fencing.




045555 TORNADO PRO

wt : 404 g Bar code : 3476060004550



Professional automatic binder for looped metal bonds

- 3 laps per cycle.
- To close bags, fences, frameworks for reinforced concrete.
- Soft hand grip.



960452 GALVANISED LOOPED METAL BONDS

wt : 1180 g Bar code : 3476060004529



- Ø 1 mm x 120 mm.
- Quantity : 1000 pcs.
- Maintains power for stapling the mesh.




960491 GREEN PVC COATED LOOPED BONDS

wt : 1900 g Bar code : 3476060004918



- Ø 1.45 mm x 200 mm / 1000.
- Quantity : 1000 pcs.
- Maintains power for stapling the mesh.





Soldered wire net fencing solutions



074555 PLURICOUP' ERGO

wt : 128 g Bar code : 3476060007452

Multi-purpose pliers

■ Light and easy to handle.

- 42 mm stainless steel polished serrated blades.
- Unbreakable ergonomic arms and easy-to-close catch.
- Applications : Interior decoration, waterproof, insulation, painting, horticulture, textile industry, marine, maintenance, construction yards, industry.



042455 PIC 7

wt : 678 g Bar code : 3476060004246

Multi-purpose farming tool

■ Various applications :

Hammer, wire tensioner, staple remover, wire cutter (x2), splicer.



040455 CUTTING NIPPERS 220 mm

wt : 356 g Bar code : 3476060004048

Cutting nippers forged carbon steel nippers = very rugged

- 50-54 HRC jaws.
- Arm 35-40 HRC.
- Heavy-duty body.
- Cutting capacity diam. 3 mm.




044855 CUTTING NIPPERS 250 mm

wt : 420 g Bar code : 3476060004482


Cutting nippers forged carbon steel nippers = very rugged

- 50-54 HRC jaws.
- Arm 35-40 HRC.
- Heavy-duty body.
- Cutting capacity diam. 3 mm.





Gabion_solutions

**049755 TURBO 50 GABION**

wt : 11540 g Bar code : 3476060004970

**Specific pneumatic gun for GABION rings**

■ Special for Gabion jobsites.

- 5-7 bar working pressure.
- Magazine capacity : 120 CL50 (45x24x3 mm) rings.
- Fastening speed : 40 rings per minute.
- Applications : Erosion protection, retaining walls, soil reinforcement, road construction, coastal protection, civil engineering, etc...
- Comes in heavy duty, ergonomic High Density PE case.

To be used with compressor
not supplied**249736**

wt : 635 g Bar code : 3476062497367


**Upper jaw****249745**

wt : 635 g Bar code : 3476062497459

**Lower jaw**





Gabion_solutions

**046455 MANUAL GABION PLIER**

wt : 4620 g Bar code : 3476060004642

**Special manual plier
for Gabion jobsites**


- Quick to use.
- Easy loading of ring.

**CL 50**

Ref.	Designation	Ø du fil	Résistance	Quantité / boîte	Traitement
150000	CL 50 ALUZINC High tensile	3 mm	1750 - 1900 N/mm ²	rings 1600	95% zinc + 5 % alu
160000	CL 50 STAINLESS STEEL 304	3 mm	1370 - 1570 N/mm ²	rings 1600	INOX AISI 304
180000	CL50 ALUZINC Low tensile	3 mm	690 - 840 N/mm ²	rings 1600	95% zinc + 5 % alu



Concertina_razor_barbed_tape_solution



047655 CONCERTINA RAZOR BARBED TAPE PLIER with magazine \approx 1416 g Bar code : 3476060004765



Manual plier with magazine for Concertina Razor Barbed Tape

- Secure to use because of the long handles.
- Quick fastening action.




- Magazine capacity: \pm 35 clips.
- It is possible to load the magazine horizontally or vertically.
- For Concertina clip Ref 0462 (Galva) or ref 0463 (Stainless steel).

Applications : protection of sensitive areas (industrial estates and facilities, material park, airports, military areas...).



047755 CONCERTINA RAZOR BARBED TAPE PLIER

\approx 270 g Bar code : 3476060004772




Manual plier for Concertina Razor Barbed Tape

- One handed compound action.
- For CONCERTINA rings Galvanised/1000 & Stainless steel/1000.




CLIPS FOR CONCERTINA

Ref.	Designation	Quantity / box	Treatment
046601	Galvanised clips	\approx 3200 g 3476060004666	1000 rings
046701	Stainless steel clips	\approx 3200 g 3476060004673	1000 rings
046201	Galvanised clips	\approx 6700 g 3476060004628	2100 rings
046301	Stainless steel clips	\approx 6700 g 3476060004635	2100 rings





Hog ring pliers solution



049855 TURBO 24

wt : 1483 g Bar code : 3476060004987



Pneumatic gun for CL24 ring

■ Fast execution.

- 5-8 bar working pressure.
- Air consumption : 6 litres per time.
- Magazine capacity : \pm 100 rings.
- Compatible with CL24 rings.

- Applications :
 - Swimming pool formwork
 - Industrial fastening

To be used with compressor
(not supplied)



Ref. Designation

120000 CL24 Stainless steel rings

wt : 8180 g Bar code : 3476060012005

Quantity / box

Treatment

10 000 rings STAINLESS STEEL AISI 304

190000 CL24 Galvanised rings

wt : 8120 g Bar code : 3476060019004

10 000 rings

GALVANISED

048555 HOG RING PLIERS AS 2000

wt : 495 g Bar code : 3476060004857




210 mm

Hog ring pliers

■ For parallel fastening.


- Magazine located between the 2 handles.
- Magazine capacity : 50 Delta 22.
or Omega 20 hog rings.



DELTA 22 OMEGA 20




Hog rings solutions



= wire diameter scale 1:1

Staple packaging p.117




OMEGA 16 / 2500

Ref.	Color	Bulk weight	Unit*
041601	GALVA A (NF EN 10244-2)	752 g	24
044001	GALVA green PVC coated	560 g	24




OMEGA 16 / 1250

Ref.	Color	Bulk weight	Unit*
041901	GALVA A (NF EN 10244-2)	362 g	30
044201	GALVA green PVC coated	258 g	30
044301	AISI Stainless steel 316	400 g	30




OMEGA 16 / 250

Ref.	Color	Bulk weight	Unit*
041501	GALVA A (NF EN 10244-2)	82 g	25
044501	GALVA green PVC coated	70 g	25




OMEGA 18

Ref.	Color	Bulk weight	Unit*	Quantity
900470	GALVA A (NF EN 10244-2)	700 g	30	1200
900480	GALVA green PVC coated	1860 g	8	3000




OMEGA 20

Ref.	Color	Bulk weight	Unit*
042001	GALVA A (NF EN 10244-2)	852 g	30
042301	AISI Stainless steel 316	852 g	30
043001	GALVA green PVC coated	730 g	30
042101	Aluminium	320 g	30
047201	GALVA black PVC coated	730 g	30




OMEGA 20 / 200

Ref.	Color	Bulk weight	Unit*
042501	GALVA A (NF EN 10244-2)	190 g	15
043501	GALVA green PVC coated	164 g	15
042900	GALVA white PVC coated	164 g	15




DELTA 22 / 1000

Ref.	Color	Bulk weight	Unit*
900460	GALVA A (NF EN 10244-2)	870 g	30
900461	AISI Stainless steel 316	970 g	30




DELTA 30

Ref.	Color	Bulk weight	Unit*	Quantité
046500	GALVA A (NF EN 10244-2)	3000 g	6	2500
047101	GALVA A (NF EN 10244-2)	615 g	1	500



Hog rings solutions




CL 24

/ 10 000

⇒ | < 1.8 mm



Ref.	Color	Bulk weight	Unit*
120000	AISI Stainless steel 304	1	
190000	GALVA	1	



CL 35

/ 500


Ref.	Color	Bulk weight	Unit*
043700	AISI Stainless steel 304	1500 g	17



CL 29

⇒ | < 2.9 mm

Ref.	Color	Bulk weight	Unit*	Quantity
046801	AISI Stainless steel 304	274 g	30	100
046901	GALVA A (NF EN 10244-2)	270 g	30	100
146801	AISI Stainless steel 304	1300 g	10	500
047301	AISI Stainless steel 304	2800 g	6	1000
047401	GALVA A (NF EN 10244-2)	2700 g	5	1000



CL 50

/ 1600

⇒ | < 3 mm

Ref.	Color	Bulk weight	Unit*
150000	ALUZINC (high tensile)	6940 g	1
160000	AISI Stainless steel 304	6990 g	1
180000	ALUZINC (low tensile)		1

* Unit packaging

	0412	0406	0428	0438	0401	0403	0411	0405	0400	0410	0485	0497	0464	0476	0477	0498
OMEGA 16	✓	✓				✓				✓						
OMEGA 18	✓	✓						✓								
OMEGA 20	✓	✓								✓	✓	✓				
DELTA 18	✓	✓														
DELTA 22	✓	✓						✓				✓				
DELTA 30									✓							
CL 24																✓
CL 29				✓												
CL 35					✓											
CL 50												✓	✓			
CONCERTINA												✓	✓			



Spare parts



Ref.	Designation	
01	Punch + die for NIBBLEX® ref. 0172	p. 59
02	Ø3.3 mm, Ø4.1 mm, Ø4.9 mm, Ø6.2 mm punches kit for POLYPERFOR ref. 0185	p. 59
03	Blade for ref. 0310 & 0320	p. 62
04	Punch for ref. 0310, 0324 & 0335	p. 62
05	Die for ref. 0310 & 0320	p. 62
06	Repair kit for ref. 0310 & 0324	p. 62
07	Spring for ref. 0320 & 0325	p. 62
08	Blade for ref. 0324 & 0325	p. 62
09	Die for ref. 0324 & 0325	p. 62
10	Cutting unit for MECAMAT ref.0335	p. 63
11	Punch + die for INTERPERFOR 3,5x15 mm ref. 0341	p. 66
12	Handle spring for JUNIOR ref. 0400	p. 106
13	Handle spring for MAJOR ref. 0410	p. 106
14	55 mm handle coiled spring (set of 2) for hand hog ring pliers ref. 0401, 0403, 0406, 0405, 0411, 0412, 0428, 0438	p. 104, 105, 106
15	Hog ring holder ref. 1494 for Junior ; 1495 for Top graf16 ; 1496 for Top graf18 ; 1497 for Top graf 30 ; ref. 1499 for Top graf 20/22 - Major	p. 105, 106
16	Punching blade for PROFIL ref 0600	p. 12
17	Punch for EASY PUNCH ref. 1632	p. 67
18	10 blades for STAFF PRO ref. 0613	p. 42
19	Punching blade for ERGOTOP® ref. 0619	p. 13
20	Punching blade for MASTER PROFIL® ref. 0620	p. 13
21	Spring MASTER PROFIL® ref. 0620	p. 13
22	Blades set for CANALCUT ref. 0690	p. 25
23	Twin blade for CANALCUT ref. 0690	p. 25
24	Plate for MULTICOUPE & MULTICOUPE EXTRA, ref. 0700 & 0710	p. 44, 95
25	130 mm plate for WOODYCUT XL ref. 0333 & CAMELEON 130 ref. 0850	p. 76, 95
26	65 mm stainless steel blade for ref. 0740, ref. 0710, ref. 0750	p. 44, 95
27	105 mm stainless steel blade for PLURICOUPE FLEX 105 ref. 0725	p. 44
28	130 mm stainless steel blade for WOODYCUT XL ref. 0333 & CAMELEON 130 ref. 0850	p. 76, 95
29	Stainless steel blade for TRIOCOUP ref. 0731	p. 87
30	Stainless steel blade for JUMBO ref. 0790	p. 97
31	Waste collector for STRATICUT® ref. 0890, ref. 0899	p. 92, 93
32	Blade for ref. 0101 & 0110	p. 58
33	5 spring set for tin snips ref. 0109, 1090, 0102, 1020	p. 54
34	5 spring set for aviation snips ref. 0105, 0106, 0107	p. 52, 53
35	5 spring for nibbler shears ref. 0101, 0110, 0112, 0113	p. 58
36	Blade for nibbler shears ref. 0113	p. 58
37	Stainless steel blade for nibbler shears ref. 0112	p. 58
38	Cutting unit for SUPERCOUP NRT & SUPERCOUP INOX ref. 0110, 0112	p. 58
39	Axis & bolt for blade nibbler shears ref. 0101, 0110, 0112 & 0113	p. 58
40	Blade for CROCOCUT ref. 0385	p. 82
42	Spare rope for chalkline reels	p. 26, 81
43	Set of 2 spare punches for CORNER FIX ref. 0628	p. 24
44	Cutting wheels for PLAC&ROLL ref. 0629	p. 22



Hag rings packaging



(65)



(66)



(67)



(68)



(69)



(70)



(71)



(72)



(73)



(74)



(75)



(76)



(77)



(78)



(79)



(80)



(81)



(82)



(83)



(84)



(85)



(86)



(87)



(88)



(89)



(90)



(91)



(92)



(93)




(94)


(65) 164755	Flat rasp for VARIORAP ref. 0647	p. 21
(46) 264755	Rounded rasp for VARIORAP ref. 0647	p. 21
(47) 165055	Cutting unit for MINIRODCUT ref. 0650	p. 42
(48) 165955	Cutting unit for RODCUT ref. 0659	p. 86
(49) 197055	40 mm x2 blades for TECHNOCLEAN 40 ref. 0970	p. 95
(50) 197155	60 mm x2 blades for TECHNOCLEAN 60 ref. 0971	p. 95
(51) 197255	80 mm x2 blades for TECHNOCLEAN 80 ref. 0972	p. 95
(52) 199255	Large cutting razor blades x10 for ref. 0692 ; ref. 0700 ; ref. 1608	p. 24, 44, 96
(53) 199655	Hook knife blades x10 for ref. 1608	p. 96
(54) 262855	Nylon type for CORNER FIX ref. 0628 & SUPER TAKTIK ref. 0872	p. 24, 94
(55) 160755	Snap-off blades x10 for ref. 1606	p. 21
(56) 249736	Upper jaw for TURBO 50 ref. 0497	p. 110
(57) 249745	Lower jaw for TURBO 50 ref. 0497	p. 110
(58) 138855	M4, M6, M8 Die for MINI RODCUT M8 ref. 0388	p. 87
(60) 138955	Blade for TURBO SHEAR ref. 0389	p. 59
(61) 139755	Blade for FIBRO SHEAR ref. 0397	p. 83
(62) 166755	Flat rasp for EASY RAP ref. 0667	p. 21
(63) 260455	Punching blade for DUO PROFIL ref. 1604	p. 14
(65) 041601	Staples Omega 16 - Galva A/2500	
(66) 044001	Staples Omega 16 - Galva green/2500	
(67) 041901	Staples Omega 16 - Galva A/1250	
(68) 044201	Staples Omega 16 - Galva green/1250	
(69) 044300	Staples Omega 16 - AISI stainless steel 316/1250	
(70) 041501	Staples Omega 16 - Galva A/250	
(71) 044501	Staples Omega 16 - Galva green/250	
(72) 900470	Staples Omega 18 - Galva A/1200	
(73) 900480	Staples Omega 18 - Galva green/3000	
(74) 042001	Staples Omega 20 - Galva A/1000	
(75) 042301	Staples Omega 20 - AISI stainless steel 316/1000	
(76) 043001	Staples Omega 20 - Galva green/1000	
(77) 042101	Staples Omega 20 - Aluminium/1000	
(78) 047201	Staples Omega 20 - Galva black/1000	
(79) 042501	Staples Omega 20 - Galva A/200	
(80) 043501	Staples Omega 20 - Galva green/200	
(81) 042900	Staples Omega 20 - Galva white/200	
(82) 900460	Staples Delta 22 - Galva A/1000	
(83) 900461	Staples Delta 22 - AISI stainless steel 316/1000	
(84) 046500	Staples Delta 30 - Galva A/2500	
(85) 047101	Staples Delta 30 - Galva A/500	
(86) 046801	Staples CL29 - AISI stainless steel 304/100	
(87) 046901	Staples CL29 - Galva A/100	
(88) 146800	Staples CL29 - AISI stainless steel 304/500	
(89) 047300	Staples CL29 - AISI stainless steel 304/1000	
(90) 047400	Staples CL29 - Galva A/1000	
(91) 043700	Staples CL35 - AISI stainless steel 304/500	
(92) 150000	Staples CL50 - Aluzinc High resistant/1600	
(93) 160000	Staples CL50 - AISI stainless steel 304/1600	
(94) 180000	Staples CL50 - Aluzinc Low resistant/1600	
(95) 120000	Staples CL24 - Stainless steel /10000	
(96) 190000	Staples CL24 - Galva /10000	



Notes








Notes








Notes








010155	NIBBLER SHEAR NR1 TP	p58	034655	SEAMING PLIER BENT OF 45° DEPTH 100mm	p70
010255	UPPER-CUT RIGHT CUT	p54	034755	SEAMING PLIER BENT OF 90° DEPTH 40mm	p70
010555	FLYER'XS 25mm	p52	034855	SEAMING PLIER BENT OF 90° DEPTH 60mm	p70
010655	FLYER'SL 75mm	p53	034955	SEAMING PLIER BENT OF 90° DEPTH 80mm	p70
010755	FLYER'S	p52	035055	MAXI-RET 5 BLADES	p84
010955	APOLLO RIGHT CUT	p54	035155	SEAMING IRON	p69
011055	SUPERCOUP NR1	p58	035255	DOUBLE SEAMING IRON	p69
011255	SUPERCOUP INOX ST	p58	035455	FOLDING TOOL	p69
011355	SUPERCOUP NR3 TO	p58	035655	TILE NIBBLER	p78
012055	UNIVERSAL FORGED SHEARS 250mm	p56	035855	ROOFER'S HAMMER	p68
012155	FORGED SHEARS "BERLIN" 250mm	p56	035955	FORGED ROOFER'S HAMMER	p68
012255	FORGED SHEARS 250mm RIGHT CUT	p56	036055	INTERCLIPS ZINC	p78
012355	FORGED SHEARS 250mm LEFT CUT	p56	036155	SCRIBER TOOL	p80
012455	OFFSET FORGED SHEARS 260mm RIGHT CUT	p56	036355	PRO MAT-COUP 400	p63
012555	OFFSET FORGED SHEARS 260mm LEFT CUT	p56	036455	SOLDERING SET	p79
012655	FORGED SHEARS PELICAN 300mm	p56	036755	LATHE AXE	p77
012755	UPPER-CUT 90° RIGHT CUT	p55	036855	TRIANGLE BEARING SCRAPER	p79
012855	FLYER'SL 45° RIGHT CUT	p55	037255	COPPER & SILVERSMITH PLANISHING & GROOVING HAMMER	p68
017255	NIBBLEX® UNIVERSAL	p59	037355	ROOFER'S ADZE	p77
017455	PUNCH + DIE SET FOR NIBBLEX	p59	037655	WELDED SLATE RIPPER 400mm	p65
018455	KIT POLYPERFOR	p59	037755	WELDED SLATE RIPPER 600mm	p65
018555	POLYPERFOR	p66	037855	STAINLESS STEEL RIPPER 400mm	p65
020155	BABY-FIX BRICO	p28	037955	STAINLESS STEEL RIPPER 600mm	p65
020355	FIX	p28	038155	FRENCH SLATER'S HAMMER RIGHT HANDED	p64
021155	BABY-FIX JUNIOR	p28	038255	FRENCH SLATER'S HAMMER LEFT	p64
021355	SUPER-FIX	p29	038455	TRADITIONAL SLATER'S HAMMER LEFT HANDED	p64
023155	SUPRA-FIX	p29	038355	TRADITIONAL SLATER'S HAMMER RIGHT HANDED	p64
023255	ULTRA-FIX	p29	038555	CROCOCUT	p82
030055	RET 5 BLADES	p84	038655	SQUARE SEAM FOLDER	p74
030155	ERGO RET 3 BLADES	p84	038755	TWIN SQUARE SEAM FOLDER	p74
030255	ERGO RET 5 BLADES	p84	038855	MINI RODCUT M8	p87
030355	RET 3 BLADES	p84	038955	TURBO SHEAR	p59
030455	SEAMING PLIER STRAIGHT DEPTH 125mm	p70	039155	CLINCHING PLIERS STRAIGHT 22mm	p70
030555	SEAMING PLIER STRAIGHT DEPTH 175mm	p70	039255	CLINCHING PLIERS STRAIGHT 40mm	p70
030655	SEAMING PLIER STRAIGHT DEPTH 200mm	p70	039355	CLINCHING PLIERS STRAIGHT 60mm	p70
030755	SEAMING PLIER BENT OF 45° DEPTH 120mm	p70	039455	CLINCHING PLIERS STRAIGHT 80mm	p70
030855	SEAMING PLIER BENT OF 45° DEPTH 180mm	p70	039555	CLINCHING PLIERS STRAIGHT 100mm	p70
030955	SEAMING PLIER BENT OF 45° DEPTH 200mm	p70	039655	UNIVERSAL SLATER'S HAMMER	p64
031055	MAT	p62	039755	FIBRO SHEAR	p83
031155	CUTTING BLADE FOR REF 0310 & 0320	p62	039855	BARDÖ FIX	p83
031255	PUNCH FOR REF 0310, 0324 & 0335	p62	040055	JUNIOR	p106
031355	DIE FOR REF 0310 & 0320	p62	040155	TOP GRAF 16	p105
031555	REPAIR KIT FOR REF 0310 & 0324	p62	040355	MASTER GRAF	p105
031755	SPRING FOR REF 0320 & 0325	p62	040455	CUTTING NIPPERS 220mm	p109
031855	PUNCHER	p68	040555	TOP GRAF 30	p105
031955	10mm STAPLES/5000 FOR PUNCHER	p68	040655	BABY GRAF 30	p104
032055	MAT COUP	p62	040755	DRESS FIL	p107
032155	400mm SLATER'S ANVIL RIGHT HANDED	p64	041055	MAJOR	p106
032255	400mm SLATER'S ANVIL LEFT HANDED	p64	041155	TOP GRAF 20/22	p105
032355	SLATER'S ANVIL BENT	p64	041255	BABY GRAF 16/20	p104
032455	MAT 2	p62	041455	POWER GRAF	p107
032555	MAT COUP 2	p62	041501	STAPLE OMEGA 16 GALVA A /250	p114
032655	CUTTING BLADE FOR REF 0324 & 0325	p62	041601	STAPLE OMEGA 16 GALVA A /2500	p114
032755	DIE FOR REF 0324 & 0325	p62	041855	FENCING PRO SET	p106
032855	BATTEN GAUGE	p77	041901	STAPLE OMEGA 16 GALVA A /1250	p114
032955	250mm COMPASS	p80	042001	STAPLE OMEGA 20 GALVA A /1000	p114
033055	PRO MAT-COUP 210	p63	042101	STAPLE OMEGA 20 GALVA A /1000	p114
033155	ZINC & LAMINATE SCRIBER	p79	042301	STAPLE OMEGA 20 ALUMINIUM /1000	p114
033255	LIT' UP	p76	042455	PIC 7	p108
033355	WOODYCUT XL	p76	042501	STAPLE OMEGA 20 GALVA A /200	p114
033555	MECA-MAT	p63	042755	TWISTER	p47
033955	TINMAN'S MALLET	p69	042855	MASTER GRAF	p104
034155	INTERPERFOR 3,5x15mm	p66	042900	STAPLE OMEGA 20 GALVA WHITE /200	p114
034255	SEAMING PLIER BENT OF 45° DEPTH 22mm	p70	043001	STAPLE OMEGA 20 GALVA GREEN /1000	p114
034355	SEAMING PLIER BENT OF 45° DEPTH 40mm	p70	043501	STAPLE OMEGA 20 GALVA GREEN /200	p114
034455	SEAMING PLIER BENT OF 45° DEPTH 60mm	p70	043855	UNICLIP	p104
034555	SEAMING PLIER BENT OF 45° DEPTH 80mm	p70	044001	STAPLE OMEGA 16 GALVA GREEN /2500	p114



Reference_index



044201	HOG RING OMEGA 16 GALVA GREEN PVC COATED /1250	p114
044300	HOG RING OMEGA 16 STAINLESS STEEL /1250	p114
044501	HOG RING OMEGA 16 GALVA GREEN PVC COATED /250	p114
044855	CUTTING NIPPERS 250mm	p109
045255	GALVANISED LOOPED METAL BONDS	p108
045555	TORNADO PRO	p47/p108
900460	HOG RING DELTA 22 GALVA A /1000	p114
900461	HOG RING DELTA 22 STAINLESS STEEL AISI 316/1000	p114
046455	MANUAL GABION PLIER	p111
046500	HOG RING DELTA 30 GALVA A /2500	p114
900470	HOG RING OMEGA 18 GALVA A /1200	p114
047101	HOG RING DELTA 30 GALVA A /500	p114
047201	HOG RING OMEGA 20 GALVA BLACK /1000	p114
047655	CONCERTINA RAZOR BARBED TAPE PLIER WITH MAGAZINE	p111
047755	CONCERTINA RAZOR BARBED TAPE PLIER	p111
900480	HOG RING OMEGA 18 GALVA GREEN PVC COATED /3000	p114
048455	FENCING TENSION CLAWS /2	p108
048555	HOG RING PLIERS AS 2000	p113
049155	GREEN PVC COATED LOOPED BONDS	p108
049755	TURBO 50 GABION	p110
049855	TURBO 24	p113
050155	PIPE POSITIONER N1	p85
050255	PIPE POSITIONER N2	p85
050355	INSERT PASS'TUB	p85
060055	PROFIL	p12
060155	PUNCHING BLADE FOR PROFIL	p12
060455	ERGO LINE	p26
060555	FAST LINE	p26
060755	ALU LINE	p26
060955	MAX LINE	p26
061055	PROFIL 2RM	p12
061155	PUNCHING BLADE FOR PROFIL 2RM	p12
061355	STAFF PRO	p42
061455	10 BLADES FOR STAFF PRO	p42
061755	PROFILCUT	p10
061855	PUNCHING BLADE FOR ERGOTOP	p13
061955	ERGOTOP	p13
062055	MASTER-PROFIL	p13
062155	PUNCHING BLADE FOR MASTER PROFIL	p13
062255	SPRING FOR MASTER PROFIL	p13
062755	RED LINE ECO	p26
062855	CORNER FIX	p24
062955	PLAC & ROLL 150	p22
063155	1000 G. MARKING CHALK REFILLS	p26
063255	400 G. MARKING CHALK REFILLS	p26
063355	200 G. MARKING CHALK REFILLS	p26
063855	200 G. RED MARKING CHALK	p81
064055	DUOPLAC	p16/p98
064255	ROOF LINE 50m	p81
064355	1000 G. RED MARKING CHALK	p81
064555	TRANSPLAC	p16/p98
064755	VARIO RAP	p21
064855	LATTIFIX	p46
064955	400 G. RED MARKING CHALK	p81
065055	MINI RODCUT M6	p42
065155	3500 G. RED MARKING CHALK	p81
065255	3500 G. MARKING CHALK REFILLS	p26
065455	INSIDE CORNER TROWEL	p38
065755	OUTSIDE CORNER TROWEL	p38
065855	PROFILCUT MEGA	p11
065955	RODCUT	p86
066055	FOOTPLAC	p17/p98
066155	QUICK SUPPORT - LARGE MODEL	p18
066355	QUICK SUPPORT - SMALL MODEL	p18
066455	INSULATION CUTTER 300	p25
066555	BLOCPLAC	p17
066655	STAINLESS STEEL MUD PAN	p32
066755	EASY RAP	p21
066955	MUD PAN	p32
067055	CROCOPLAC 150	p22
067255	CROCOPLAC 250	p22
067755	CIRCLE CUTTER	p30
068155	4 BLADES SET	p25
069055	CANALCUT	p25
069255	RAP-PLAC VERSATILE	p24
069455	TAPE BUDDY	p33
069555	SPARE BLADES-TWIN	p25
069655	TRANSPLAC EASY	p16
069755	T-SQUARE 1200	p27
069855	DRYWALL TAPE HOLDER	p33
069955	ALUMINIUM HAWKS 330x330mm	p40
070055	MULTI-COUP	p44
071055	MULTI-COUP EXTRA	p95
071155	65mm BLADE FOR MULTI-COUP EXTRA	p95
072555	PLURI COUP FLEX' 105mm	p44
073555	PLURI COUP' TOUT	p53
074555	PLURI COUP' ERGO	p53/p109
075055	PLURI COUP EXTRA	p44
079055	JUMBO CUT	p97
079155	REPLACEABLE BLADE FOR JUMBO CUT	p97
085055	CAMELEON 130	p95
086455	REVOCUT	p95
086555	PRESS DECK	p99
086655	RENOV'JOINT	p95
087055	SET TAK-TIK	p94
087155	MINI TAK-TIK	p94
087255	SUPER TAK-TIK	p94
087355	40 SPACER BLOCKS SET	p94
087555	DECHAUSS' TOUT	p76
088055	KIK-BACK	p94
089055	STRATICUT	p82/p92
089755	LAMINOCUT 2	p92
089955	VARIOCUT	p82/p93
090055	300mm HEAVY DUTY SCRAPER	p46
090155	150mm HEAVY DUTY SCRAPER	p46
092855	DISC 125mm BEVELLED MEDIUM GRIT	p46
096055	CONCRETE SPREADER	p46
097055	TECHNOCLEAN 40	p95
097155	TECHNOCLEAN 60	p95
097255	TECHNOCLEAN 80	p95
102055	UPPER-CUT LEFT CUT	p54
109055	APOLLO LEFT CUT	p54
120000	CL24 STAINLESS STEEL RINGS	p113
127055	UPPER-CUT 90° LEFT CUT	p55
128055	FLYER'SL 45° LEFT CUT	p55
130055	GUTTER GETTER	p79
130155	BENDER 4x4	p72
130255	BENDER x2	p73
130355	BENDER 4x4	p72
130455	BENDER 4 ROLLS	p71
130555	NAIL POUCH	p81
130655	DOUBLE DISK ROLLER	p73
130755	EDGE ROLLER 25 mm	p73
130855	BENDER 8 ROLLS	p71
131055	HAMMER FOR ANGLE FLAT SCRAPER	p69
131155	SEAM OPENING PLIERS	p75
131255	BEVEL	p80
131355	BRACKET	p80
131455	ROOF TILE LINE	p78
131555	BOW SAW	p77
131755	HAMMER FOR ANGLE FLAT SCRAPER	p69
131855	GUTTER HANGER BENDER	p78
131955	6mm STAPLES/1000 FOR PUNCHER	p68
132155	LEAD DRESSER	p69