





# WELCOME TO RAPID

We are much more than suppliers of products for your home or professional life. We are advisors and providers of proven concepts that help you with a wide range of tasks. From larger construction projects to quick problem solving, whatever you're looking for, Rapid has it.

Choosing Rapid means choosing a reliable specialist with proven solutions specially adapted for the user. In order to keep our promises and to ensure quality day after day, we monitor and control the entire value chain, from idea to finished product. The design and development part of this process is built on the solid foundation of our Swedish heritage, with effective and easy solutions as well as a product range filled with a wide variety of products for effective fastening.

Rapid are always close at hand. Our distribution network covers the entire world and in Europe and Asia we have fully-owned production facilities. This gives us global strength with a local presence, making national and regional adaptations of our product range possible. It also makes it possible for us to provide our users with an unsurpassed offer, no matter the market.

Our approach to developing, manufacturing and marketing products is all about efficiency, innovation, quality and simplicity. That's why we've chosen to call our way of doing things 'Svensk Effixity'.



# CONTENTS

CONTENTO	
Stapling and Nailing Hammer Tackers Manual Staple Guns Electric Staple and Nail Guns Pneumatic Staple and Nail Guns Staple and Nail Guide Staples and Nails	18 - 19 20 - 27 28 - 31 32 - 35 36 - 39 40 - 53
Gluing Glue Guns Glue Sticks	56 - 61 62 - 67
Hot Air Guns	68 – 71
Riveting Riveting Pliers Rivets	72 – 74 74 – 77
Garden Tools Garden & Fence Pliers Vine Pliers Hog Rings	79 80 80 – 81
Industrial & Print Finishing Stapling Pliers Electric Staplers	82 – 84 85 – 86

# **DRIVEN BY TRADITION**

Rapid has a long and proud history. This is best explained by the constant care we show for our traditions and our way of doing things - making it easy for our users by offering products that fulfil their ever-changing needs and requirements.

Ever since we were established in 1936, we've based our company concept on Swedish engineering. Something that translates into – among many other things – reliable quality that simplifies the lives of our users. Our entrepreneurial inheritance is also characterised by being quick to respond and ready to embrace and adapt to the latest needs and demands of the market. We continuously develop and produce new solutions, keeping up with the shifting demands and requirements of our users. We often find ourselves dealing with, and finding, completely new solutions and functions, in addition to adapting existing products to fit current conditions.

Today, Rapid is one of the world's leading fastening specialists and we offer products within three business areas – Office, Tools and Inside Solutions. Our way of thinking, with easy-to-use, effective stapling products, has had a major impact in over 120 countries worldwide, where Rapid has been a part of the Esselte Group since 2010.



# FOR EVERY TODAY, THERE'S A TOMORROW

Rapid's sustainable development strategy is present in everything we do in our daily work. We call it "Taking Care of Tomorrow".


The strategy has been designed to enrich our future environment and to ensure Rapid remains a prosperous company. One of the strategy's objectives is making sure our raw material waste never exceeds 1%. We continuously work to reduce carbon dioxide emissions and we carefully monitor the recycling of plastics as well as metal and paper waste in our production facilities. In order to reduce our environmental impact even further, we always measure our water consumption. All said, this is daily work with long-term objectives.

# DISPLAY, GUIDE AND INCREASE SALES


Rapid's goal is to facilitate for both the user and the reseller in every part of the process. This is clearly visible in how we display our products in stores. Products, packaging and displays are designed to attract interest, inform and guide, because when the store visitor is given relevant information, the chances for a sale increases.

Broadening scope and seeing the full picture is a Rapid trademark. In the store environment, it should always be clear that we offer customers not only individual products, but also entire fastening systems. Packaging comes with clear and self-explanatory symbols, images and texts that place the products in their correct context and helps them as good as sell themselves. What you see is what you get, in a manner of speaking. This is also why we've chosen to use the semi-open packaging design where we leave a handle or a trigger exposed. A potential user who is guided and informed and who gets to experience the high level of quality and innovative characteristics of the product will become more certain that they're making the right choice. Of course, you already understand that store design and product placement has an impact on sales. Together with Rapid, the conditions can be improved even further. We're not only specialists when it comes to our products, we're also skilled in the art of tailoring solutions that guarantee additional sales. As a part of this, we can offer a thought-through adaptation of the product range – good, better and best - and shelf layout using Space Management.

We can also offer a number of different activities, campaigns and Point of Sales material in order to inspire and guide the user in making the right choice. And of course everything is adaptable to your particular store and other conditions. This truly makes for good business, every day.









Try-me module for our new energy-saving staple gun.




Communication ellipse.



# A POWERFUL PUSH TO SAVE

**ENERGY** 





Is it possible to develop staple guns that are easy to fire and simultaneously allow the user to decide how much power should be used? The answer is yes. With Rapid's unique Powercurve® Technology the need for power when firing the gun is lowered by an impressive 65 % and with the three-step power adjustment function, usage is fully optimised. When working with softer materials or shorter staples the gun can be adjusted to deliver less power, whereas when working with harder materials or longer staples power output can be increased. This means that at any given moment you'll never have to press harder than necessary.

Powercurve® Technology has been specially developed in cooperation with leading physiotherapists who have taken into account how the arm's muscles are activated when using a staple gun. This has resulted in a mechanism that is perfectly matched to the hand's power curve. This, together with the 65 % power reduction, lowers the strain on the user from an E (heavy) to an A (very easy) on the official Borg scale. The Borg scale is used to measure how a person experiences work strain and the findings are based on the results of numerous tests where consumers compared new staple guns with other existing, traditional guns on the market.

# MAKE THE RIGHT CHOICE WITH RAPID

With the market's strongest fastening product range, Rapid can offer solutions for any material or any task. Here, you'll find the information that will help you find the right product for your task.



#### Stapling

Begin by choosing the right type of staple for the job in hand. Measurements and more details can be found in the staple guide on page 36. After doing so, choose your desired leg length and pick a suitable tool for these particular needs.



#### aluing

Choose the right type of glue for the task. More information on different glue types and their usage can be found on page 62 and forward. After identifying the right glue, choose the tool best suited for your application.



#### Riveting

Choose the rivet best suited for the task at hand. Read more in the riveting section of our catalogue on page 74 and forward. After doing so, choose the appropriate dimension and the tool that suits your needs.



## HAMMER TACKERS

Sometimes the task at hand involves quick fastening of materials with a large number of staples. This is where our hammer tackers represent the best choice. At Rapid we've amassed a wealth of experience producing some of the market's best, high quality hammer tackers. From our Swedish production facility, our range brings every user a wealth of smart, helpful features, such as bounce-back technology that makes the hammer bounce back thanks to the recoil. This significantly reduces strain on the user since it means less physical exertion. Additionally, an ergonomic handle contributes to smoother operation making any task easier and increasing working efficiency.

Suitable for: building materials such as roofing felt, moisture barriers, insulation plastic and wind protection.







Staple

Staple 6-10 mm

Staple 4-6 mm

10-14 mm

Description	Art. No.	EAN Code	Units
Box	5000004	4051661000058	10
Clamshell	5000005	4051661000065	4



**PRO** 

Hammer tacker with superior precision and working life. Ideal for fastening of roofing and insulation material and damp proof coursing.

- Bottom loaded quick-load mechanism with no loose parts
- Reversible staple driver for long working life
   Large buffer plate protects the material in work
- Well balanced with non-slip ergonomic handle
- All steel, heavy-duty construction
- Made in Sweden
- 2 year guarantee



#### **R54**

**R311** 

Description	Art. No.	EAN Code	Units
Вох	10566826	7313465668269	10
Clamshell	21121100	7313465668047	5



Powerful, professional hammer tacker able to deliver extra long staples with precision. Ideal for high-frequency fastening of roofing and thicker insulation material or rubber/ textile flooring.

- Large buffer plate protects the material in work
- Well balanced with non-slip ergonomic handle
- All steel, heavy-duty construction
- Made in Sweden
- 2 year guarantee



R11		<b>[ 140 ]</b> 6	–10 mm
Description	Art. No.	EAN Code	Units
Вох	20725901	7313467259014	10
Clamshell	20725902	7313467959091	5

#### **PRO**

Powerful, precision hammer tacker for demanding professional applications. Ideal for high-frequency jobs such as fastening roofing and insulation material.

- The original R11 Hammer tacker

  Well balanced with non-slip ergonomic handle
- All steel, heavy-duty construction Made in Sweder
- 2 year guarantee

#### PRO



R19	C n		13 4	–6 mm
Description		Art. No.	EAN Code	Units
Box		20726001	7313467260010	10
Clamshell		20726002	7313467260027	5

Lightweight, easily handled hammer tacker perfect for regular, demanding use. Ideal for fastening of labels, posters, textiles, plastic wrap or insulation material.

- Quick and easy bottom-loading with no loose parts
- Well balanced with non-slip ergonomic handle
   All steel, heavy-duty construction
- Made in Sweder 2 year guarantee



#### **R311** Hammer Tacker Holster

Description	Art. No.	EAN Code	Units
R311 Hammer Tacker Holster	5000097	4051661002007	1

High quality hammer tacker holster especially designed for our R311 model. Keeps your hammer tacker safely stored and always within reach. Increases working efficiency and workplace safety.

- Tough stitching and robust waterproof nylon
- Riveted for high durability
- Reinforced with anti-slip fabric and steel mesh webbing
- 2 year guarantee

## MANUAL STAPLE GUNS

Our comprehensive, market-leading product range caters for demanding professionals and DIY enthusiasts alike and has been developed to cover all situations and requirements. Our staple guns may be used once a month or eight hours a day. They may be used for tough, outdoor construction tasks or the most delicate of interior or hobby work. whatever your requirements are, our market-leading expertise and experience means we can offer a solution that gets the job done. In addition, we bring you unique innovations such as our Powercurve® Technology. Of course, the majority of Rapid staple guns are Swedish made and deliver quality and unequalled durability everything that makes life easier and more effective for the user, whatever the task they face.

Suitable for: textiles, building materials, low-voltage cables, moisture barriers and thinner wood.









Powerful, no compromises staple gun. Designed for demanding professional applications and precision operation. Ideal for fastening thinner boards, Masonite, insulation material and damp proof coursing.

**PRO** 

PRO

**PRO** 

- 40 % easier to operate thanks to a patented easy to
- squeeze trigger with 3-step force adjuster
- All-steel casing and wear parts inside
  Smooth functioning loading system and recoilless mechanism
- Ergonomic handle with lock function for easy storage
- 5 year guarantee



#### **R14**

**ALU840** 

Description

Clamshell - West

Clamshell - Neutra

Case incl staples

Box

Description	Art. No.	EAN Code	Units
Вох	5000438	4051661015151	6
Clamshell - West	20511450	7313465114506	5
Clamshell - East	5000066	4051661000768	5



Staple

Light, easy to use metal staple gun ideal for demanding, professional jobs and precision operation. Use for fastening insulation, damp proof coursing, plastic wrap,

- All-steel casing and wear parts inside
- Smooth functioning loading system and recoilless
- Ergonomic handle with lock function for easy storage
- Made in Sweden
- 5 year guarantee





Art. No.

22876001

22876000

5000088



EAN Code

7313468760014

7313468760007

4051661000980

22876002 7313468760021



Units

Powerful, ergonomically superior aluminium staple gun for demanding use. Suitable for many tough jobs including insulation, damp proof coursing, plastic wrap

- 2-step force adjuster can be set to reflect different types of material and the length of staple being used
- Aluminium casing and all-steel wear parts inside
- Smooth functioning loading system and recoilless
- · Ergonomic soft grip handle with lock function for easy
- Dual magazine for flatwire staples and brads
- Made in Sweden









Staple

ALU940	8	15 mm <b>140</b>	6-14 mm
Description	Art. No.	EAN Code	Units
Clamshell - West	5000518	4051661017575	3
Clamshell - East	5000519	4051661017605	3

For home and DIY users seeking professional performance levels, the ALU940 is a newly developed, revolutionary staple gun, which is up to 65% easier to fire compared with conventional staple guns. Suitable for insulation materials, damp proof coursing and thinner

- $\bullet$  Patented Powercurve  $^{\circledR}$  Technology follows the hand's Up to 65 % easier to squeeze
- Patented 3 step force adjuster for perfect force
- Cast aluminium body
- All-steel wear parts inside
- Ergonomic handle with comfortable soft grip areas
- Dual magazine for flatwire staples and brads
- 3 year guarantee

West = DE FR NL GB IT ES PT SE DK FI GR East = DE PL RU CZ SK SI HR TR HU RO BG



**ALU740** 

Description

Clamshell - West

Clamshell - East

**R64** 

Description

Clamshell - West

Clamshell - East

**R44** 

Description

**R33** 

Description

Clamshell - West

Clamshell - East

Box

Insulation Kit incl staples



Art. No.

25072310



FAN Code

7313460723109

25072311 7313460723116

Staple

Units

3

3

Robust, aluminium staple gun for DIY and home projects. Suitable for insulation materials, damp proof coursing and

- 2-step force adjuster can be set to reflect different types of material and the length of staple being used
- Cast aluminium body
- · All-steel wear parts inside
- Soft grip areas
- Dual magazine for flatwire staples and brads
- 3 year guarantee





Art. No.

5000069

Art. No.

5000624



21000860 7313460008602



**EAN Code** 

4051661000799

Staple 6-14 mm

Units

10

10

Light, easy to handle staple gun for DIY and home projects. Suitable for insulation materials, damp proof coursing and thinner boards.

- 2-step force adjuster can be set to reflect different types of material and the length of staple being used
- Patented brad control
- All-steel wear parts inside
- Ergonomic handle with lock function for easy storage
- Dual magazine for flatwire staples and brads
- Made in Sweden
- 3 year guarantee





EAN Code

4051661020131

4051661000690

Staple 6-14 mm

Units

8

Easy to use kit including staple gun and staples. Ideal for fastening of insulation materials and plastic foil as well as other roofing applications. Delivered with flatwire staples specifically designed for insulation material.

- 2-step force adjuster can be set to reflect different types of material and the length of staple being used
- All-steel wear parts inside
- Ergonomic handle with lock function for easy storage Made in Sweden
- Including 970 pcs of 140/8 staples
- 3 year guarantee





5

Art. No.	EAN Code	Units
10582521	7313465825211	6
20510650	7313465106501	5

5000059

[ 22

**PRO** Powerful, no compromises staple gun. Designed for

demanding professional applications and precision operation. Ideal for fastening of heavy textiles, carpet and netting.

- 40 % easier to operate thanks to a patented easy to
- squeeze trigger with 3-step force adjuster

  All-steel casing and wear parts inside

  Smooth functioning loading system and recoilless mechanism
- · Ergonomic handle with lock function for easy storage
- 5 year guarantee



**R30** 

Description

**R23** 

Description

Clamshell - West

Clamshell - East

**ALU913** 

Description

Clamshell - West

Clamshell - East

**R83** 

Description

Clamshell - West

Clamshell - East

Box - Asian language version

Box

Clamshell - West



EAN Code

7313465108505

Art. No.

20510850



Units

awkward surfaces where a standard staple gun might have difficulty accessing. Suitable for fastening of weather strips, textiles, netting.

Precision performance, professional level staple gun that features a long, extended nose. Ideal for use on uneven,

**PRO** 

**PRO** 

- 40 % easier to operate thanks to a patented easy to squeeze trigger with 3-step force adjuster
- Projection nose to access corners
- All-steel casing and wear parts inside
- Smooth functioning loading system and recoilless mechanism
- Ergonomic handle with lock function for easy storage
- · Made in Sweden
- 5 year guarantee





EAN Code

7313466005216

4051661002090

7313465104507

4051661000683

#### Staple 4-8 mm

Units

6

6

Light, easy to use metal staple gun ideal for demanding, professional jobs and precision operation. Use for furniture upholstery or fastening of thinner fabrics, paper, labels.

- All-steel casing and wear parts inside
- Smooth functioning loading system and recoilless mechanism
- Ergonomic handle with lock function for easy storage
- Made in Sweder
- 5 year guarantee





Art. No.

5000603

5000732

Art. No.

10600521

5000110

20510450

5000058





EAN Code

4051661019920

4051661022388



Units

3

For home and DIY users seeking professional performance levels, the ALU913 is a newly developed, revolutionary staple gun, which is up to 65% easier to fire compared with conventional staple guns. Suitable for furniture upholstery, decorative work or thinner boards.

- Patented Powercurve® Technology follows the hand's natural power curve exactly
- Up to 65 % easier to squeeze
- Patented 3 step force adjuster for perfect force optimization
- · Cast aluminium body
- All-steel wear parts inside
- Ergonomic handle with comfortable soft grip areas Dual magazine for finewire staples and brads
- 3 year guarantee





Art. No.

20011550

5000075





Units

10

EAN Code

7313460115508

4051661000850

Light, easy to handle staple gun for DIY and home projects. Suitable for furniture upholstery, carpets, quilts

2-step force adjuster can be set to reflect different types

- of material and the length of staple being used
- All-steel wear parts inside
- Ergonomic handle with lock function for easy storage
- · Dual magazine for flatwire staples and brads Made in Sweden
- 3 year guarantee



#### **R13**

Description

Clamshell - West

Clamshell - East

**R353** 

Description

Clamshell - West

Clamshell - East

Case incl staples

R153

Description

Clamshell - West

Clamshell - Fast

Clamshell - Neutral

West = DE FR NL GB IT ES PT SE DK FI GR

East = DE PL RU CZ SK SI HR TR HU RO BG

Box

Box

Вох

П		Staple
U	13	4-10 m

EAN Code

7313464439013

4051661000676

20443950 7313464439501

Art. No.

20443901

5000057

Art. No.

10640125

20511250

5000063

Art. No.

10602125

20511050

5000061

4–10 mm	

Units

6

10

10

Light, easy to handle staple gun for home projects or easier professional jobs. Ideal for furniture upholstery, decorative work with diverse textile types or fastening of quilts, posters or leather.

- All-steel wear parts inside
- Ergonomic handle with lock function for easy storage
- Made in Sweden
- 3 year guarantee



EAN Code

7313466401254

7313465112502

4051661000737

24054600 7313460546005

Staple 6-14 mm

Units

6

5

5

Powerful, no compromises staple gun. Designed for demanding professional applications and precision operation. Ideal for fastening of heavy textiles, carpet and netting.

PRO

**PRO** 

- 40 % easier to operate thanks to a patented easy to squeeze trigger with 3-step force adjuster
- All-steel casing and wear parts inside
- Smooth functioning loading system and recoilless
- Ergonomic handle with lock function for easy storage
- Made in Sweden
- 5 year guarantee





**EAN Code** 

7313466021254

7313465110508

4051661000713



Units

6

5

5

Light, easy to use metal staple gun ideal for demanding, professional jobs and precision operation. Use for furniture upholstery or fastening of thinner fabrics, paper, labels.

- All-steel casing and wear parts inside
- Smooth functioning loading system and recoilless mechanism
- · Ergonomic handle with lock function for easy storage Made in Sweden
- 5 year guarantee





5000082





4051661000928

6-14 mm

**ALU853** Description Art. No. EAN Code Units Clamshell - West 23235400 7313462354004 5

#### **PRO**

Powerful, ergonomically superior aluminium staple gun for demanding use. Suitable for repetitive jobs including fastening of textiles, carpets, leather or labels.

- 2-step force adjuster can be set to reflect different types of material and the length of staple being used
- Aluminium casing and all-steel wear parts inside
- Smooth functioning loading system and recoilless mechanism
- Ergonomic soft grip handle with lock function for easy
- Dual magazine for finewire staples and brads
- Made in Sweden
- 5 year guarantee



**ALU953** 

Description

Clamshell - West

Clamshell - East

**ALU753** 

Description

Clamshell - West

Clamshell - East

**ALU610** 

Description

Clamshell - West

**MS4.1** 

Clamshell - West

Clamshell - East

Description



Art. No.

5000516

5000517



**FAN Code** 

4051661017513

4051661017544

EAN Code

7313461208001

7313461208018



Units

furniture upholstery, decorative work or thinner boards. Patented Powercurve® Technology - follows the hand's

For home and DIY users seeking professional performance levels, the ALU953 is a newly developed,

revolutionary staple gun, which is up to 65 % easier to fire compared with conventional staple guns. Suitable for

- natural power curve exactly
- Up to 65 % easier to squeeze
- Patented 3 step force adjuster for perfect force optimization

  Cast aluminium body
- All-steel wear parts inside
- Ergonomic handle with comfortable soft grip areas
- Dual magazine for finewire staples and brads
- 3 year guarantee





Art. No.

25120800

25120801





6-14 mm

Units

3

Robust, aluminium staple gun for DIY and home projects. Suitable for diverse textile types and thinner boards

- 2-step force adjuster can be set to reflect different types of material and the length of staple being used
- Cast aluminium body
- All-steel wear parts inside
- Soft grip areas
- Dual magazine for finewire staples and brads
- 3 year guarantee





Art. No.

40107318





Staple 4-10 mm

Units

Created for smart, effective home and DIY use. Features a reversed trigger that allows it to be fired even without a stable, even surface underneath. Ideal for stapling near edges and for upwards positioning roof decoration work.

- Reverse firing technology
- Cast aluminium body All-steel wear parts inside
- 3 year guarantee





Art. No.

24510600



22542960 7313465429600



EAN Code

7313465429501

4051661000751

**EAN Code** 

3221631073189







Units

10

Effective all-round solution with four functions in one. With a simple adjustment, it can be set to tackle normal stapling, brad or cable fastening. Ideal for furniture upholstery, thinner boards and skirting as well as low voltage cables.

- Multi magazine for finewire staples, cable staples, brads and pins

  2-step force adjuster can be set to reflect different types
- of material and the length of staple being used
- Projection nose to access corners
- All-steel wear parts insideErgonomic handle with lock function for easy storage
- Made in Sweden
- 3 year guarantee

Clamshell incl 4 packs of staples



#### **MS2.1**

Description

Clamshell - West

R453

Description

Clamshell - West

Clamshell - East

R253

Description

Clamshell - West

Clamshell - Fast

**R53** 

Box

$\overline{n}$	Cable
7	12-1

Art. No.

5000625



EAN Code

4051661020162



Units

10

Highly flexible staple gun that can tackle both normal and cable fastening with confidence. Ideal for regular use when fastening low voltage cables. Can also be used for work with diverse textile types.

- Dual magazine for finewire staples and cable staples.
- 2-step force adjuster can be set to reflect different types of material and the length of staple being used
- Projection nose to access corners
- All-steel wear parts inside
- · Ergonomic handle with lock function for easy storage
- Made in Sweden
- 3 year guarantee







20009502 7313460095022

20009550 7313460095503

5000064 4051661000744

**EAN Code** 



Staple 6-14 mm

Units

6

Light, easy to handle staple gun for DIY and home projects. Suitable for furniture upholstery, carpets, quilts and thinner boards.

- 2-step force adjuster can be set to reflect different types of material and the length of staple being used

- All-steel wear parts inside
   Ergonomic handle with lock function for easy storage
- Dual magazine for flatwire staples and brads
- Made in Sweden
- 3 year guarantee





EAN Code

20009450 7313460094506

5000062 4051661000720



Units

10

10

Light, easy to handle staple gun for DIY and home projects. Suitable for furniture upholstery, carpets and quilts.

- 2-step force adjuster can be set to reflect different types of material and the length of staple being used.

  • All-steel wear parts inside
- Ergonomic handle with lock function for easy storage Made in Sweden







[ 26

Art. No.





Description	Art. No.	EAN Code	Units
Box	20443802	7313464438023	6
Clamshell - West	20443850	7313464438504	10
Clamshell - East	5000060	4051661000706	10
Blister case incl staples	20443852	7313464438528	15
X-Ray Sea Blue, Clamshell	20443830	7313464438306	6

Light, easy to handle staple gun for home projects or easier professional jobs. Ideal for furniture upholstery, decorative work with diverse textile types or fastening of

- · All-steel wear parts inside
- Ergonomic handle with lock function for easy storage
- Made in Sweden
- 3 year guarantee



**R28** 

Description

Clamshell - West

**R36** 

Description

Clamshell - West

Clamshell - East

Box

Clamshell - Neutral



EAN Code

7313465117101

7313465117507

4051661000997

Cable 9-11 mm

Units

Superior cable gun for diverse, demanding professional jobs and precision operation. Specially designed for low voltage cables up to 4.5 mm in diameter such as speaker or alarm cables. Can be set to reflect the material's hardness or cable diameter.

**PRO** 

**PRO** 

- For 4.5 mm cable
- 40 % easier to operate thanks to a patented easy to squeeze trigger with 3-step force adjuster
- All-steel casing and wear parts inside
- Smooth functioning loading system and recoilless mechanism
- Ergonomic handle with lock function for easy storage Made in Sweden
- 5 year guarantee





Art. No.

20511811

20511850

5000070

Art. No.

20511710

20511750

5000089



EAN Code

7313465118115

7313465118504

4051661000805



Cable 10-14 mm

Units

6

Superior cable gun for diverse, demanding professional jobs and precision operation. Specially designed for low voltage cables up to 6 mm in diameter such as speaker or alarm cables. Can be set to reflect the material's hardness

- or cable diameter. For 6 mm cable
- 40 % easier to operate thanks to a patented easy to squeeze trigger with 3-step force adjuster.
- All-steel casing and wear parts inside
  Smooth functioning loading system and recoilless
- Ergonomic handle with lock function for easy storage
- Made in Sweden
- 5 year guarantee



Description	Art. No.	EAN Code	Units
Clamshell	20000702	7313460007025	24

Easy to use staple remover for professional or DIY and home use. Able to pull out almost any kind of staple without damaging surrounding material.

- Steel wear parts
- Vice jaw grip
- Ergonomic handle
- 2 year guarantee

## ELECTRIC STAPLE AND NAIL GUNS

No matter the job in hand, Rapid's electric staple and nail guns deliver quality performance and precision fastening. Designed to cater for a broad spectrum of users and applications, we offer a highly comprehensive selection to the market. Like every Rapid product, the range has its starting point in outstanding ergonomics, performance and user-focused features. Furthermore, they are maintenancefree, and able to fasten materials quickly and with high accuracy. We even supply cordless models that offer outstanding user mobility. As well as including electric and battery powered models for more everyday tasks, our professional range also offers solutions specifically created for finishing work.

Suitable for: upholstery, panelling, skirting board, mouldings and other finishing applications.





#### **BN64**

Description	Art. No.	EAN Code	Units
Case	5000837	4051661024566	2



Powerful cordless performance for professional users. Optimal freedom of movement and increased access into corners thanks to a 20° angled magazine. Battery operated brad nailers lets the user avoid complicated gas-driven solutions. Ideal for skirting board, architrave and window trim, tongue and groove panelling, flooring, wall or indoor roofing panels.

- 20° angled magazine for easy access into corners
- 18 V Li-lon battery (2 pcs x 2 Ah included)
- Instant trigger response for reduction of work time
- Dry-fire control
- Two-step sequential firing for safety
- Adjustable depth penetration
- More than 500 nails capacity per battery charge (2 Ah) Batteries are re-charged to at least 80 % in 45 mins with supplied quick charger
- · Fly-wheel drive for high power and reliability
- Non-marking rubber pad to protect from scratching Quick-release hinge for tool free removal of jams
- 2 year guarantee



#### **BN50**

R606

Description	Art. No.	EAN Code	Units
Case	5000836	4051661024559	2



		Brad
	8	25-50 mr

**—** 

Brad

**16A** 32–64 mm

#### 18 V Li-lon battery (2 pcs x 2 Ah included)

window trim, tongue and groove panelling.

Instant trigger response for reduction of work time

Professional quality cordless brad nailer offering optimal freedom of movement and performance. Battery operated

brad nailers lets the user avoid complicated gas-driven solutions. Ideal for fitting skirting board, architrave and

- Push-button magazine opening for quick change of nails
- Two-step sequential firing for safety
- Adjustable depth penetration More than 500 nails capacity per battery charge (2 Ah)
- Batteries are re-charged to at least 80 % in 45 mins with supplied quick charger
- Fly-wheel drive for high power and reliability
- Non-marking rubber pad to protect from scratching · Quick-release hinge for tool free removal of jams

• 2 year guarantee



#### Batteries for BN64 & BN50

Description	Art. No.	EAN Code	Units
A2000 Battery 2000 mAh	5000838	4051661024573	50
A3000 Battery 3000 mAh	5000839	4051661024580	20

#### PRO

PRO

**PRO** 

Spare 18 V Li-lon battery for Rapid brad nailers BN50 and BN64. Available as 2 Ah and 3 Ah.

- Standard 2 Ah more than 500 brads on a full charge.
- Extra powerful 3 Ah more than 800 brads on a full charge.
- LED power indicator light
- · Recharge in less than 1 hour with the Rapid quick charger









For powerful stapling and nailing to precision, professional standards. High performance over a long, demanding working life. Perfect for smaller wood constructions such as picture frames, drawers or fastening panelling.

- Adjustable impact setting through Focused Power the higher the power, the harder the stapling
  Removable front plate for easy removal of jammed staples
- Including guide-plate to aid panel clip mounting
- Recoil free action
- Safety trigger
- Long 3.5 meter cord
- Dual magazine for narrow crown staples and brads
- 2 year guarantee



Description EAN Code Art. No. 10643001 7313466430018 7313466430032 Box - UK plug 10643003 Box - CH plug 5000728 4051661022715 10643015 7313466430155 Case incl staples



#### **R214**

**ESN114** 

Description

Case - UK plug

Case - CH plug

E-Tac

**R553** 

Description

Box - CH plug

Case incl staples

Box

Case

Description	Art. No.	EAN Code	Units
Вох	24171201	7313461712010	5
Box - UK plug	5000121	4051661002397	5

#### **PRO**

Powerful, robust staple gun designed for regular, professional use and precision operation. Effective when used for securing thinner wood or Masonite. Also ideal for cartons, plastic wrap or paper that requires secure fastening characteristics.

- Adjustable impact setting through Focused Power the higher the power, the harder the stapling
- Removable front plate for easy removal of jammed staples
- Recoil free action
- Safety trigger
- Long 3.5 meter cord
- 2 year guarantee



5000131

5000725



22275002 7313462750028



EAN Code

4051661002786

4051661022623

Staple 6-14 mm

Units

3

Staple 8-16 mm

An easy to manage, powerful electric staple gun for more demanding projects around the house. Effective with cartons, plastic wrap or paper that requires secure fastening characteristics.

- · Flat front makes it easy to staple close to a wall
- Long working life with hardwearing parts in steel
   Ergonomic design with soft grip handle
   Safety trigger

- Dual magazine for flatwire staples and brads
- 2 year guarantee





Art. No.

5000128

5000217

5000214





FAN Code

4051661002755

4051661008405

4051661008351

Units

3

Multi-application, battery powered mobile staple gun ideal for home and DIY jobs. Cordless operation for more freedom of movement. Perfect for everyday use and tasks such as furniture upholstery, textile work or fastening carpet, leather or thinner wooden material

- High battery performance with a 7.2 V Li-lon battery and fast recharging

  • Fires more than 1300 staples per full charge
- · Ergonomic design with soft grip handle and perfect halance
- Adjustable Power
- Safety nose to prevent accidental firing
- Dual magazine for finewire staples and brads
- 2 year guarantee



#### Battery for BTX530

BTX530

Description

Case - West

Case - East

Case - UK plug

**ESN530** 

Hangbox

Case - UK plug

Case - CH plug

E100

Description

Clamshell - CH plug

Clamshell

Case

Description	Art. No.	EAN Code	Units
A530 Battery for BTX530	5000182	4051661007415	20

Extra 7,2 V Li-lon battery for BTX530. Easy removal

- 7.2 V, 1300 mAh
- Easy click batteryNo self-discharge





Art. No.

22275601

5000129

22275602

5000726





EAN Code

7313462756013

4051661002762

7313462756020

4051661022654


Staple 6-14 mm

4

An easy to manage, powerful electric staple gun for more demanding projects around the house. Effective with textile work, leather or thinner wooden material.

- Flat front makes it easy to staple close to a wall · Long working life with hardwearing parts in steel
- Ergonomic design with soft grip handleSafety trigger
- 2.5 meter cord
- Dual magazine for finewire staples and brads
- 2 year guarantee

#### A light, comfortably handled electric staple gun for simpler use around the house. Ideal for fastening thinner wooden Staple 6-14 mm material, carton or plastic wrap. Ergonomic design Safety nose contact to prevent accidental firing



- Dual magazine for flatwire staples and brads
- 2 year guarantee





10642901

/ 30



EAN Code

7313466429012

4051661022685

10642912 7313466429128



Units

5

Powerful, robust staple gun designed for regular, professional use and precision operation. Ideal for furniture upholstery work or other types of fabric, carpets, leather or more sensitive textiles.

Adjustable impact setting through Focused Power – the higher the power, the harder the stapling

**PRO** 

- Removable front plate for easy removal of jammed staples Recoil free action
- Safety trigger
- 3.5 meter cord
- Dual magazine for finewire staples and brads 2 year guarantee





5000578

5000717





EAN Code

7313463715002

4051661022593

Staple 6-14 mm

Units

4

Light, comfortably handled electric staple gun perfect for simpler tasks around the house. Ideal for furniture upholstery work, textile decoration tasks or fastening thinner wooden material.

- Ergonomic design
- Safety nose contact to prevent accidental firing Dual magazine for finewire staples and brads
- 2 year guarantee

West = DE FR NL GB IT ES PT SE DK FI GR East = DE PL RU CZ SK SI HR TR HU RO BG

## PNEUMATIC STAPLE AND NAIL GUNS

When the job demands high-tempo, precision fastening, Rapid's pneumatic staple and nail guns always deliver the best results. Our range covers all needs, from simpler fastening tasks and jobs around the house to professional applications and more specific challenges such as framing or roofing. Our powerful, efficient products make working with long-leg staples easy and trouble-free. Every model is characterised by ergonomic performance enabled by lightweight construction, great balance and smartly designed, easy-to-use handles - and of course, we have also prioritised performance, user-focused features and creating a selection of models that covers many different types of staples and nails. Together these features deliver outstanding working efficiency and user comfort, whatever the job.

Suitable for: framing, roofing, panelling, upholstery, mouldings.







Description	Art. No.	EAN Code	Units
Case	5000791	4051661023675	2



**PRO** 

Durable, powerful and well-balanced professional pneumatic framing nailer. Ideal for applications such as nailing studs, rafters, ridge boards, parquet flooring, terrace and decking.

Powerful and professional pneumatic coil nailer that always delivers robust performance and everyday reliability. Packed with operational muscle, this is the perfect solution for demanding tasks such as framing, sheathing, decking, sub-flooring and working with crates, pallets or box

- Drive nails from 50 to 90 mm
- 34° Easy access angled magazine
- Dry-Fire Lockout
- Light-weight magnesium housingFull sequential actual firing
- Top loading magazine
- 360° exhaust deflector Adjustable depth penetration
- 360° rotating coupling
- Anti-slide pad
- 2 year guarantee



# PCN90





# **150** 50–90 mm

Nail 19-45 mm

 Full sequential actual firing Debris shield device Belt hook

 Adjustable depth penetration • 360° rotating coupling

• Drive nails from 50 to 90 mm High load capacity • 3-step coil adjust mechanism

Light-weight magnesium housing

· Anti-slide pad

2 year guarantee



#### PCN45

PFN3490

Description	Art. No.	EAN Code	Units	
Case	5000793	4051661023699	2	



Powerful and compact pneumatic roofing coil nailer for professional use. Capable of working with a wide variety of roofing materials. Use with confidence and precision on shingles, exterior drywall, insulation board, fibre cement applications, soft wood and steel.

- Drive nails from 19 to 45 mm
- Perfect drive mechanismLast nail magnetic anti-drop device
- · Light-weight magnesium housing Full sequential actual firing
- Shingle placement guide
- 360° exhaust deflector
- Adjustable depth penetration
- 360° rotating coupling
- Anti-slide pad
- 2 year guarantee



#### **PB161**

•	Γ	Brad
	32	32-64 mr

Description	Art. No.	EAN Code	Units
Case	5000104	4051661001857	2

#### PRO

This pneumatic brad nailer is the professional's choice for high tempo, intensive jobs. Ideal for parquet flooring, balcony and terrace fixing and furniture work.

- Drive brads up to 64 mm
- · Sequential actuation trigger
- Angled magazine 34° for better access
- 360° adjustable air exhaust keeps dust away from the work surface
- Strong and durable light weight magnesium mainbody
- Adjustable-depth-of-drive mechanism
- Quick loading system
  No-mar pad to protect work surfaces
- Easy-to-Clear Mechanism to remove jams fast and easy
- Comfort grip
- Incl safety glasses, oil pot, wrenches and start set of 300 brads of 50 mm.
- 2 year guarantee



**PBS121** 

Description

**PS111** 

**PS101** 

Description

Case

Description

Case

Case



5000053

Art. No.

5000052

Art. No.

5000051

/ 35



**EAN Code** 

4051661000591

12-30 mm

4

Quick loading system
No-mar pad to protect work surfaces • Easy-to-Clear Mechanism – to remove jams fast and easy

Comfort grip

Adjustable-depth-of-drive mechanism

Sequential actuation trigger

Low air consumption < 0,8 I</li>

- Dual magazine for narrow crown staples and brads
- Incl safety glasses, oil pot, wrenches and start set of 200 staples of 25 mm and 200 brads of 25 mm.

Premium quality, highly versatile pneumatic nailer and stapler perfect for high tempo jobs. Designed for demanding DIY users. Use for panelling work, furniture repair, refurbishing and finish and trim jobs.

• 360° adjustable air exhaust – keeps dust away from the

Strong and durable light weight magnesium mainbody

2 year guarantee

work surface

#### **PBS151**

**PS141** 

**PB131** 

Description

Description	Art. No.	EAN Code	Units
Case	5000103	4051661001840	4

Brad

15-50 mm

#### **PRO**

**PRO** 

Professional level dual narrow crown pneumatic stapler and nailer. Ideal for high tempo furniture, panelling, cabinet making, finishing and trim work.

- Shoot staples up to 40 mm and brads up to 50 mm
- Contact actuation trigger
  360° adjustable air exhaust keeps dust away from the work surface
- Strong and durable light weight magnesium mainbody
- Quick loading system
- Comfort grip

- Dual magazine for narrow crown staples and brads
   Incl safety glasses, oil pot, wrenches and start set of 200 staples of 25 mm and 200 brads of 30 mm.
- 2 year guarantee





EAN Code	Units

4051661000584

Pneumatic stapler ideal for high tempo work with insulation material, plastic sheeting, cardboard packaging and much more.

- Shoot flat wire staples up to 16 mm, ideal for soft
- · Contact actuation trigger
- 360° adjustable air exhaust keeps dust away from working surfaces.
- Strong and durable light weight magnesium mainbody
- Long nose for precision workLow air consumption < 0.3 I</li>
- Quick loading system to reload consumables fast
- No-mar pad to protect work surfaces
- Incl safety glasses, oil pot, wrenches and start set of 300 staples of 10 mm
- 2 year guarantee









Brad

**EAN Code** 

15-50 mm

Units

Staple

Description	Art. No.	EAN Code	Units
Case	5000095	4051661001758	5

Professional, powerful, precise pneumatic stapler with an elongated nose. Ideal for intensive work on upholstery, padding and all kinds of fabric.

- Shoot industrial staples up to 16 mm
- Contact actuation trigger
  Low air consumption < 0,3 I</li>
- 360° adjustable air exhaust keeps dust away from the
- Strong, lightweight magnesium body and compact size offer easier handling and operation
- Long nose for precision work
- No-mar pad to protect work surfaces
- Comfort grip
- Incl safety glasses, oil pot, wrenches and start set of 300 staples of 10 mm
- 2 year guarantee





EAN Code

4051661000577



Units

 360° adjustable air exhaust keeps dust away from working surfaces.

Strong and durable light weight magnesium mainbody

• Shoot fine wire staples up to 16 mm, ideal for all

Pneumatic stapler ideal for high tempo work with textiles, leather, tapestries, labelling and lighter joinery tasks.

Long nose for precision work

Contact actuation trigger

- Low air consumption < 0.3 I</li>
- Quick loading system to reload consumables fast
- No-mar pad to protect work surfaces
- Incl safety glasses, oil pot, wrenches and start set of 300 staples of 10 mm
- 2 year guarantee

renovation

#### PRO

Professional pneumatic brad nailer, designed for frequent use and high tempo work Ideal for wood panelling, door frames, wooden terrace planks and furniture construction.

- Shoot brads up to 50 mm
- Sequential actuation trigger
- 360° adjustable air exhaust keeps dust away from the work surface
- Strong and durable light weight magnesium mainbody
   Adjustable-depth-of-drive mechanism
- Quick loading system
- No-mar pad to protect work surfaces
- Comfort grip
- Incl safety glasses, oil pot, wrenches and start set of 300 brads of 30 mm
- 2 year guarantee

Case 5000054 4051661000607

Art. No.

# STAPLE AND NAIL GUIDE

Find the right type of staple and nail - our guide makes it easy to find the model that aligns with your needs.


Printed on every product, you'll find the information you need to match the product with the right staple or nail. On this page you can read how to determine the correct leg length. The tables below contain information on different staple and nail dimensions. The guide on the following three pages shows which staple or nail that goes into which Rapid tool, as well as options for other, non-Rapid brands.



B		980	BMN	90	<b>T</b> 8	9	T 16	T <sub>16A</sub>	21P	7 21B	T 32	<b>T</b> 34	45	<b>1</b> 50
C A	A mm	13	11.2	5.7	2	1	2.8	2.8	0.8	1.5	3.1	7.0	9.5	5.8/7
В	<b>B</b>	8-14	6-14	20-40	15-50	15	14-50	32-64	20-30	20-40	32-64	50-90	19-45	50-90
Ç	C	1.25	0.75	1.27	1.25	1.25	1.62	1.62	0.8	0.8	1.8	2.8/3.1	3.0	2.5/2.8/3.1

# Choose the correct leg length

The thickness and the type of material are determining the length of the staple or nail to be used:



#### Standard rule

A staple or nail should be 3 times as long as the material to be fixed. Add another 5 mm on the nail.



#### Hardwood / hard material

[ 36

For supporting constructions made from hardwood a staple which is twice as long as the material to fix is sufficient. A nail should be 3 times as long as the material to be fixed.



#### Fine / thin material foil or fabric

To fix fine and thin material a staple which is 4 mm longer than the material is ideal. A round head nail should be 6 mm longer than the material to be

# **COMPATIBILITY CHART**

• • • • • • • • • • • • • • • • • • • •	•	–	•		
Rapid					
Alu610 / MS610	53	4-10 mm	13	4-10 mm	
Alu740	140	6-14 mm	T <sub>s</sub>	15 mm	
Alu753	53	6-14 mm	T .	15 mm	
Alu840 / MS840	140	6-14 mm	T.	15 mm	
Alu853 / MS853	53	6-14 mm	T	15 mm	
Alu913		6-14 mm		15 mm	
Alu940	140	6-14 mm		15 mm	
Alu953		6-14 mm	T	15 mm	
BN50	[ 53]	25-50 mm	8		
BN64	T				
	16A	32-64 mm	T		
BTX530	53	6-14 mm	8	15 mm	
Compacta	53	6-14 mm	T		
E100	53	6-14 mm	T	15 mm	
E-tac	140	6-14 mm		15 mm	
EcoTacker	53	4-8 mm	13	4-8 mm	
EN330		15-30 mm			
EN50	[] 8	15-50 mm			
ES130	140	6-14 mm	T *	15 mm	
ES140	140	6-14 mm	T 8	15 mm	
ESN113		6-14 mm	T s	15 mm	
ESN114	140	6-14 mm	T 8	15 mm	
ESN530	53	6-14 mm	T <sub>s</sub>	15 mm	
Hobbytacker	53	4-8 mm			
Hobbytacker Dual	53	6-12 mm	T.	15 mm	
Hobbytacker Electric	53	6-14 mm	T.	15 mm	
MS2.1	53	6-12 mm	7	12-14 mm	
	53	6-12 mm	<u> </u>	12-14 mm	
MS4.1	T.	15 mm	,	15 mm	
MS813	13	6-14 mm		15 mm	
	53	6-12 mm	T.	8 mm	
Multitacker		12-14 mm		15 mm	
PB131	T <sub>s</sub>	15-50 mm	ن		
PB161	32	32-64 mm			
PBS121	[]eoe	12-30 mm	T 8	15-30 mm	
PBS151	90	20-40 mm	T 8	15-50 mm	
PCN45	<b>4</b> 5	19-45 mm			
PCN90	<b></b> 50	50-90 mm			
PFN3490	T <sub>34</sub>	50-90 mm			
PN15-30	T.	15-30 mm			
PN15-50	T .	15-50 mm			
PN21-40	7 21B	20-40 mm	21P	15-30 mm	
PN32-65	T 32	32-64 mm	ر ت		
Pneumatic 18G	T.	15-30 mm			
	1 8				

Pneumatic 18G+	T 8 15-50 mm
PS6-16	6-16 mm
PS101	6-16 mm
PS111	6-16 mm
PS141	6-16 mm
PS1280	6-16 mm
PSN15-30	12-30 mm
PSN20-50	20-40 mm T 16 20-50 mm
R11	6-10 mm
R13	4-10 mm
R14	6-8 mm
R19	4-6 mm
R23	13 4-8 mm
R28	9-11 mm
R30	13 6-8 mm
R33	6-14 mm
R34	140 6-14 mm
R36	10-14 mm
R44	6-14 mm
R53	4-10 mm
R54	10-14 mm
R64	6-14 mm 8 15 mm
R83	13 6-14 mm
R153	4-8 mm
R211	140 6-12 mm
R213	8-20 mm
R214	140 8-16 mm
R253	53 6-14 mm
R311	6-12 mm
R353	6-14 mm
R453	
R553	
R606	T
	12-25 mm   8 15-25 mm
AEG	
Powertac 14	6-14 mm
Powertac 16	6-14 mm
Powertac 18	8-18 mm 8-18 mm
Powertac 19	8-18 mm 8 20 mm
	12-18 mm
Powertac 30	18-30 mm 15-30 mm
Alsafix	_
C28 / 70P1, C29 / 70P1	\$50 50-65mm
C31 / 45P2	19-45 mm
C33 / 80P1	50 50-75 mm

C38 / 90P1	<b>₹</b> 50	50-90 mm		
C38 / 100	<b></b> 50	65-90 mm		
C38 / 130	<b></b> 50	75-90 mm		
D38 / 100P1, D90G1	T <sub>34</sub>	50-90 mm		
Arrow				
ETF50PBN, T50PBN,				
Powershot 8000, Powershot 5700, 9000, 9100	140	6-14 mm	T 8	15 mn
ETN50, ET50, ETC50, ET501, ETFX50, HT50P, T50, T55	140	6-14 mm		
JT21M/CM	53	6-10 mm		
HT30	58	6-10 mm		
T18	28	9-11 mm		
T27	53	6-10 mm		
T25	36	12-14 mm	<b>[]</b> ,	12-14 mm
T2025	53	12-14 mm	7	12-14 mn
T30, T32	58	6-10 mm		
T50OC	140	10-14 mm		
TACMATE T50X, TRUTAC TT50	140	6-12 mm		
TRUTAC TT21	53	6-10 mm		
TACMATE T50elite, T50 R.E.D.	140	6-14 mm	T <sub>8</sub>	15-25 mn
P22	22	6-8 mm	۰	
Powershot 5650	53	6-10 mm		
WIREMATE T25X	Ŋ,	12-14 mm		
ET2025	7	10-12 mm		
HT50i R.E.D, HT55	140	6-10 mm		
HTX50	140	8-12 mm		
Bea				
101DC, 102DC	<b></b>	65-90 mm		
130DC	F <sub>50</sub>	75-90 mm		
554DC	¥45	19-45 mm		
566DC, 567DC, 570DC 700DC, 730DC	F <sub>50</sub>	50-65 mm		
830DC	<b>1</b> 50	50-75 mm		
900DC, 903DC	<b></b> 50	50-90 mm		
D100-934C	T <sub>34</sub>	50-90 mm		
S125-569	<b>T</b> 8	15-25 mm		
SK325-521	[ s	15-25 mm		
SK335-201, SK355-201GL	[ s	15-35 mm		
SK338-616	[ 8	25-35 mm		
SK350-224C	[ 8	20-50 mm		
SK350-651E	[ s	15-50 mm		
SK355-212		15-50 mm		
SKDA663-771	T <sub>32</sub>	25-64 mm		
Black & Ded	cke	r		
A5751	53	6-8 mm		
A5752	53	6-14 mm		
A5918, BD418,			T	
DN418, KX418E	970	6-14 mm	16	14 mm

Black & Dec	T			
BDBN202	8	15-50 mm		
BD428, DN428, KX428E	606	15-30 mm	<b>—</b>	
Powershot	140	6-14 mm	8	15 mm
Bosch				
GSK 18V-Li	T <sub>16A</sub>	32-64 mm		
HT8, HMT53	53	4-8 mm		
HT14	53	4-14 mm		
HMT57	140	6-10 mm		
PTK14E	BMN	6-14 mm	T 8	15 mm
	53	8-18 mm	T	15-20 mm
PTK19E	606	12-18 mm	BMN	8-18 mm
	9	15-18,5 mm	n	
PTK23E	BMN	12-18 mm	606	12-23 mm
PTK28E	53	12-20 mm	606	12-25 mm
PTK 3,6	53	6-14 mm	<b>T</b> 8	15 mm
PTK 3,6 Li	53	4-10 mm		
Bostitch				
BF33-E, GF33PT-E, F33PT-E, F33PTSM-E	T <sub>34</sub>	50-90 mm		
IC60-1-E, N58C-1-E	<b>1</b> 50	50 mm		
N400-1-E, N401C-1-E, N89C-1-P-E, N89C-2K-E	<b>F</b> <sub>50</sub>	50-90 mm		
N64084-1-E, N64099-1-E, N66C-2-E, N70CB-1-E, N71C-1-E	<b>₽</b> <sub>50</sub>	50-65 mm		
N75C-2-E, N75CWN-1-E, N8090CB-1ML-E, N80CB-1ML-E	<b>₽</b> <sub>50</sub>	50-75 mm		
RN46K-2-E, RN46K-1-E, RN46DW-1-E	<b> </b>	19-45 mm		
GBT1850, SB-1850BN, BT1855-E, BT50B-1, BT1855SP-E	T 8	15-50 mm		
SB-1842BN	[T 8]	15-40 mm		
BT35B-1, SB-2in1	T 8	15-35 mm		
N62FNSP-E, N62FNB-E	T 32	32-64 mm		
Dewalt				
DC608	T.	25-50 mm		
DC618, DCN660,	T	32-64 mm		
DPN1664PP DCN690, DCN691,	T 16A	50-90 mm		
DCN692, DW325PT D51238	T 34	25-50 mm		
DPN1564PP	T.	6-8 mm		
DPN1850PP	T 2	15-50 mm		
DW66C-1	[ 8 ] [ ] [ 50 ]	50-65 mm		
DW325C	1 50 	50-75 mm		
_	1 20			
Esco				
ESCO10	53	4-10 mm		
ESCO11	140	6-10 mm		
ESCO19	13	4-6 mm		
ESCO20	53	4-8 mm		
ESCO30, ESCO40	53	6-14 mm		

ESCO50	53	6-14 mm	T 8	15 mr
ESCO58	58	4-14 mm		
ESCO90	53	6-14 mm	T 8	15 mr
ESCO100	53	8-20 mm	T	15-20 mr
ESCO200	606	12-25 mm	T <sub>8</sub>	15-25 mr
Compacta 530	53	4-14 mm		
ET53031, HT53055	53	6-14 mm	T 8	15 mi
Derby 530	53	6-8 mm		
DLT 530	53	4-18 mm		
DLT 606	606	12-25 mm		
Essve				
BN1.2/55, BNG1.2/50	T.	15-50 mm		
BNG1.6/20/64	T <sub>16A</sub>	32-64 mm		
CRN15-45	¥ <sub>45</sub>	19-45 mm		
CN15/65	<b>1</b> 50	50-65 mm		
CN15/90	<b></b>	50-90 mm		
FN3490, EFNG34/90, G3 GAS	T <sub>34</sub>	50-90 mm		
Haubold				
RNC45-R	<b> </b>	19-45 mm		
RNC50M, RNC65S/WII	45	32-45 mm		
RNC70.1	<b>1</b> 50	50-65 mm		
RNC90Z	F <sub>50</sub>	50-90 mm		
Hitachi				
NT50GS, NT50AE2(S)	Т	15-50 mm		
NT32AE2, NT32AE2(S)	T I	15-30 mm		
NT65GB	T	32-64 mm		
NT65GA, NT65MA4(S)	T 32	32-64 mm		
	32			
Kihlberg				
T694	11	6-12 mm		
KWB				
HT057	140	6-10mm		
HT053	53	5-8mm		
MT10	53	6-10 mm 8-16 mm	T	15 mi
MT16N	53	15 mm	8	10 101
PT8	53	4-8 mm		
PT10	53	4-10 mm		
	53	6-14 mm	T 8	15 m
PT14	Ţ,	15 mm	ٺ	
TT14	53	6-14 mm	T 8	15 mi
TT18	53	8-20 mm	T 8	15-25 mi
TT26	606	12-25 mm	18	15-25 mi
	1T 1	15-30 mm		

LUX	
195000	4-10 mm
195020	53 4-8 mm
195010, 195030	6-14 mm
195040, 195015, 195060	6-14 mm
195050	4-6 mm
NA t	
Maestri	T
ME30/MET30	15-30 mm
MK80/C	6-14 mm
Rocama 104/107	4-10 mm
Rocama 104/107 CA	6-10 mm
Rocama 104/107 SA	6-10 mm
105/108/110	53 4-10 mm
TH 53/8 - TAK 53/8	4-8 mm
THB 53/8	6-10 mm
THB 53/14 - TAK 53/14B	6-14 mm <b>T</b> 8 15 mm
Technica 1310	6-10 mm
5314/5310	6-14 mm
EHB T50	6-14 mm
TAK 53/10, 53/10B	4-10 mm
5316	6-14 mm
T50, T50 Electronic	6-14 mm
53 Electronic	8-20 mm
ME4/606 Electronic	12-25 mm 8 15-25 mm
Makita	
	T
AF505	15-50 mm
DBN500	15-50 mm
Max	
CN55	₹ <sub>50</sub> 50 mm
CN100	₹ <sub>50</sub> 65-90 mm
CN445	19-45 mm
CN890_CN80	₹ <sub>50</sub> 50-90 mm
GS690CH-EX, SN890CH-SN883CH	T <sub>34</sub> 50-90 mm
HN65, CN565S2,	\$ 50-65 mm
CN665, CN565, CN70 NF255F/18	15-50 mm
NF235F/18	T 8 15-35 mm
	T 20.64
NF665/15	32 32-04 mm
NF665/15	
Metabo	
	8-18 mm 606 12-18 mm
Metabo	
<b>Metabo</b> TaE 1819/1919	8-18 mm 606 12-18 mm
Metabo	8-18 mm
<b>Metabo</b> TaE 1819/1919  TaA 19	8-18 mm
<b>Metabo</b> TaE 1819/1919	8-18 mm
Metabo  TaE 1819/1919  TaA 19  TaE 2019/2020	8-18 mm
<b>Metabo</b> TaE 1819/1919  TaA 19	8-18 mm


Novus		
	Novus	
J-105   Same   S-14 mm   1	J-031G, J-032	6-10 mm
J-105 EADHG 6-14 mm 1	J-100/J-102A	6-14 mm
1-155/J-155 A		6-14 mm 6-14 mm
J-165 EAD		6-14 mm
J-165 EAD  J-165 EC  J-171/J-172 A  J-185 EC  J-171/J-172 A  J-185 EC  J-185	J-155/J-155 A	T
J-171/J-172 A	J-165 EAD	8-20 mm 8 15-20 mm
J-316 A  J-328 EC  J-328 E	J-165 EC	15-25 mm
J-328 EC	J-171/J-172 A	18-30 mm
J-214  JO1 A  JO1 A  JO2 AL  JO2 AL  JO3 XX/JO9 XX  JO3 XX/JO9 XX  JO3 XX/JO9 XX  JO4-8 mm  J-16 EADHG  6-14 mm  J-16 EADHG  6-14 mm  J-16 EADHG  6-14 mm  J-16 EADHG  6-14 mm  J-19 EADHG  6-14 mm  J-19 EADHG  6-14 mm  J-19 J-19 J-19 J-19 J-19 J-19 J-19 J-1	J-316 A	6-16 mm
JO1 A  JO2 AL  JO2 AL  JO3 AS	J-328 EC	15-28 mm
JO1 AS	J-214	6-14mm T 8 15mm
JO2 AL  JO2 AL  JO3 XX/JO9 XX  JO3 XX/JO9 XX  JO4-8 mm  JO5-14 mm	J01 A	6-8 mm
JOS XX/JOS XX    1	J01 AS	6-8 mm 28 9 mm
JOB XX/JOB XX    1	J02 AL	6-14 mm 36 14 mm
1-16		4-8 mm 58 4-8 mm
1-16   1-14 mm   1-15 mm   1-16 mm   1-17 mm	J08 XX/J09 XX	
J-16 EADHG EADHG 6-14 mm 1		
EADHG 6-14 mm 7	140	
Section   Sect	EADHG EST	6-14 mm
J-17DA  J-19  J-19  EADHG  6-14 mm  6-14 mm  15 6-14 mm  J-19S  J-19S  J-19L  J-19L  J-29  J-10 10-14 mm  J-19L  J-58 Trig  J-021 H  J-021 H  J-021 H  J-021 H  J-021 H  J-025 NCF325Li  J-0-75 mm  F325R, CF325Li  J-34  J-0-75 mm  F325R, CF325Li  J-35  J-150SDS, CF325RP  J-16 J-16 J-16 J-16 J-16 J-16 J-16 J-16	J-16SEAD	
J-17DA  J-19  J-19  EADHG  6-14 mm  6-14 mm  15 6-14 mm  J-19S  J-19S  J-19L  J-19L  J-29  J-10 10-14 mm  J-19L  J-58 Trig  J-021 H  J-021 H  J-021 H  J-021 H  J-021 H  J-025 NCF325Li  J-0-75 mm  F325R, CF325Li  J-34  J-0-75 mm  F325R, CF325Li  J-35  J-150SDS, CF325RP  J-16 J-16 J-16 J-16 J-16 J-16 J-16 J-16		[sar]
Section   Sect	Novus	
J-19	J-17DA	6-14 mm 6-14 mm
15 mm		6-14 mm 6-14 mm
J-19L  J-58 Trig  J-58 Trig  J-021 H  J-6 mm  Pasiode  18Ga Brad Nailer, FN1850, IM50, T200-F18  F325R, CF325Li  Ja4  J-0-75 mm  F350S, CF325XP  Ja4  J-0-90 mm  FN16A65, IM65A, IM250A-Li, T250A-F16  FN1835  Ta  J-3-55 mm  Prebena  P-J50STN, 2P-J50STN, 2P-J50STN, 2P-J60SVN  Ia  J-3-50 mm  CNF57  So  So  So  So  So  So  So  So  So  S	EADHG 6-14 mm	6-14 mm
J-58 Trig  J-58 Trig  J-021 H  J-021 H  J-021 H  J-021 H  J-021 H  J-021 H  J-04-6 mm   Paslode  18Ga Brad Nailer, FN1850, IM50, T200-F18  F325R, CF325Li  Ja 50-75 mm  F325R, CF325Li  Ja 50-90 mm  FN16A65, IM65A, IM250A-Li, T250A-F16  FN1835  Ta 32-64 mm  Prebena  P-150SDS, P-J50STVN, P-J50STVN, P-J50STVN, Ja 15-50 mm  P-2-J50STVN  P-JFES40 COMBI  SX-DA63  Ja 32-64 mm  CNF57  Ta 32-64 mm  CNF57  Ta 50 50 mm  CNW50  Ta 50-90 mm  CNW63  Ta 50-90 mm  CNW90  Ta 50-90 mm  CNW90  Ta 50-90 mm	J-19S	9-11 mm
Pasiode   15-50 mm   15-35 mm   15-50 mm	J-19L	10-14 mm
Pasiode  18Ga Brad Nailer, FN1850, IM50, T200-F18  F325R, CF325Li  F34  50-90 mm  FN16A65, IM65A, IM250A-Li, T250A-F16  FN1835  FN183	J-58 Trig	4-14 mm
18Ga Brad Nailer, FN1850, IM50, T200-F18 F325R, CF325Li  J34 50-75 mm F350S, CF325XP  J34 50-90 mm FN16A65, IM65A, IM250A-Li, T250A-F16  FN1835  Ta 15-35 mm  Prebena  2P-J50SDS, 2P-J50STVN, 2P-J50STVN, 2P-J50STVN, 2P-J50STVN  2P-J6S40 COMBI Ta 20-50 mm  CNF57 Ta 50 50 mm  CNW65, CNW70 Ta 50 50-90 mm  CNW90 Ta 50 75-90 mm  CNW90 Ta 50 75-90 mm	J-021 H	4-6 mm
FN1850, IM50,	Paslode	
T200-F18  F325R, CF325Li  J34  50-75 mm  F350S, CF325XP  FN16A65, IM65A, IM250A-Li, T250A-F16  FN1835  Prebena  2P-J50SDS, 2P-J50STVN, 2P-J50SVN  Is 15-50 mm  5X-DA63  CNF57  Fs0  S0 50 mm  CNW50  Fs0  S0-65 mm  CNW65, CNW70  Fs0  S0-90 mm  CNW90  Fs0  Ts-90 mm	18Ga Brad Nailer,	15-50 mm
F350S, CF325XP  FN16A65, IM65A, IM250A-Li, T250A-F16  FN1835  Prebena  2P-J50SDS, 2P-J50SDN, 2P-J50SVN  2P-J50SVN  2P-JF540 COMBI  SX-DA63  CNF57  Fo 50 mm  CNW50  F 50 50-65 mm  CNW65, CNW70  F 50 50-90 mm  CNW90  F 50 75-90 mm  CNW90  F 50 75-90 mm	T200-F18	[ 8
FN16A65, IM65A, IM250A-Li, T250A-F16		T
IM250A-Li, T250A-F16		T
Prebena  2P-J50SDS, 2P-J50STVN, 2P-J50SVN   2P-J/ES40 COMBI   SX-DA63   CNF57    S0  S0  S0  S0  S0  S0  S0  S0  S0	IM250A-Li, T250A-F16	T
2P-J50SDS, 2P-J50STVN, 2P-J50SVN  2P-JFS40 COMBI  SX-DA63  T 32  32-64 mm  CNF57  F 50  F 50  T 8  50-65 mm  CNW65, CNW70  F 50  S0-75 mm  CNW90  F 50  T 50-90 mm  CNW100  F 50  T 50-90 mm	FN1835	8 15-35 mm
2P-J50STVN, 2P-J50SVN  2P-J/ES40 COMBI  \$ 20-50 mm   \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$ 20-50 mm  \$		
5X-DA63	2P-J50STVN,	15-50 mm
CNW50 \$\begin{array}{c} \frac{1}{5} \text{50} & 50 \text{ mm} \\ CNW65, CNW70 \$\begin{array}{c} \frac{1}{5} \text{50} & 50-65 \text{ mm} \\ CNW83 \$\begin{array}{c} \frac{1}{5} \text{50} & 50-75 \text{ mm} \\ CNW90 \$\begin{array}{c} \frac{1}{5} \text{50} & 50-90 \text{ mm} \\ CNW100 \$\begin{array}{c} \frac{1}{5} \text{50} & 75-90 \text{ mm} \\ \end{array}	2P-J/ES40 COMBI	8 20-50 mm
CNW50	5X-DA63	32 32-64 mm
CNW65, CNW70 \$\big _{50}\$ 50-65 mm  CNW83 \$\big _{50}\$ 50-75 mm  CNW90 \$\big _{50}\$ 50-90 mm  CNW100 \$\big _{50}\$ 75-90 mm	CNF57	\$50 50 mm
CNW90 \$\bigg\{\frac{1}{50}}\) 50-75 mm  CNW90 \$\bigg\{\frac{1}{50}}\) 50-90 mm  CNW100 \$\bigg\{\frac{1}{50}}\) 75-90 mm	CNW50	32-45 mm
CNW90 \$\begin{array}{c} \frac{1}{5} & 50-90 \text{ mm} \\ \frac{1}{5} & 50 \end{array} & 75-90 \text{ mm} \\ \frac{1}{5} & 10-65 \text{ mm} \end{array}	CNW65, CNW70	\$50 50-65 mm
CNW100 \$\overline{\xi}_{50}^{\text{75-90 mm}}\$	CNW83	\$50 50-75 mm
CN745	CNW90	\$50 50-90 mm
CNZ45 19-45 mm	CNW100	75-90 mm
	CNZ45	19-45 mm

Rapesco /	Tac	cwise		
Z-140	140	6-14 mm	T <sub>8</sub>	15 mm
A11	140	6-10 mm		
140EL	140	6-14 mm	T 8	15 mm
191EL, DUO35	606	15-30 mm	T	15-35 mm
181EL	T	15-35 mm		
53EL	53	6-14 mm	T <sub>s</sub>	15 mm
CT45	28	8-10 mm		
CT60	36	10-14 mm	7	12-14 mm
Z1,Z1L-53	53	4-8mm		
Z1,Z1L-140	140	4-8mm		
Z1,Z1L-13	13	4-8mm		
Z3,Z3L-53	53	6-14mm	T 8	15mm
Z3,Z3L-140	140	6-14mm	T 8	15mm
Z3,Z3L-13	13	6-14mm	T 8	15mm
Z3 3in1 - 53L	53	6-8mm	[ s	15mm
23 3III - 33L			9	15mm
Z3 3in1 - 140L	140	6-8mm	T <sub>s</sub>	15mm
23 3111 - 1401			9	15mm
Z3 4in1	53	8-14 mm	T 8	15mm
23 41111	<b>[]</b> 7	12-14 mm	9	15mm
DUO50	606	18-40 mm	T 8	20-50mm
18G/50			T 8	20-50mm
Rocafix				
MS03		4-8 mm		
MS05	53	4-8 mm		
	53	) 		6-15 mm
MS10	53	6-12 mm	58	
MS20	53	6-12 mm	] 7	12-14 mm
MS30	53 <b>T</b>	6-12 mm	9	15 mm
		15 mm	T	
MS40	53	6-12 mm		15 mm
	7	12-14 mm	[e]	15 mm
MS100-MS110	53	4-10 mm	13 <b>T</b>	4-8 mm
MS500	140	6-14 mm	T S	15 mm
MS500B	53	6-14 mm	8	15 mm
MS655	0	12-14 mm	27	9-11 mm
MS675	7	12-14 mm	17	12-14 mm
ES130	140	6-14 mm	[] 8 T	15 mm
ES230	53	6-14 mm	8	15 mm
EN330		15-30 mm		
PSN20-50	44	20-40 mm	T 16	20-50 mm
Senco				
F-15, FinishPro 35Mg,	Т	20.04		
FinishPro 42XP, GT65DA, SFN30	32	32-64 mm		
F-16A, FinishPro 33Mg GT65RHA	16A	32-64 mm		
F-18, FinishPro 18BMg 18Mg, FinishPro 25XP, GT50AX, HNS 5015p, LNS 5015p,		15-50 mm		
FP325XP, FP701XP	T <sub>34</sub>	50-63 mm		
,		,		
FP651, SN951XP, GT90CH, GT60NN,	T <sub>34</sub>	50-90 mm		

PAL57F, PAL70, SCN58A	50 50-65 mm
PAL100XP	₹ <sub>50</sub> 65-90 mm
PAL130XP	90 mm
RP445XP, RP455XP, RP450, SCN34, SCN49, SCN49XP	19-45 mm
SLP 20XP	T 8 15-40 mm
Stanley/B	nstitch
ST10	6-10 mm
ST14	6-14 mm
TR45	6-8 mm
TR100	6-14 mm
TR200	140 6-14 mm 8 15 mm
TRE500	6-14 mm 8 15 mm
HT150C	140 6-14 mm
HT FATMAX PRO	8-10 mm
APC 2in1	15-30 mm
TRE540	140 12-14 mm
TR350 FATMAX	140 8-14 mm 8 15 mm
TR120	53 4-14 mm 8 15 mm
3in1	13 4-14 mm
TR75 FATMAX	6-14 13 6-8 mm 8 15 mm  6-14 7 mm 12-14 9 15 mm
TR400 FATMAX	4-14 mm
TR55	4-14 mm
TRE650	15-30 mm
TRE550, TR250	140 6-14 mm 8 15 mm
TR150HL, TR110	6-14 mm
Tjep	
GRF34/90LW, GRF34/105	7 <sub>34</sub> 50-90 mm
CN90-CN100	50 50-90 mm
TA45	19-45 mm
TF-18/50, TF-18/55, F-18/50	15-50 mm
	8 15-50 mm
TF-18/40	8 15-40 mm
	T 45.40
TF-18/40	T 8 15-40 mm
TF-18/40 TF-18/45	15-40 mm  18 15-45 mm  16A 32-64 mm
TF-18/40 TF-18/45 VF-16/64	8 15-40 mm  18 15-45 mm  16A 32-64 mm
TF-18/45  VF-16/64  AB-15/64  AB-15/50	\$ 15-40 mm  \$ 15-45 mm  \$ 32-64 mm  \$ 32-64 mm  \$ 32-64 mm
TF-18/40 TF-18/45 VF-16/64 AB-15/64	15-40 mm  18 15-45 mm  16A 32-64 mm  32 32-64 mm  32 32-50 mm
TF-18/40 TF-18/45 VF-16/64 AB-15/64 AB-15/50 Wolfcraft	\$ 15-40 mm  \$ 15-45 mm  \$ 32-64 mm  \$ 32-64 mm  \$ 32-64 mm
TF-18/40 TF-18/45 VF-16/64 AB-15/64 AB-15/50 Wolfcraft P10/M10	15-40 mm  16-45 mm  16-45 mm  16-45 mm  16-45 mm  16-45 mm  12-32-64 mm  32-64 mm  4-10 mm
TF-18/40 TF-18/45 VF-16/64 AB-15/64 AB-15/50 Wolfcraft P10/M10 Taco 4/HT8	\$ 15-40 mm  \$ 15-45 mm  \$ 15-45 mm  \$ 32-64 mm  \$ 32-6
TF-18/40 TF-18/45 VF-16/64 AB-15/64 AB-15/50 Wolfcraft P10/M10 Taco 4/HT8 Taco 5	15-40 mm  16-45 mm  15-45 mm  16-45 mm  132 32-64 mm  132 32-64 mm  132 32-50 mm  4-10 mm  4-8 mm
TF-18/40 TF-18/45 VF-16/64 AB-15/64 AB-15/50 Wolfcraft P10/M10 Taco 4/HT8 Taco 5 7160/7162	\$ 15-40 mm  \$ 15-45 mm  \$ 15-45 mm  \$ 32-64 mm  \$ 32-64 mm  \$ 32-64 mm  \$ 32-50 mm  \$ 34-10 mm  \$ 34-8 mm  \$ 35 4-8 mm  \$ 36-8 mm  \$ 36-8 mm  \$ 37 4-8 mm  \$ 38 4-8 mm  \$ 39 4-8 mm
TF-18/40 TF-18/45 VF-16/64 AB-15/64 AB-15/50 Wolfcraft P10/M10 Taco 4/HT8 Taco 5 7160/7162 7165	\$ 15-40 mm  \$ 15-45 mm  \$ 15-45 mm  \$ 32-64 mm  \$ 32-6

# STAPLES AND NAILS

One of the most important aspects of meeting customer demands is being able to offer perfect fastening tools. Another equally crucial element is being able to supply the right type of staples or nails for the job. At Rapid we are experts at both, and we also understand the importance of staple or nail quality. Our product range is the widest on the market and in order to achieve the best possible end results, we always recommend using Rapid original staples and nails. Using the wrong sized staple or inferior quality staples can cause the tool to jam and malfunction.





#### FLATWIRE FOR HEAVY DUTY AND CONSTRUCTION

These quality flatwire, galvanized staples feature a larger holding area against the surface material making them ideal for working with insulation material and thin plastics as well as thin cardboard and carpets. Precision cut legs optimise material penetration. Also available in stainless steel.

# 140/5M PP/2M PP



Description	Specification	Pcs	Art. No.	EAN Code	Units
140/6 mm	Galvanized	5000	40303088	7313463030884	5
140/8 mm	Galvanized	5000	40303089	7313463030891	5
140/10 mm	Galvanized	5000	40303090	7313463030907	5
140/12 mm	Galvanized	5000	40303091	7313463030914	5
140/14 mm	Galvanized	5000	40303092	7313463030921	5
140/16 mm	Galvanized	2000	5000091	4051661001703	5



## 140/5M boxes



Description	Specification	Pcs	Art. No.	EAN Code	Units
140/6 mm	Galvanized	5000	11905711	7313469140068	20
140/8 mm	Galvanized	5000	11908111	7313469140075	20
140/10 mm	Galvanized	5000	11910711	7313469140082	20
140/12 mm	Galvanized	5000	11912311	7313469140099	15
140/14 mm	Galvanized	5000	11915611	7313469140105	15



# 140/2M boxes



Description	Specification	Pcs	Art. No.	EAN Code	Units
140/6 mm	Galvanized	2000	11905731	7313469140013	10
140/8 mm	Galvanized	2000	11908131	7313469140020	10
140/10 mm	Galvanized	2000	11910731	7313469140037	10
140/12 mm	Galvanized	2000	11912331	7313469140044	10
140/14 mm	Galvanized	2000	11915631	7313469140051	10
140/10 mm	Stainless steel	2000	11910733	7313469140112	5



# 140/Narrow blisters



Description	Specification	Pcs	Art. No.	EAN Code	Units
140/6 mm	Galvanized	970	40109513	3221631095136	5
140/8 mm	Galvanized	970	40109514	3221631095143	5
140/10 mm	Galvanized	648	40109515	3221631095150	5
140/12 mm	Galvanized	648	40109516	3221631095167	5
140/14 mm	Galvanized	648	40109517	3221631095174	5
140/8 mm	Stainless Steel	970	5000703	4051661022005	5
140/10 mm	Stainless Steel	648	40109575	3221631095754	5
140/12 mm	Stainless Steel	648	5000690	4051661021442	5
140/14 mm	Galvanized; Divergent points	648	40109576	3221631095761	5



# 13



#### FINEWIRE FOR LIGHT DUTY AND DECORATION

These quality finewire staples are ideal for working with textiles. Featuring a discreet, low visibility design and created to have a minimal effect on textile fibres, they are also a great solution when labelling. Made from high performance, galvanized wire, their legs are precision cut for optimal penetration.

# 13/5M PP



Description	Specification	Pcs	Art. No.	EAN Code	Units
13/6 mm	Galvanized	5000	40303079	7313463030792	5
13/8 mm	Galvanized	5000	40303080	7313463030808	5
13/10 mm	Galvanized	5000	40303081	7313463030815	5
13/14 mm	Galvanized	5000	40303082	7313463030822	5



# 13/5M boxes



Description	Specification	Pcs	Art. No.	EAN Code	Units
13/4 mm	Galvanized	5000	11825700	7313469013010	50
13/6 mm	Galvanized	5000	11830700	7313469013034	50
13/8 mm	Galvanized	5000	11835600	7313469013065	40
13/10 mm	Galvanized	5000	11840600	7313469013089	35
13/14 mm	Galvanized	5000	11850500	7313469013102	25



# 13/Narrow blister



•					
Description	Specification	Pcs	Art. No.	EAN Code	Units
13/4 mm	Galvanized	1650	40109518	3221631095181	5
13/6 mm	Galvanized	1650	40109519	3221631095198	5
13/8 mm	Galvanized	1650	40109520	3221631095204	5
13/10 mm	Galvanized	1100	40109521	3221631095211	5
13/14 mm	Galvanized	1100	40109522	3221631095228	5



# 13/2.5M boxes



Description	Specification	Pcs	Art. No.	EAN Code	Units
13/4 mm	Galvanized	2500	11825725	7313469013027	10
13/6 mm	Galvanized	2500	11830725	7313469013041	10
13/8 mm	Galvanized	2500	11835625	7313469013072	10
13/10 mm	Galvanized	2500	11840625	7313469013096	10
13/14 mm	Galvanized	2500	11850525	7313469013119	10
13/6 mm	Stainless Steel	2500	11830726	7313469013058	5
13/8 mm	Stainless Steel	2500	11835626	7313469013126	5



# 53/5M PP



Description	Specification	Pcs	Art. No.	EAN Code	Units
53/6 mm	Galvanized	5000	40303083	7313463030839	5
53/8 mm	Galvanized	5000	40303084	7313463030846	5
53/10 mm	Galvanized	5000	40303085	7313463030853	5
53/12 mm	Galvanized	5000	40303086	7313463030860	5
53/14 mm	Galvanized	5000	40303087	7313463030877	5
53/16 mm	Galvanized	2400	5000202	4051661007989	5



# 53/5M boxes



Description	Specification	Pcs	Art. No.	EAN Code	Units
53/4 mm	Galvanized	5000	23808700	7313468087005	50
53/6 mm	Galvanized	5000	11856250	7313468562502	50
53/8 mm	Galvanized	5000	11857050	7313468570507	35
53/10 mm	Galvanized	5000	11858810	7313468585105	35
53/12 mm	Galvanized	5000	11859610	7313468596101	30
53/14 mm	Galvanized	5000	11860410	7313468604103	25
53/16 mm	Galvanized	5000	11860490	7313468604905	20



# 53/2.5M boxes



Description	Specification	Pcs	Art. No.	EAN Code	Units
53/6 mm	Galvanized	2500	11856225	7313469053016	10
53/8 mm	Galvanized	2500	11857025	7313469053023	10
53/10 mm	Galvanized	2500	11858825	7313469053054	10
53/12 mm	Galvanized	2500	11859625	7313469053061	5
53/14 mm	Galvanized	2500	11860425	7313469053078	10
53/20 mm	Galvanized	1250	11894301	7313468943011	10
53/8 mm	Stainless steel	2500	23808000	7313468080006	10
53/10 mm	Stainless steel	2500	23807500	7313468075002	10



# 53/1.2M boxes



Description	Specification	Pcs	Art. No.	EAN Code	Units
53/6 mm	Galvanized	1200	23807400	7313468074005	10
53/8 mm	Galvanized	1200	23808800	7313468088002	10
53/10 mm	Galvanized	1200	23808900	7313468089009	10
53/12 mm	Galvanized	1200	23809000	7313468090005	10
53/14 mm	Galvanized	1200	23807600	7313468076009	10



# 53/Narrow blisters



Description	Specification	Pcs	Art. No.	EAN Code	Units
53/4 mm	Galvanized	1620	40109501	3221631095013	5
53/6 mm	Galvanized	1080	40109502	3221631095020	5
53/8 mm	Galvanized	1080	40109503	3221631095037	5
53/10 mm	Galvanized	1080	40109504	3221631095044	5
53/12 mm	Galvanized	1080	40109505	3221631095051	5
53/14 mm	Galvanized	1080	40109506	3221631095068	5
53/20 mm	Galvanized	540	40109508	3221631095082	5
53/6 mm	Stainless steel	1080	40109509	3221631095099	5
53/8 mm	Stainless steel	1080	40109510	3221631095105	5
53/10 mm	Stainless steel	1080	40109511	3221631095112	5
53/12 mm	Stainless steel	1080	40109512	3221631095129	5
53/6mm	Galvanized	2130	5000741	4051661023095	5
53/8mm	Galvanized	2130	5000742	4051661023132	5
53/10mm	Galvanized	2130	5000743	4051661023170	5





[ 44





4-ın-1					
Description	Specification	Pcs	Art. No.	EAN Code	Units
53/8/9/7	Galvanized	1740	40109414	3221631088718	10







#### FOR LOW VOLTAGE CABLES

With their rounded crown, these flatwire staples are specifically designed for fastening low voltage cables up to 50 V such as computer, hi-fi speaker or telephone cables. Diverging points, DP, makes leg points go in opposite directions, for extra strong bonding.

# 28/5M boxes





Description	Specification	Pcs	Art. No.	EAN Code	Units
28/9 mm	Galvanized	5x1000	11890131	7313468901318	25
28/10 mm	Galvanized	5x1000	11893510	7313468935108	20
28/11 mm	Galvanized	5x1000	11891933	7313468919337	20
28/9 mm	White	5x1000	11890130	7313468901301	25
28/10 mm	White	5x1000	11893511	7313468935115	20
28/11 mm	White	5x1000	11891931	7313468919313	20



# 36/5M boxes






Description	Specification	Pcs	Art. No.	EAN Code	Units
36/10 mm	Superstrong - Galvanized	5x1000	5000774	4051661023552	20
36/12 mm	Superstrong - Galvanized	5x1000	5000511	4051661017360	20
36/14 mm	Superstrong - Galvanized	5x1000	5000512	4051661017377	15
36/10 mm	Galvanized	5x1000	11884410	7313468844103	20
36/12 mm	Galvanized	5x1000	11885110	7313468851101	20
36/14 mm	Galvanized	5x1000	11886910	7313468869106	15
36/10 mm	White	5x1000	11884431	7313468844318	20
36/14 mm	White	5x1000	11886911	7313468869113	15



# 36/Narrow blisters










#### 7/Narrow blisters











#### NARROW CROWN

An effective solution when fixing through tough materials or where long depth is required, these precision cut, narrow crown staples are made from high performance, galvanized steel and work like a double brad. Resin coated to increase their resistance to removal, these are ideal for heavy duty fixing, flooring, wood panelling, wall boards, frames, partitioning. Resin coating gives them optimal fixing characteristics in wood.

### 606/3.6M PP



Description	Specification	Pcs	Art. No.	EAN Code	Units
606/12 mm	Galvanized; Resin coated	3600	40303093	7313463030938	5
606/18 mm	Galvanized; Resin coated	3600	40303094	7313463030945	5
606/25 mm	Galvanized; Resin coated	3600	40303095	7313463030952	5
606/30 mm	Galvanized; Resin coated	3600	40303096	7313463030969	5



#### 606/4M boxes



Description	Specification	Pcs	Art. No.	EAN Code	Units
606/12 mm	Galvanized; Resin coated	4000	11895002	7313468950026	6
606/18 mm	Galvanized; Resin coated	4000	11897602	7313468976026	6
606/25 mm	Galvanized; Resin coated	4000	11737302	7313467373024	6
606/30 mm	Galvanized; Resin coated	4000	46631040	4004073000574	6



# 606/Narrow blisters



Description	Specification	Pcs	Art. No.	EAN Code	Units
606/12 mm	Galvanized; Resin coated	1200	40109527	3221631095273	5
606/15 mm	Galvanized; Resin coated	1200	40109528	3221631095280	5
606/18 mm	Galvanized; Resin coated	600	40109529	3221631095297	5
606/23 mm	Galvanized; Resin coated	600	40109530	3221631095303	5
606/25 mm	Galvanized; Resin coated	600	40109531	3221631095310	5
606/30 mm	Galvanized; Resin coated	600	40109532	3221631095327	5

[ 46
















#### SERVICE ASSORTMENT

Rapid is proud to be a full-service staple supplier. We offer a comprehensive range of staples designed to fit all other major brands on the market, using high quality steel and superior manufacturing processes. By offering this assortment, retailers can more readily offer customer satisfaction by being able to meet varying demands and the customers can always find a total fastening solution even if they are not using a Rapid tool.

# 1/Narrow blisters








- Flatwire staples.
- Specifically designed for use with Rocagraf tools.

#### 11/Narrow blisters








- Galvanized, flatwire staples.Specifically designed for use with Bostitch tools.

#### 12/5M boxes








 Quality, flatwire, galvanized staples. Ideal solution for working with tapestry, padding and upholstery.

### 12/Narrow blisters







#### 53F/Narrow blisters



Description	Specification	Pcs	Art. No.	EAN Code	Units
53F/6 mm	Galvanized	970	5000555	4051661018688	5
53F/8 mm	Galvanized	970	5000556	4051661018695	5
53F/10 mm	Galvanized	648	5000557	4051661018701	5
53F/14 mm	Galvanized	648	5000558	4051661018718	5



- Galvanized finewire staples.
- Specifically designed for use with Novus products.

### **BMN/Narrow blisters**



Description	Specification	Pcs	Art. No.	EAN Code	Units
BMN/6 mm	Galvanized	1080	40109555	3221631095556	5
BMN/8 mm	Galvanized	1080	40109556	3221631095563	5
BMN/10 mm	Galvanized	1080	40109557	3221631095570	5
BMN/14 mm	Galvanized	1080	40109559	3221631095594	5



- · Galvanized finewire staples.
- Specifically designed for use with Bosch, Metabo and Novus products.

# 958/Narrow blisters




Description	Specification	Pcs	Art. No.	EAN Code	Units
958/6 mm	Galvanized	2400	40109541	3221631095419	5
958/8 mm	Galvanized	2000	40109542	3221631095426	5
958/10 mm	Galvanized	1600	40109543	3221631095433	5
958/12 mm	Galvanized	800	40109544	3221631095440	5



- Galvanized finewire staples.
   Specifically designed for use with Esco and Novus products.

# 90/3M PP







High performance, galvanized narrow crown staples.
 Specifically designed for use with Rapid pneumatic stapler PBS151.

# 970/Narrow blisters



Description	Specification	Pcs	Art. No.	EAN Code	Units
970/6 mm	Galvanized	1344	40109549	3221631095495	5
970/8 mm	Galvanized	1120	40109550	3221631095501	5
970/10 mm	Galvanized	896	40109551	3221631095518	5
970/12 mm	Galvanized	672	40109552	3221631095525	5
970/14 mm	Galvanized	672	40109553	3221631095532	5
970/14 mm	Galvanized; Divergent points	672	40109599	3221631095990	5



Galvanized flatwire staples.
 Specifically designed for use with Black & Decker products.

# 16A

21B

#### **BRADS AND PINS**

Versatile and high quality, these high performance, galvanized brads are ideal for many different kind of finishing application such as carpentry and framing as well as wood panelling. Precision cut legs optimise material penetration. Also available in stainless steel.

# 980/Narrow blisters



Description	Specification	Pcs	Art. No.	EAN Code	Units
980/8 mm	Galvanized	1080	40109545	3221631095457	5
980/10 mm	Galvanized	864	40109546	3221631095464	5
980/12 mm	Galvanized	648	40109547	3221631095471	5
980/14 mm	Galvanized	648	40109548	3221631095488	5



- Galvanized, flatwire staples.Originally designed for use with Swingline tools.

### 8/PP boxes



Description	Specification	Pcs	Art. No.	EAN Code	Units
8/15 mm	Galvanized	5700	5000520	4051661017636	5
8/25 mm	Galvanized	5600	5000183	4051661007422	5
8/30 mm	Galvanized	4200	5000184	4051661007439	5
8/40 mm	Galvanized	2800	5000185	4051661007446	5
8/50 mm	Galvanized	2800	5000186	4051661007453	5

**32** 



[ 48 [ 49

# 8/5M boxes



5000

40100537 3221631005371



# 8/2M boxes

Galvanized

8/50 mm

Description	Specification	Pcs	Art. No.	EAN Code	Units
8/15 mm	Galvanized	2000	5000811	4051661024122	10
8/20 mm	Galvanized	2000	5000812	4051661024139	10
8/25 mm	Galvanized	2000	5000813	4051661024146	10
8/30 mm	Galvanized	1400	5000814	4051661024153	10
8/40 mm	Galvanized	1200	5000815	4051661024160	10
8/50 mm	Galvanized	1000	5000816	4051661024177	10



# 8/1M boxes

Description	Specification	Pcs	Art. No.	EAN Code	Units
8/15 mm	Galvanized	1000	11900820	7313469008207	70
8/20 mm	Galvanized	1000	11901720	7313469017209	70
8/25 mm	Galvanized	1000	11902520	7313469025204	72
8/30 mm	Stainless steel	1000	40303066	7313463030662	36
8/50 mm	Stainless steel	1000	40303067	7313463030679	36



## 8/Narrow blisters

Description	Specification	Pcs	Art. No.	EAN Code	Units
8/15 mm	Galvanized	1000	40109533	3221631095334	5
8/20 mm	Galvanized	750	40109534	3221631095341	5
8/25 mm	Galvanized	1000	40109535	3221631095358	5
8/30 mm	Galvanized	1000	40109536	3221631095365	5

[ 50



## 9/1M boxes

Description	Specification	Pcs	Art. No.	EAN Code	Units
9/15 mm	Galvanized	1000	40109538	3221631095389	5



- These brads have no head, making them almost invisible
- Made from precision cut, high performance, galvanized
- The perfect solution for carpentry, base boards and lighter furniture work.
- Precision cut legs optimise material penetration.

# 16 / Narrow blisters

Description	Specification	Pcs	Art. No.	EAN Code	Units
16/14 mm	Galvanized	990	40109554	3221631095549	5



Heavy duty galvanized brads.

T 16

T<sub>16A</sub>

21P

- Ideal for tough carpentry work and working with wood panelling, door framing and carpentry.
   Precision cut legs optimise material penetration.

# 16A/2M boxes

Description	Specification	Pcs	Art. No.	EAN Code	Units
16A/32 mm 20°	Galvanized	2000	5000817	4051661024184	6
16A/38 mm 20°	Galvanized	2000	5000818	4051661024191	6
16A/45 mm 20°	Galvanized	2000	5000819	4051661024207	6
16A/50 mm 20°	Galvanized	2000	5000820	4051661024214	6
16A/64 mm 20°	Galvanized	2000	5000821	4051661024221	6
16A/38 mm 20°	Stainless	2000	5000822	4051661024238	6
16A/50 mm 20°	Stainless	2000	5000823	4051661024245	6
16A/64 mm 20°	Stainless	2000	5000824	4051661024252	6



- Heavy duty galvanized brads.
  Ideal for second fix carpentry work and finishing applications such as door and window trim, skirting
- and panelling.

  The 20 degree angle allows for easy access into corners.
- Precision cut legs optimise material penetration.

# 21P/5M boxes


Description	Specification	Pcs	Art. No.	EAN Code	Units
21P/20 mm	Galvanized	5000	40302972	3221633029726	30
21P/30 mm	Galvanized	5000	40302974	3221633029740	20



- These mini-pins have no head, making them practically invisible.
- Made from precision cut, extra-thin, high performance
- galvanized steel.

  Ideal for door and window framing, thin base board work, light furniture and carpentry.

#### 21B/5M boxes






Almost 'invisible' mini brads.

21B

- · Made from precision cut, extra-thin, high performance
- · Ideal for door and window framing, thin base board work, light furniture and carpentry.

#### 32/1M boxes





- Precision cut, high performance brads with 34° angled strips and a D head
- Ideal for special, high finish applications such as carpentry and door framing.
- Long life wire is specifically designed for outdoor use or
- Precision chisel cut legs optimise material penetration.








#### NAILS

[ 52

High performance range of industrial coil and strip nails made for roofing and framing applications. Coils nails are joined together with wire whereas strip nails are collated with paper. Manufactured with diamond point to allow best penetration.

T<sub>34</sub>


#### 34 HDG/boxes





- Professional quality 34-D nails "Clipped-head Nails".
- Designed for outdoor use. Perfect solution for framing applications such as nailing studs, rafters, ridge boards, parquet, terracing and decking.
- Hot Dip Galvanized for outdoor use.
- Paper collated with ring shank for best holding strength.
- Comply with Construction products regulation (EU) 305/2011. Service Class 3 Nails, CE approved, Declared performances according to DIN EN14592.

#### 34 BB/boxes





- Professional quality 34-D nails "Clipped-head Nails".
- . Designed for indoor framing or structural work. Ideal for sheathing, joists, parquet and studs.


34

45

**1**50

- Bright finish for indoor use.
  Paper collated with ring shank for best holding strength.
- Comply with Construction products regulation (EU) 305/2011. Service Class 1 Nails, CE approved, Declared performances according to DIN EN14592.

#### 45 HDG/boxes





- Heavy Duty 15° coil roofing nails.
- Ideal for shingles, exterior drywall, insulation board, fibre cement applications, soft wood and steel.
- Hot Dip Galvanized finish for long lasting hold and

### 50 BB/boxes

Description	Specification	Pcs	Art. No.	EAN Code	Units
50/50 mm	Bright Basic; Ring shank	3600	5000807	4051661023910	1
50/65 mm	Bright Basic; Ring shank	2700	5000808	4051661023927	1
50/75 mm	Bright Basic; Ring shank	2700	5000809	4051661023934	1
50/90 mm	Bright Basic; Ring shank	1800	5000810	4051661023941	1



- Industrial 15° coil framing nails.
- · Ideal for framing, sheathing, decking, sub-flooring and
- working with crates, pallets or box assembly.


  Bright finish for indoor use.
- Comply with Construction products regulation (EU) 305/2011. Service Class 1 Nails, CE approved, Declared performances according to DIN EN14592.

/ 53



## **GLUE GUNS**

A good glue gun can be the difference between a job well done and less impressive results. For example, a Rapid glue gun doesn't drip and will never clog up with old glue residue. Areas of use are many, and by switching between different kinds of glue sticks you can use the same glue gun to bond a wide variety of materials. Our glue guns heat up quickly, minimising the need to wait before getting to work and represent the market's strongest line of glue guns for any kind of assignment or application. Ergonomically designed, easy to use and available in electrical, rechargeable or battery-powered versions, Rapid glue guns optimise efficiency and deliver quality results.





EG380

**EG360** 

Description

Box - CH plug

EG340

Description

Box - UK plug

Box - CH plug


EG320

Box

Box









Professional, industrial performance glue gun with an exceptionally high glue output of 2200 g/h. Designed for high frequency, demanding usage and precision Glue Ø12 mm

- 2200 g/h glue output
  - Power 400 W
  - $\bullet$  Heating time: 1 min at 130 °C 3 min at 210 °C

**PRO** 

**PRO** 

**PRO** 

**PRO** 

- Adjustable temperature 130-230 °C
  Temperature settings: 130 °C, 150 °C, 170 °C, 190 °C, 210 °C, 230 °C
- Works with both EVA and polyamid glue
- 3.5 m rubber cord
- Supplied with a fixed and a mobile stand
- Standard nozzle: Ø3.5 mm
- Exchangeable nozzle Soft grip 4 finger trigger for high comfort
- 2 year guarantee







EAN Code

4051661011689

4051661019074

Glue Ø12 mm

Units

Heating time: 1 min at 130 °C, 3 min at 210 °C

Professional, industrial standard glue gun equipped with

a high performance 300 W cartridge heater system.

Designed for precision application and high-frequency

- Adjustable temperature 120-230 °C
   Temperature settings: 120 °C, 145 °C, 170 °C, 195 °C and 230 °C
- Standard nozzle Ø3.5 mm, exchangeable 4 finger trigger for high comfort of use
- 2.5 m rubber cord

• 1800 g/h glue output • Power 300 W

- Supplied with a fixed and a mobile stand
- Work with both EVA & Polyamide glue
- 2 year guarantee





Art. No.

5000327

5000639

5000565

Art. No.

5000328

5000566





EAN Code

4051661011672

4051661020605

4051661019043

Professional, industrial performance glue gun with a glue output of 1400 g/h. Designed for high frequency, demanding usage and precision application. Glue

Units

5

- 1400 g/h glue outputPower 220 W Heating time: 1 min at 130 °C, 3 min at 210 °C
- Adjustable temperature 120-220 °C
   Temperature settings: 120 °C, 145 °C, 170 °C, 105 °C, 200 °C
- 195 °C, 220 °C
- Works with both EVA and polyamide glue
- Standard nozzle Ø3.0 mm, exchangeable
- Ergonomic 4-finger handle
- 2.5 m cord
- Supplied with a fixed and mobile stand

Professional, multi-purpose glue gun characterised by its compact size and light weight. Comfortable to operate, well balanced and designed for precision working even

2 year guarantee







Glue

• 1000 g/h glue output Power 120 W • 4 min heating time Temperature setting: 195 °C self-regulated

 Works with both EVA and polyamide glue • Standard nozzle Ø3.0 mm, exchangeable

Supplied with a fixed and a mobile stand

• Ergonomic 4-finger handle • 1.75 m cord

when working intensively

2 year guarantee



Description	Art. No.	EAN Code	Units
Зох	5000326	4051661011665	5
Box - UK plug	5000714	4051661022562	5



**EG330** 

Box - AU/NZ plug

Case - UK plug

**EG310** 

**BGX300** 

Case incl glue sticks

Case incl glue sticks - UK plug

Case incl glue sticks - AU/NZ plug

Description

Box

Description

Clamshell

Вох

Case

Description

Box

Case





**EAN Code** 

4051661009952

40303007 3221633030074

40303008 3221633030081

5000119 4051661002328

Art. No.

5000246

Art. No.

5000436

Art. No.

5000120

**[ 58** 

Ø12 mm

5

5

6

High capacity glue gun perfect for high frequency jobs that also demand precision and efficiency.

PRO

**PRO** 

- 1300 g/h glue output Power 380 W
- 3-4 min heating time
- Temperature settings: 185 °C and 200 °C
- Exchangeable nozzle
- 4-finger trigger action
- 2 m cord
- Fixed stand for full stability
- 2 year guarantee







EAN Code

3221631085625

40303005 3221631085793

40303006 3221631085663

Glue

Units

Glue gun designed for multi-purpose home or DIY use but still offering professional performance levels.

- 1000 g/h glue output 3-4 min heating time
  Temperature setting: 200 °C
- Exchangeable nozzle 4-finger trigger action
- 2 m cord
- Mobile stand for full flexibility
- 3 year guarantee





EAN Code

4051661002335

40303073 7313463030730

40303135 7313463031355

5000257 4051661010293



Units

3

3

Enjoy freedom and working versatility with this cordless Lithium-lon powered glue gun. Designed for precision operation around the house.

- Up to 60 minutes cordless operation before recharging is required

  Patented technology
- Lithium Ion battery powered
- 3 to 6 min heating time
- Read-to-use indicator light
- Ergonomic soft-grip and smooth action trigger
- Adjustable stand
- 2 year guarantee



## Battery for BGX300

Description	Art. No.	EAN Code	Units
A300 Battery for BGX300	40303077	3221633030777	20

Extra 7,2 V Li-Ion battery for BGX300. Easy removal and

- 7.2 V, 2600 mAh
- Easy click battery No self-discharge
- 2 year guarantee



EG280

Clamshell - West

Clamshell - East

**CG270** 

Clamshell - West

Clamshell - East

Clamshell - AU/NZ

**EG250** 

**EG212** 

Case incl nozzles and glue sticks

Description

Description

Description





EAN Code

4051661014710

4051661015335

Art. No.

5000426

5000444

Art. No.

5000425

5000443

5000769

Art. No.

Glue Ø12 mm

Units

5

High performance glue gun for demanding DIY users. Ideal for a wide variety of tasks around the house. High yet smooth glue output of 600 g/h giving better finished

- 600 g/h glue output
- 3 min heating time
- Soft-grip trigger and handle
  Soft grip top cover for heating protection
- Exchangeable nozzleFixed stand for full stability
- 3 year guarantee



EAN Code

3221633029948

3221633030555

4051661023477

# Glue

Units

operation and soft grip handle and trigger – this means you work more efficiently and more comfortably. • 350 g/h glue output Removable cord, 7min continuous work when unplugged
Soft-grip trigger and handle Exchangeable nozzle Adjustable stand

• 3 year guarantee





EAN Code

40303017 3221633030173



5

Starter kit including multipurpose glue gun. Ideal for quick, effortless decoration and repair tasks around the hous

The ideal glue gun for a wide variety of jobs indoors and outdoors. Great user comfort thanks to its cordless

- 300 g/h glue output
- 8 min heating time Replaceable nozzle
- Incl pallet nozzle, long nozzle and standard nozzle
- · Incl 12 glue sticks of transparent glue
- 2 year guarantee





For quick, effortless decoration and repair tasks around the house, this smart, great value, ergonomically designed glue gun is the perfect solution.

- 250 g/h glue output
- 3-6 min heating time
- · Soft grip trigger for high comfort
- Adjustable stand
- · 2 year guarantee

Clamshell - East

Description EAN Code Units Art. No. Clamshell - West 5000424 3221633029238 3221633029344 5 5000442 4051661009938 Clamshell - AU/NZ plug 5000244 Clamshell - UK plug 40302921 3221633029214

West = DE FR NL GB IT ES PT SE DK FI GR East = DE PL RU CZ SK SI HR TR HU RO BG [ 59



**EG111** 

Description

Clamshell incl glue sticks

**EG** Point

Description

Clamshell - West

Clamshell - East

EG130

Clamshell - UK plug

Clamshell - AU/NZ plug

Clamshell incl glue sticks - UK plug



EAN Code

4051661018138

40303076 3221633028538

Art. No.

5000533

Art. No.

Units

5

Starter kit including 500 g multi-purpose glue. Ideal for quick repair and fixing around the home.

- 200 g/h glue output10 min heating time
- Adjustable stand
- Incl 500 g multi-purpose glue sticks
- 2 year guarantee





EAN Code

5000423 3221633029160

5000432 3221633029313

40302915 3221633029153

40303002 3221633030029



Units

5

5

5

Reliable, great value and versatile thanks to cordless operation. 8 mm nozzle is ideal for precision work.

- 80 g/h glue output

- 5 min heating time
   Cordless operation enables great flexibility
   8 mm long precision nozzle for small and precise work
   Integrated stand
- 2 year guarantee







Description	Art. No.	EAN Code	Units
Clamshell - West	5000435	3221633029191	5
Clamshell - East	5000445	3221633039320	5
Clamshell - AU/NZ plug	40303003	3221633030036	16
Clamshell - UK plug	40303000	3221633030005	5

Handy, low temperature (130  $^{\circ}\text{C})$  glue gun designed for home and school use. Ideal for working with sensitive materials.

- 80 g/h glue output
  5 min heating time
  Low temperature 130 °C for sensitive materials
  Integrated stand
  2 year guarantee

#### **ACCESSORIES**









#### Nozzles

Description	Specification	Art. No.	EAN Code	Units
1. Extended Nozzle	EG320/EG340/EG360/EG380	5000200	4051661007927	1
2. 4 Wide Spread Nozzle	EG320/EG340/EG360/EG380	5000201	4051661007958	1
3. Set of 3 Nozzles	EG250/CG270/EG280/ BGX300/EG310/EG330	40107334	3221631073349	10
4. Extra thin nozzle Ø1.2 mm	EG310/EG320	5000489	4051661016509	1

West = DE FR NL GB IT ES PT SE DK FI GR East = DE PL RU CZ SK SI HR TR HU RO BG

[ 60 [ 61

# **GLUE STICKS**

Hot-melt adhesives have a number of advantages – they're free from toxic components, they don't spill and they provide the best way to long-lasting, quickdrying fastening. In order to cover every application and requirement, Rapid has developed the market's widest range of glue sticks for any application. Our range encompasses technical and professional glue, glue for a wide variety of materials and glue in different colours. So, no matter what you want to bond, to achieve the best possible result, we always recommend Rapid glue sticks.





**Assembly** 

Car Repair

Dimension

Ø12 x 190 mm

Ø12 x 190 mm

Dimension

Ø12 x 190 mm

**GEN-T** 

#### **TECHNICAL GLUE**

These 12 mm glue sticks deliver quality bonding thanks to high resin levels and are perfect for a wide range of professional applications. Available in practical 1 kg, 2.5 kg or 10 kg packs ideal for Pro or Industrial users.





EAN Code

3221633027883

EAN Code

3221630101357

40302787 3221633027876

Ø12 mm

Units

 For a wide range of professional assembly applications on wood, packaging, leather, cork or textile

12 mm glue sticks

Colour: Cream

Application temperature: 170-190 °C
Softening point: 80-96 °C

• Open time: 30 sec

Set time: 30 sec





Content

1 kg

Content

10 kg

Art. No.

40302788

Art. No.

51215108



Ø12 mm

Units

**PRO** 

**PRO** 

**PRO** 

**PRO** 

• For a wide range of professional applications within the car industry

12 mm glue sticks

Colour: Black

Application temperature: 170-190 °C
Softening point: 80-84 °C

• Open time: 25 sec

• Set time: 15 sec





Dimension	Content	Art. No.	EAN Code	Units
Ø12 x 190 mm	10 kg	40302771	3221633027715	1
Ø12 x 295 mm	2.5 kg	40302800	3221633028002	4
Ø12 x 190 mm	1 ka	40302799	3221633027999	10



For a wide range of professional applications with paper, cardboard, textile, wood & derivates

 12 mm glue sticks Colour: Transparent

Application temperature: 160-200 °C
Softening point: 81-84 °C

Open time: 60 sec



#### **Low Temp**

Dimension	Content	Art. No.	EAN Code	Units
Ø12 x 190 mm	1 ka	40302781	3221633027814	10



For a wide range of professional applications on delicate materials in need of lower temperatures

12 mm glue sticks

Colour: Transparent

Application temperature: 130-150 °C

 Softening point: 78-83 °C Open time: 25 sec

Set time: 20 sec

PAC





#### **PRO**

• For a wide range of professional packaging applications

• 12 mm glue sticks

Colour: Cream

Application temperature: 170-190 °C
Softening point: 101-109 °C

Set time: 3 sec



Dimension	Content	Art. No.	EAN Code	Uni
Ø12 x 190 mm	10 kg	40302791	3221633027913	1



#### PRO+



Glue

2 Ø12 mm

Dimension	Content	Art. No.	EAN Code	Units
Ø12 x 190 mm	10 kg	40302779	3221633027791	1
Ø12 x 190 mm	1 kg	40302777	3221633027777	10

• For a wide range of professional applications with plastics, metals, glass, wood and treated surfaces

12 mm high performance glue stick

Colour: Yellow

PRO

PRO

**PRO** 

- Application temperature: 170-190 °C
- Softening point: 80-96 °C
  Open time: 30 sec
- Set time: 30 sec



#### PRO-B

PRO-T

Dimension

Ø12 x 190 mm

Ø12 x 190 mm

Dimension	Content	Art. No.	EAN Code	Units
Ø12 x 295 mm	2.5 kg	40302804	3221633028040	4
Ø12 x 190 mm	1 kg	40302803	3221633028033	10

Content



- For a wide range of professional applications such as sanitary, cable, tiles sealant or porous materials
- 12 mm glue sticksColour: White
- Application temperature: 170-190 °C
- Softening point: 80-96 °COpen time: 30 sec
- Set time: 30 sec





#### Ø12 mm

Art. No.	EAN Code	Units
40302775	3221633027753	1

- For a wide range of professional applications, on PVC, plastic cables, glass, porous or fibrous materials
- 12 mm glue sticks
- Color: Transparent
- Application temperature: 160-200 °C
- Softening point: 81-84 °C
- Open time: 60 sec
- Set time: 30 sec



**ECO-T** 



#### **GLUE STICKS FOR ALL TYPES OF APPLICATIONS**

40302768 3221633027685

These glue sticks deliver quality bonding thanks to high resin levels and are perfect for a wide range of applications. The range includes a variety of packaging sizes with glue sticks individually created for materials and tasks as diverse as leather, PVC/cable, sanitary, metal, textile, wood or for assembly and packaging jobs. Also available in white, black, colours or crystal clear for added colour versatility and discreet application.







Dimension	Content	Art. No.	EAN Code	Units
Ø12 x 190 mm	1 kg	40302798	3221633027982	10

- · Can be used on wood, leather, fabrics, cork, plastic · materials, faience and cardboard
- 12 mm glue sticks
- Color: Transparent
- Application temperature: 160-200 °C





#### Glue 012 mm

#### Multi Purpose

Dimension	Language version	Content	Art. No.	EAN Code	Units
Ø12 x 190 mm	West	250 g	40107362	3221631073622	10
Ø12 x 190 mm	East	250 g	40107949	7313461079496	10
Ø12 x 94 mm	West	125 g	40107356	3221631073561	10
Ø12 x 94 mm	East	125 g	40107946	7313461079465	10

- · Can be used on wood, leather, fabrics, cork, plastic
- materials, faience and cardboard • 12 mm glue sticks
- Color: Transparent
- Application temperature: 160-200 °C





Dimension	Language version	Content	Art. No.	EAN Code	Units
Ø12 x 94 mm	West	50 g	40107354	3221631073547	10

- Perfect for applications with leather, suede and nubuck
  - 12 mm glue sticks Colour: Yellow



Language version Content

West



EAN Code

3221631073523

4051661021510

Art. No.

40107352

5000693

50 g

Glue

Units

10

Glue Ø12 mm

- Perfect for applications with copper, tin, brass, aluminium
- and iron

  12 mm glue sticks
- Colour: Grey



#### **PVC & Cable**

Sanitary

Dimension

Ø12 x 94 mm

Ø12 x 94 mm

Textile

Leather

Metal

Dimension

Ø12 x 94 mm

Ø12 x 94 mm

Dimension	Language version	Content	Art. No.	EAN Code	Units
Ø12 x 190 mm	West	250 g	40107363	3221631073639	10
Ø12 x 190 mm	East	250 g	40107950	7313461079502	10
Ø12 x 94 mm	West	125 g	40107358	3221631073585	10
Ø12 x 94 mm	East	125 g	5000695	4051661021534	10
Ø12 x 94 mm	West	50 g	40107351	3221631073516	10

- · Perfect for applications with cables, electric leads, PVC,
- carpets and floor coverings 12 mm glue sticks
- Colour: Transparent







- Units Language version Content Art. No. EAN Code 3221631073592 125 g 40107359 4051661021541 10 East 125 g 5000696
- Perfect for applications as tiles sealant or on ceramics and sanitary products
- 12 mm glue sticks Colour: White





- Dimension Language version Content Art. No. EAN Code Units Ø12 x 94 mm 40107353 3221631073530
- · Perfect for applications with cotton, linen, cork and suedine
- 12 mm alue sticks



#### Wood

White



Dimension	Language version	Content	Art. No.	EAN Code	Units
Ø12 x 94 mm	West	125 g	40107360	3221631073608	10
Ø12 x 94 mm	East	125 g	40107947	7313461079472	10

 · Perfect for applications on wood, chipboard, plywood and
 decorative mouldings

- Ideal also for applications with balsa, melamine wood and
- 12 mm glue sticksColour: Yellow





Dimension	Language version	Content	Art. No.	EAN Code	Units
Ø12 x 190 mm	West	250 g	40107361	3221631073615	10
Ø12 x 190 mm	East	250 g	40107951	7313461079519	10
Ø12 x 94 mm	West	125 g	40107355	3221631073554	10
Ø12 x 94 mm	East	125 g	5000694	4051661021527	10

- For a wide range of applications where a white glue is suitable

  Can be used on wood, leather, fabrics, cork, plastic
- materials, faience and cardboard
- 12 mm glue sticksColour: White







#### **Black**

Dimension	Language version	Content	Art. No.	EAN Code	Units
Ø12 x 190 mm	East	250 g	5000211	4051661008276	10

- For a wide range of applications where a black glue
- Can be used on wood, leather, fabrics, cork, plastic materials, faience and cardboard
- 12 mm glue sticks
- Colour: Black





#### Glue 012 mm

# **Crystal Clear**

Dimension	Language version	Content	Art. No.	EAN Code	Units
Ø12 x 190 mm	East	500 g	5000212	4051661008283	20
Ø12 x 190 mm	West	250 g	5000626	4051661020193	10
Ø12 x 190 mm	East	250 g	24941300	7313469413001	10

- Ideal for applications where a discreet application of crystal clear glue is suitable
- Can be used on wood, leather, fabrics, cork, plastic materials, faience and cardboard
- 12 mm glue sticks
- Colour: Crystal clear







[ 66



- Dimension Language version Content Art. No. EAN Code Units Ø12 x 190 mm 10 5000627 4051661020230 West Ø12 x 190 mm 24941400 7313469414008
- · Perfect for decoration and arts and crafts
- 12 mm coloured glue sticksColours: Yellow, blue, red





Dimension	Language version	Content	Art. No.	EAN Code	Units
Ø7 x 100 mm		250 g*	57002006	3221630101098	40
Ø7 x 65 mm	West	125 g	40107350	3221631073509	10
Ø7 x 65 mm	East	125 g	40107948	7313461079489	10

- Perfect for a wide range of decorative applications
- Can be used on with wood, leather, fabrics, cork, plastic and cardboard
- 7 mm multipurpose glue sticksColour: Transparent
- \* Plastic bag



Multi Purpose

#### **LOW TEMP GLUE**

Designed for working with heat sensitive materials at low temperature, these oval glue sticks are the perfect solution for hobby and craft work and other tasks that require a lighter touch but still quality fastening. For extra application versatility, these are available as multi-purpose glue and in coloured glitter form.



Language version Content

West

Art. No.

59006007

40107349

125 g 5000692



# **Glue** Oval

Units

20

10

EAN Code

3221630100534

3221631073493

Multi-purpose glue sticks









#### Glitter Colour

Multi Purpose

Dimension

Oval x 100 mm

Oval x 94 mm

Oval x 94 mm

Dimension	Language version	Content	Art. No.	EAN Code	Units
Oval x 94mm R/B/G	West	125 g	40108462	3221631084628	10
Oval x 94mm R/B/G	East	125 g	5000698	4051661021565	10
Oval x 94mm S/G	West	125 g	40108463	3221631084635	10

• Comes in the colours of red, blue and green glitter or in

**Decoration** 

# HOT AIR GUNS

A hot air gun is a true multi-purpose tool that can assist you in a wide variety of tasks. Rapid offers everything from simpler hot air guns for home and DIY use to advanced products with LCD displays and digital temperature monitors. All our products are safe and easy to use and as always, ergonomics is a key functionality and design factor. The result is tools with perfect balance and handles that reduce operator fatigue and discomfort.

Suitable for: paint removal, moulding metal and plastic pipes, overlapping while welding, loosening screwed-tight joints and rusty nuts and lighting the grill.





# **Digit 2000**

Art. No.	EAN Code	Units
22819350	7313468193508	10
5000699	4051661021923	10
5000708	4051661022104	10
	22819350 5000699	22819350 7313468193508 5000699 4051661021923

Digit 2000 Hot Air Gun delivers precision performance and optimal results even when subject to frequent, demanding use. Features a digital LCD display for exact, variable temperature setting. Ideal for shrinking or removal of paint, welding or desoldering.

- Power: 2000 W
- Temperature range 60-550 °C
- Airflow 185-280 I/min
- Digital LCD display for exact, variable temperature setting
   Memory function retain last temperature setting
- Patented retractable heat guard
- Vertical position protection
- Cool Air StageOverheating protectionAnti-Slip Softgrip



## Regulator 2000

Description	Art. No.	EAN Code	Units
Вох	21898000	7313468980009	10
Box - UK plug	5000700	4051661021930	10
Box - CH plug	5000706	4051661022081	10
Case*	21898010	7313468980108	5
Case* - CH plug	5000707	4051661022098	5

Perfect hot air gun for shrinking plastic pipes during plumbing work or for paint removal. Graduated, stepless temperature control offers precise heat application. For demanding users seeking professional performance levels.

- Power: 2000 W
- Temperature range 60-600 °C
  Airflow 500 I/min
- Graduated, stepless temperature control

- Cool Air Stage
  Overheating protection
  Anti-Slip Softgrip
  2 year guarantee

\*incl paint scrapers and 4 nozzles



#### Accelerator 2000

Description	Art. No.	EAN Code	Units
Вох	21897800	7313468978006	10
Box - UK plug	5000701	4051661021947	10
Box - CH plug	5000705	4051661022074	10
Case*	23389821	7313463898217	5
Case* - CH plug	5000709	4051661022111	5

Easy to use, multi-application hot air gun, ideal for renovation tasks or paint removal. Delivers great results even under intense use.

- Power: 2000 W
- Temperatur settings: 45 °C/550 °C
- Airflow 500 I/min
- Cool Air StageOverheating protection
- Anti-Slip Softgrip

\*incl paint scrapers and 4 nozzles

#### Thermal 1800

Description	Art. No.	EAN Code	Units
Case*	5000638	4051661020575	5
Case* - CH plug	5000767	4051661023392	5

Hot Air Gun perfect for lighter home or DIY use. Versatile performance thanks to 2-stage temperature and airflow control.

- Power: 1800 W
- Temperature settings: 400-600 °C
- Airflow 250-500 I/min
- Soft grip handleOverheating protection
- Case including 2 paint scrapers and 2 nozzles

\*incl paint scrapers and 2 nozzles



#### Thermal 1600

Description	Art. No.	EAN Code	Units
Вох	24359800	7313463598001	4
Box - UK plug	5000702	4051661021954	4
Box - CH plug	5000710	4051661022128	4

Ideal for all kinds of light DIY and home jobs such as defrosting freezers, waxing skis, removing stickers etc.

- Power: 1600 W
- Temperature settings: 60 °C/550 °C
   Airflow 280 I/min
   Cool Air Stage
   Overheating protection

- 2 year guarantee

## **ACCESSORIES**



#### Reduction Nozzle

Description	Art. No.	EAN Code	Units
Reduction Nozzle 9 mm	24928500	7313469285004	1
Reduction Nozzle 14 mm	5000207	4051661008115	1
Reduction Nozzle 20 mm	212148	7313462121484	1

Reduces the width of the airflow. Creates a narrowly directed jet ideal for gluing edges, soft soldering and removing paint in tight corners. Available in three different top diameters.



#### Glass Protection Nozzle

Description	Art. No.	EAN Code	Units
Glass Protect Nozzle 50 mm	212149	7313462121491	1
Glass Protect. Nozzle 75 mm	24928600	7313469286001	1

Protects glass from cracking as a result of overheating by providing more accurate direction of the flow of air. Ideal for removing paint from window frames. Available in two different widths.



#### Wide-Slot Nozzle

Description	Art. No.	EAN Code	Units
Wide-Slot Nozzle 45 mm	212151	7313462121514	1
Wide-Slot Nozzle 75 mm	24928700	7313469287008	1

Creates a wide spread of the airflow when working on surfaces. Ideal for more efficient faster working when removing paint, repairing tarred roofing paper, shaping plastic and much more. Available in two different widths.



#### Reflector Nozzle

Description	Art. No.	EAN Code	Units
Reflector Nozzle	212150	7313462121507	1
Reflector Nozzle + Shrink Tubing Set	5000209	4051661008139	1

Heats up all around the material by reflecting the hot airflow. Provides uniform heating all around the pipe. Ideal when soldering thin pipes, shaping PVC or shrinking shrink tubes.



# **Shrink Tubings**

Description	Art. No.	EAN Code	Units
Shrink Tubings Set 1, 1,5-5 mm	24947400	7313469474002	1
Shrink Tubings Set 2, 5-10 mm	24947500	7313469475009	1
Shrink Tubings Set 3, 3-12 mm	5000208	4051661008122	1

Ideal for shrinking onto cable terminals, breaks or looms. Optimal use together with a reflector nozzle. Available in three sets with different shrink tubing diameters.



# Paint Scraper Set

Description	Art. No.	EAN Code	Units
Paint Scraper Set	5000210	4051661008146	1

Handy Paint Scraper set for all types of paint removal. Supplied in 5 parts, including spatula and 3 replaceable cutting blades designed for different surfaces.



[ 70 [71

## RIVETING

Riveting pliers for blind rivets and blind rivet nuts are developed for the fastening of tough and hard materials where the back is inaccessible. Rapid offers a number of products that have been constructed with attention to ergonomics, user friendliness and powerful performance. To ensure the correct dimensions, every pack of blind rivets or blind rivet nuts comes complete with a corresponding drill. Our riveting plier product range also includes punch pliers and eyelet pliers.





**RP110** 

Clamshell - West

Clamshell - East

**RP100** 

Clamshell - West

Clamshell - East

**RP60** 

Description

Clamshell - West

Clamshell - East

**RP40** 

Description

Description



Art. No.

5000669

5000731

Art. No.

5000374

5000526

Art. No.

5000375

5000525



EAN Code

4051661021022

4051661022784



5

A rivet nut insertion tool designed to provide a solution when fastening materials together without access to the rear to tighten a bolt. With this tough, die cast aluminium tool, you can insert M3, M4, M5 and M6 rivet nuts – internally threaded tubular rivets.

- For M3, M4, M5, M6 rivet nuts
- Integrated wrench
- Strong metal jaws
- Soft grip handle
- 3 year guarantee





EAN Code

4051661013348

4051661017872





Units

5



- For 3.2, 4.0 and 4.8 mm aluminium and stainless steel rivets
- Power reduction mechanism Integrated rivet pin receiver
- Integrated wrench
- Light, aluminium die cast body
  Strong metal jaws
  Soft grip handle

- 5 year guarantee





EAN Code

4051661013355

4051661017834





Units



For riveting work in narrow or confined spaces, the RP60 hand riveter delivers precision performance, reliability and great results. A 360° pivoting head offers true versatility.

- For 3.2, 4.0 and 4.8 aluminium rivets
- 360° pivoting headIntegrated wrench
- Light, aluminium die cast body Strong metal jaws
- Soft grip handle
- 3 year guarantee















- For 3.2 and 4.0 stainless steel rivets For 3.2, 4.0 and 4.8 aluminium rivets
- Wrench included
- Strong metal jaws
- Soft grip handle
- 3 year guarantee



West = DE FR NL GB IT ES PT SE DK FI GR East = DE PL RU CZ SK SI HR TR HU RO BG



#### **RP10**

Description

Clamshell - West

Clamshell - East



EAN Code

4051661013362

5000523 4051661017759

Art. No.

5000376








Enjoy fast, trouble-free riveting. This handy kit includes 100 rivets to get you started straight away.

- For 3.2, 4.0 and 4.8 aluminium rivets
- Integrated wrenchSoft grip handle
- Includes 100 rivets
- 2 year guarantee

## **RP05** Eyelet Plier





Eyelet pliers with integrated hole punch function. Ideal for use on leather, shoes, canvas and much more.

- For 4.0 mm eyeletsIntegrated hole punch function
- Strong metal parts
- Includes a 100 pack of 4 mm eyelets
- 2 year guarantee



#### **RP03 Leather Punch**

Description	Art. No.	EAN Code	Units
Clamshell - West	5000408	4051661013683	5
Clamshell - East	5000521	4051661017674	5


Versatile, great value leather punch set for leather, textile and plastic application. Easy to handle, designed for frequent usage and delivers great results.

- Punches holes from 2.5 to 4.5 mm in diameter
  Rotating head to select the correct diameter
- Strong metal parts
- Chrome finishing
- 2 year guarantee

# **RIVETS**

# Choose rivet size

Measure the thickness of materials to bond = grip range






Ø mm	Your measured Grip Range	Required rivet height
3,2	2-4 mm	8 mm
4,0	2-5 mm	8 mm
4,0	6-9 mm	12 mm
4,0	8–10 mm	14 mm
4,0	9-12 mm	16 mm
4,0	12-15 mm	18 mm
4,8	4 –7 mm	10 mm
4,8	6-9 mm	12 mm
4,8	8-11 mm	14 mm
4,8	9-12 mm	16 mm
4,8	12-14 mm	18 mm
4,8	14-16 mm	20 mm
4,8	19-22 mm	25 mm
	3,2 4,0 4,0 4,0 4,0 4,8 4,8 4,8 4,8 4,8	3,2 2-4 mm  4,0 2-5 mm  4,0 6-9 mm  4,0 8-10 mm  4,0 9-12 mm  4,0 12-15 mm  4,8 4-7 mm  4,8 6-9 mm  4,8 8-11 mm  4,8 9-12 mm  4,8 12-14 mm  4,8 14-16 mm



#### Rivet Nuts

Description	Specification	Pcs	Art. No.	EAN Code	Units
M3	Galvanized	20	5000670	4051661021046	5
M4	Galvanized	20	5000671	4051661021060	5
M5	Galvanized	20	5000672	4051661021084	5
M6	Galvanized	20	5000673	4051661021107	5





- Removes the need for a traditional bolt on the 'rear' of the
- materials being fastened together.

  Increases working efficiency by allowing the user to complete the job from one side.
- Ideal also for fastening materials with a low grip range
- A drill of correct size is included in the packaging



## **High Performance Rivets**

U					
Description	Specification	Pcs	Art. No.	EAN Code	Units
Ø3.2 x 8 mm	Aluminium	50	5000383	4051661013430	5
Ø4 x 12 mm	Aluminium	50	5000384	4051661013447	5
Ø4 x 14 mm	Aluminium	50	5000385	4051661013454	5
Ø4 x 18 mm	Aluminium	50	5000386	4051661013461	5
Ø4.8 x 10 mm	Aluminium	50	5000387	4051661013478	5
Ø4.8 x 12 mm	Aluminium	50	5000388	4051661013485	5
Ø4.8 x 14 mm	Aluminium	50	5000389	4051661013492	5
Ø4.8 x 16 mm	Aluminium	50	5000390	4051661013508	5
Ø4.8 x 20 mm	Aluminium	50	5000391	4051661013515	5
Ø4.8 x 25 mm	Aluminium	50	5000392	4051661013522	5



- High performance, aluminium rivets
   Perfect for securing material which may be in exposed places
- Use effectively on mudguards, metal and plastic covering, signage and metal sheeting
  A drill of correct size is included in the packaging



#### **XL Rivets**

Description	Specification	Pcs	Art. No.	EAN Code	Units
Ø3.2 x 8 mm	Aluminium	50	5000659	4051661020827	5
Ø4 x 10 mm	Aluminium	50	5000660	4051661020841	5
Ø4 x 12 mm	Aluminium	50	5000661	4051661020865	5
Ø4 x 16 mm	Aluminium	40	5000662	4051661020889	5
Ø4 x 18 mm	Aluminium	40	5000663	4051661020902	5
Ø4.8 x 12 mm	Aluminium	40	5000664	4051661020926	5
Ø4.8 x 16 mm	Aluminium	40	5000665	4051661020940	5
Ø4.8 x 18 mm	Aluminium	40	5000666	4051661020964	5
Ø4.8 x 20 mm	Aluminium	25	5000667	4051661020988	5
Ø4.8 x 30 mm	Aluminium	25	5000668	4051661021008	5



- High performance, aluminium rivets with a wider, flatter ring
   The extra area this ring creates increases resistance and
- Ideal when attaching softer materials such as leather, rubber and plastic to harder materials
- A drill of correct size is included in the packaging

West = DE FR NL GB IT ES PT SE DK FI GR East = DE PL RU CZ SK SI HR TR HU RO BG




#### **Waterproof Rivets**












- Waterproof rivets featuring a head that is a single unit without joints
- Ensures no leakage occurs between the bonded
- Ideal for securing waterspouts, gutters, roofing, shower
- panels and other tasks such as greenhouse repair work

   A drill of correct size is included in the packaging



#### **Automotive Rivets**






- High quality, coloured rivets
- Specifically designed for effective, discreet fastening and
- Use effectively on license plates, motorbikes, RV's, trailers
- · A drill of correct size is included in the packaging



#### Stainless Steel Rivets

Stainless steel

Ø4.8 x 25 mm



50

5000398

[ 76

4051661013584

5



- Stainless steel A2 Class, AISI 304 quality
- Extra hard material ensures a strong bond designed to exceed the lifetime of the bonded material
- Specifically created for outside use or application in
- humid or damp environments Ideal for license plate fastening, mudguards, metal coverings, greenhouses, lawnmowers or sheet metal
- · A drill of correct size is included in the packaging



Pcs

100

100

100

100

100

100

Art. No.

5000377

5000378

5000379

5000380

5000381

5000382

Art. No.

5000409

5000410

5000411

Art. No.

5000412

5000413

Art. No.

5000414

5000415

5000416

[77

Standard Rivets

Description

Ø3.2 x 8 mm

Ø4 x 8 mm

Ø4 x 12 mm

Ø4.8 x 10 mm

Ø4.8 x 14 mm

Ø4.8 x 16 mm

**Eyelets** 

**Grommets** 

Description

10 x 21 mm

12 x 23 mm

Description

7 x 3 x 9 mm, Cap 7 x 3 Aluminium

8 x 3 x 9 mm, Cap 8 x 3 Aluminium

9 x 3 x 13 mm, Cap 10 x 3 Aluminium

Description

6 mm

8 mm

Specification

Aluminium

Aluminium

Aluminium

Aluminium

Aluminium

Specification

Aluminium

Aluminium

Specification

Specification

Aluminium



EAN Code

4051661013379

4051661013386

4051661013393

4051661013409

4051661013416

4051661013423





Units

10

10

10

10



- Standard rivets
- Designed for applications such as metal sheet work,



Pcs

100

25

25



EAN Code

4051661013690

4051661013706

4051661013713





Units

5



- High quality eyelets
- Specifically created for effective application on textiles, leather, shoes and canvas
- Including fixing system (6-8 mm eyelets)



25

25









- Tough, long lasting grommets
- Ideal for reinforcing holes in a wide range of material
   Use effectively on cloth, tarpaulin, oilskin, leather and
- The perfect solution for shoelace eyelets, jackets, belts, luggage, plastic sheeting, laminated paper etc
- Including fixing system



Pcs

25

25

25



EAN Code

4051661013744

4051661013751

4051661013768





Units





- · Perfect for a wide range of tasks
- Use for jeans decoration, repairing pockets or belt loops or textile and leather fixing
- Including fixing system

# **GARDEN TOOLS**

In our outdoors range, Rapid offers a variety of high quality garden pliers that facilitate efficient, neat fastening of plants, vines or garden fences. Our pliers have all been designed with the highest attention to ergonomics and functional design and hog rings are available in a number of different dimensions and coatings to accommodate any situation or requirement.



#### **GARDEN PLIERS**





Description	Art. No.	EAN Code	Units
Clamshell	24311200	7313463112009	12

Great value pliers designed to make garden work easier and more comfortable. Ideal for fixing young plants, securing branches or attaching netting. Handy 3-position locking function means that securing can be made without damaging the plant.

- Delivers a closing diameter of 2, 8 and 16 mmOptimal performance with VR38 hog rings
- 3-position locking function
- Quick load magazine Ergonomic soft grip handle Handle lock for easy storage
- 2 year guarantee

#### **FENCE PLIERS**

Description

Description

Clamshell

Clamshell





EAN Code

23468100 7313464681009

Hog Ring

Units

For more demanding garden tasks such as fixing thicker wire netting or chain link fencing, these fence pliers are a tough, reliable solution that delivers great results.

- Delivers a closing diameter of 5-11 mm
  Optimal performance with VR22 hog rings
  High capacity hog ring magazine
- Ergonomic soft grip handle
- Handle lock for easy storage
- 2 year guarantee





Units EAN Code Description Art. No. 23467900 7313464679006

Reliable, easy-to-use fence pliers. Ideal for securing fencing and other applications in narrow or tight spaces.

- Delivers a closing diameter of 2-8 mm
- Optimal performance with VR16 hog rings
- High capacity hog ring magazine
- Ergonomic soft grip handleHandle lock for easy storage
- 2 year guarantee







23468000 7313464680002



EAN Code

Versatile, great value and easy-to-use fence pliers. Ideal for a number of applications, including fixing wire netting to fence wire. Magazine-free operation.

- Can deliver a closing diameter up to 11 mm
  Optimal performance with VR16 and VR22 hog rings
- Magazine free operation
- Ergonomic soft grip handleHandle lock for easy storage
- 2 year guarantee

#### **VINE PLIERS**







Description	Art. No.	EAN Code	Units
Box	40107754	3221631077545	8

Professional standard, durable vine pliers featuring a high capacity magazine and precision performance. Ideal for securing large branches.

- Delivers a closing diameter of 6-20 mm
- Optimal performance with C75 and C85 hog rings High capacity hog ring magazine
- Ergonomic soft grip handle
- Hardened steel for best durability
- 2 year guarantee

# **LIG150**



Description	Art. No.	EAN Code	Units
Box	40107753	3221631077538	8

Professional standard, durable vine pliers with high capacity magazine. Ideal for securing branches.

- Delivers a closing diameter of 4-14 mm
- Optimal performance with C50 hog rings
- High capacity hog ring magazine
- Ergonomic soft grip handleHardened steel for best durability
- 2 year guarantee

**HOG RINGS** 



These galvanised, high quality hog rings are an effective solution for different outdoor fastening applications.

# Garden Hog rings VR38



Description	Specification	Pcs	Art. No.	EAN Code	Units
6-16 mm	Bright	300	40109236	3221631092364	5




- Galvanised, high quality hog rings
- Designed for use with our GP238 Garden Pliers
   Perfect for securing 6-11-16 mm stalks

## Fence Hog rings VR22 box



*[* 80







- Galvanised, high quality hog rings
- · An effective solution when fastening high-tension wire onto fencing
- Suitable for use with netting wire 5-11 mm in
- Ideal for securing cages, fencing or protecting young
- Also available in green or black plastic coated finish, for discreet fixing of colour fencing

# Fence Hog rings VR22 blister

Galvanized; Green PET coated

Galvanized; Green PET coated

Galvanized; Black PET coated

1100

1100

215

215

3100

3190

1390

1390

400

40108806

40108801

Art. No.

40108809

40108799

Specification

Galvanized

Galvanized

Description

5-11 mm

5-11 mm

5-11 mm

5-11 mm

5-11 mm

2-8 mm

2-8 mm

2-8 mm

2-8 mm

2-8 mm

2-8 mm



EAN Code

3221631088060

3221631088015

3221631088022

40108807 3221631088077

40108804 3221631088046



Units

10



Galvanised, high quality hog ringsAn effective solution when fastening high-tension wire onto fencing

Suitable for use with netting wire 5-11 mm in

· Ideal for securing cages, fencing or protecting young

Also available in green or black plastic coated for discreet fixing of colour fencing

#### Fence Hog rings VR16

Galvanized; Green PET coated

Galvanized; Green PET coated

Galvanized: Green PET coated



40108808 3001631088084

40108800 3221631088008

40108796 3221631087964

40108797 3221631087971



EAN Code

3221631088091

3221631087995

Hoa Rina

13

13



Galvanised, high quality hog rings

An effective solution when fastening high-tension wire onto fencing

Suitable for use with netting wire 2-8 mm in

• Ideal for securing cages, fencing or protecting young

Also available in green, plastic coated finish, for discreet fixing of colour fencing

### Vine Hog rings C85

Galvanized

Galvanized

Galvanized



Hog Ring

Specification Description FAN Code Units Pcs Art. No. 5000 40107761 3221631077613




· High quality steel hog rings

 Ideal for securing branches and vine shoots 6-20 mm in diameter

#### Vine Hog rings C75



Hog Ring






· Long-lasting, high resistant vine hog rings

Ideal for securing branches and vine shoots between 6-18 mm in diameter

### Vine Hog rings C50



Hog Ring





· High quality hog rings

Ideal for securing branches and vine shoots between 4-14 mm in diameter

/ 81

#### **INDUSTRY & PRINT FINISHING**

Our range of electric staplers and stapling pliers is one of the world's best selling – a result of its high quality, outstanding performance and flexible areas of application. With a wide range of potential uses including printing tasks, booklet stapling, packaging and even in florists or other retail outlets, our Industry and Print Finishing products deliver proven Rapid benefits including reliability and precision even under demanding, high-frequency conditions.

#### STAPLING PLIERS

**K1** 

24/8+ mm






Description	Art. No.	EAN Code	Units
24/6-8+, Box	10510601	7313465106013	40
26/6-8+, Box	10510602	7313465106020	40
24/6-8+, Clamshell	10510628	7313465106280	24
26/6-8+, Clamshell	10510629	7313465106297	24

The world's most sold pliers and the florist's favourite. Available in 2 different versions - for Rapid staple No. 24 and for Rapid staple No. 26. For the post room, shops, store, home and office.

- Capacity: 50 sheets (80 gsm paper)
  Available in 2 versions: for Rapid staple No 24 or 26
- Adjustable anvil for stapling and pinning
- Made out of metal with chromed surface
- 5 year guarantee when using Rapid staples

# 24 Staples Strong





2-30 sheets

#### 24 Staples Superstrong

Galvanized; Superstrong



5000

24860100 7313468601003

[ 82



2-40 sheets 2-50 sheets

#### 26 Staples Strong

26/6 mm

26/6 mm

Specification

Galvanized; Strong

Galvanized; Strong




24862000 7313468620004



2-30 sheets

### 26 Staples Superstrong





5000



2-50 sheets



#### K1 Textile



Description	Art. No.	EAN Code	Units
43/6-8 mm, Box	10520501	7313465205013	10

Same design as world's most sold pliers K1, except without the adjustable anvil, but produced for super fine staples Rapid No 43. Excellent for all work in textiles, professionally or at home

- Especially produced for all work in textiles
- Nice classic design
- Made out of metal with chromed surface
- 5 year guarantee when using Rapid staples

# 43 Staples Superstrong





Description	Specification	Pcs	Art. No.	EAN Code	Units
43/6 mm	Galvanized; Superstrong	10.000	24872200	7313468722005	70
43/8 mm	Galvanized; Superstrong	10.000	24872300	7313468723002	60







Description	Art. No.	EAN Code	Units
Вох	10540301	7313465403013	10
2 anvils; Box	10540310	7313465403105	10

Powerful pliers with nickel-plated design and finger stop, ideal for jiffy bags, small boxes etc. Works with 3 different anvils which are easily attached with two screws.

- Capacity: 70 sheets (80 gsm paper)
- Nickel-plated design and finger stop
   Deliver with straight anvil and it is a standard version. Bag anvil is only delivered as accessory.
   5 year guarantee when using Rapid staples

/ 83

#### 73 Staples Super Strong



Description	Specification	Pcs	Art. No.	EAN Code	Units
73/6 mm	Galvanized; Superstrong	5000	24890200	7313468902001	24
73/8 mm	Galvanized; Superstrong	5000	24890300	7313468903008	18
73/10 mm	Galvanized; Superstrong	5000	24890400	7313468904005	16
73/12 mm	Galvanized; Superstrong	5000	24890800	7313468908003	15



6 mm	2-15 sheet
8 mm	10-30 sheet
10 mm	10-40 sheet
12 mm	40-70 sheet



#### **S51**



Description	Art. No.	EAN Code	Units
Nickel; Box	10538702	7313465353028	5
Black; Box	10538705	7313465353127	5
Blue; Box	10538707	7313465353073	5
White; Box	10538708	7313465353080	5



Handy stapling pliers for home and office with a need for stapling with small staples. Grip friendly and totally in steel with powder spray paint treatment. Available in nickel-plating and several colours.

# 21 Staples Standard



Description	Specification	Pcs	Art. No.	EAN Code	Units
21/4 mm	Galvanized; Standard	2000	24867500	7313468675004	10
21/4 mm	Galvanized; Clamshell	3x1000	24639800	7313466398004	10



12 sheets

#### 21 Staples Strong



Description	Specification	Pcs	Art. No.	EAN Code	Units
21/4 mm	Galvanized; Strong	1000	24863400	7313468634001	10
21/4 mm	Galvanized; Strong	5000	24867400	7313468674007	5

[ 84



20 sheets

#### **ELECTRIC STAPLERS**



Specification

66/6-8 mm; 220 V

66/6-8 mm; 230 V

66/6-8 mm; 240 V

66/6-8 mm; 115 V

66/6-8 mm; 220 V

#### 105E

Description

Box - EU plug

Box - UK plug

Box - CH plug

Box - BR plug

Box - excl. Plug

Box - AU/NZ plug



Art. No.

10870402

5000253



10870410 7313468704100

10870444 7313468704445

10870445 7313468704452

EAN Code

7313468704025

7313468704179





Units

Electric stapler for office and packaging stapling. Fast stapler with slim design for added versatility. Equipped with the power, reliability and versatility demanded by industrial users. Two or more staplers can be linked for simultaneous

- Capacity: 50 sheets (80 gsm paper)
- Adjustable stapling force
  Adjustable stapling depth 0-102 mm
- Slim design enables it to be installed in a variety of configurations
  • Protection visor, cuts the power when lifted
- Serial mounting via opto cables for greater production capacity



Specification

66/6-8 mm; 220 V

66/6-8 mm; 220 V

66/6-8 mm; 240 V

66/6-8 mm; 220 V

66/6-8 mm; 115 V

66/6-8 mm; 220 V

66/6-8 mm; 220 V

66/6-8 mm; 230 V

66/6-8 mm; 220 V

#### 106E

Description

Box - EU plug

Box - UK plug

Box - CH plug

Box - CN plug

Box - BR plug

106E Twin Rig

Box - EU plug

Box - UK plug

Box - excl. Plug

Box - AU/NZ plug



Art. No.

10875317

10875360

5000254

10875345





EAN Code

7313468753108

7313468753177

7313468753603

4051661010217

7313468753450

10875302 7313468753023


10875344 7313468753443

10885202 7313468852023

10885210 7313468852108

10885208 7313468852085





- Capacity: 50 sheets (80 gsm paper)
- Adjustable stapling force
- Maximun stapling depth 220 mm
- 3 staplers in 1 interchangeable insert staplers
  Protection visor, cuts the power when lifted
- Delivered with wide worktable and pedal
- Serial mounting via opto cables for greater production
- Optional extras: Narrow work table, saddle staple rail,
- stapling head for loop stapling, opto cables.


   Tested for 500.000 operations

## 66 Staples Strong











2-20 sheets 5–30 sheets





66 Staples Superstrong					
Description	Specification	Pcs	Art. No.	EAN Code	Units
66/8+ mm	Galvanized; Superstrong	5000	24868000	7313468680008	70



#### **Accessories**

Description	Art. No.	EAN Code	Units
Insert Stapler for 105E	10841512	7313468415129	10
Insert Stapler for 106E	10842312	7313468423124	10
Insert Stapler for 106E - loop stapling (ring)	10843112	7313468431129	10
Pedal for 105E	10880302	7313468803025	1
Pedal for 106E	10880311	7313468803117	1
Base for 105E	108811	7313461088115	1
Vice for 105E	178004	7313461780040	1
Saddle runner for 106E	108829	7313461088290	1
Narrow table for 106E	17824412	7313468244125	1
Opto Cable 400 mm for 105E and 106E	17774101	7313467741014	1



8,5 mm 10-50 sheets



Narrow work table (60 mm) with anvil.



Simultaneous stapling action via linked opto cables (40 cm). The staplers are sequence controlled, to avoid overloading the power supply.



R252/106 Stapling head for loop stapling (ring).



Vice (bench clamp) enables stapler to be firmly fixed to work-table if required.



The pedal is ideal for precision stapling in industrial applications. Simple plug-in connection.



The adjustable industrial multi base for mounting up to 4 staplers enables the staplers to be easily moved to anouther working area.



Special rail for saddle stapling with two or more 106E staplers.





Art.no. **98901637** ISABERG RAPID AB, Box 115, SE-330 27 HESTRA, SWEDEN